

This document is a preview generated by EVS

Suction catheters for use in the respiratory tract (ISO 8836:2019)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 8836:2020 sisaldab Euroopa standardi EN ISO 8836:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 8836:2020 consists of the English text of the European standard EN ISO 8836:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 07.10.2020.	Date of Availability of the European standard is 07.10.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 11.040.10, 11.040.25

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 8836

October 2020

ICS 11.040.10; 11.040.25

Supersedes EN ISO 8836:2014

English Version

Suction catheters for use in the respiratory tract (ISO
8836:2019)

Sondes d'aspiration pour les voies respiratoires (ISO
8836:2019)

Absaugkatheter zur Verwendung im Atemtrakt (ISO
8836:2019)

This European Standard was approved by CEN on 24 June 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 8836:2020) has been prepared by Technical Committee ISO/TC 121 "Anaesthetic and respiratory equipment" in collaboration with Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2021, and conflicting national standards shall be withdrawn at the latest by October 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8836:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 8836:2019 has been approved by CEN as EN ISO 8836:2020 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 *General requirements	3
5 Materials	4
6 Design requirements	4
6.1 General	4
6.2 Size designations and dimensions	4
6.3 <i>Suction catheter tip</i>	5
6.4 * <i>Suction catheter connector</i>	6
6.5 Additional requirements for <i>closed suction catheters</i>	7
6.5.1 General design	7
6.5.2 <i>Closed suction catheter manifold and connectors</i>	8
6.5.3 <i>Protective sleeve</i>	9
6.5.4 * <i>Suction control device</i>	9
6.5.5 Flushing system	10
6.5.6 T-piece port	10
6.6 Performance requirements	10
6.6.1 Security of construction	10
6.6.2 Shaft performance	10
6.6.3 Suction control device performance	11
6.6.4 *Leakage	11
6.6.5 *Resistance to flow	11
7 Requirements for <i>suction catheters supplied sterile</i>	11
8 Packaging	11
9 Information supplied by the manufacturer	11
9.1 General	11
9.2 Marking	12
9.3 Instructions for use	13
Annex A (informative) Rationale	14
Annex B (normative) Test method for security of attachment	17
Annex C (normative) Measurement of residual vacuum	18
Annex D (normative) *Method of testing leakage	20
Annex E (informative) Hazard identification for risk assessment	21
Bibliography	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 121, *Anaesthetic and respiratory equipment*, Subcommittee SC 2, *Airways and related equipment*.

This fifth edition cancels and replaces the fourth edition (ISO 8836:2014), which has been technically revised. The main changes compared to the previous edition are as follows:

- it is no longer a requirement to have only male-type *suction catheter connector* on the *suction catheter*;
- the female-type suction catheter connector has been reinstated following removal in the fourth edition of this document;
- the terms and definitions have been revised;
- the conditions for the measurement of *residual vacuum* in *closed suction catheters* have been revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is concerned with the basic requirements and method of size designation of both *open* and *closed suction catheters* made of flexible materials.

The method of describing tube dimensions and configuration has been devised in order to assist clinicians in the selection of the most suitable *suction catheter* for a particular patient. The size designation is important when selecting a catheter because of its relationship to the ease with which the catheter can be passed through a *tracheal or tracheostomy tube*[[2](#)][\[3\]](#).

Throughout this document the following print types are used:

- Requirements and definitions: roman type;
- *Conformance checks and test specifications: italic type;*
- Informative material appearing outside of tables, such as notes, examples and references: smaller type. The normative text of tables is also in smaller type;
- *defined terms: italics.*

An asterisk (*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in [Annex A](#).

Suction catheters for use in the respiratory tract

1 Scope

This document specifies dimensions and requirements for both *open* and *closed suction catheters* made of flexible materials and intended for use in suctioning of the respiratory tract.

Suction catheters intended for use with flammable anaesthetic gases or agents, lasers or electrosurgical equipment are not covered by this document.

NOTE For guidance on airway management during laser surgery of the upper airway, see ISO/TR 11991^[4].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5356-1, *Anaesthetic and respiratory equipment — Conical connectors — Part 1: Cones and sockets*

ISO 5367:2014, *Anaesthetic and respiratory equipment — Breathing sets and connectors*

ISO 18190:2016, *Anaesthetic and respiratory equipment — General requirements for airways and related equipment*

ISO 18562-1, *Biocompatibility evaluation of breathing gas pathways in healthcare applications — Part 1: Evaluation and testing within a risk management process*

ISO 80369-7, *Small-bore connectors for liquids and gases in healthcare applications — Part 7: Connectors for intravascular or hypodermic applications*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

*closed suction catheter

suction catheter (3.17) enclosed within a *protective sleeve* (3.8) that allows its use within the airway without opening the *breathing system* directly to atmosphere

3.2

*closed suction catheter manifold

part of the *closed suction catheter* (3.1) that provides a connection to an airway device

3.3

connector

fitting to join together two or more components

[SOURCE: ISO 4135:2001, 4.2.2.1]