

RAUDTEEALASED RAKENDUSED. RAUDTEEVEEREM.
RÖÖBASSÕIDUKITE KOLMEFAASILISE VÄLISE
ELEKTRITOITE SÜSTEEM JA SELLE PISTIKUD

Railway applications - Rolling Stock - Three-phase shore
(external) supply system for rail vehicles and its
connectors

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50546:2020 sisaldab Euroopa standardi EN 50546:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 50546:2020 consists of the English text of the European standard EN 50546:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 09.10.2020.	Date of Availability of the European standard is 09.10.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.120.30, 45.060.01

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50546

October 2020

ICS 29.120.30; 45.060.01

Supersedes CLC/TS 50546:2013 and all of its
amendments and corrigenda (if any)

English Version

Railway applications - Rolling Stock - Three-phase shore
(external) supply system for rail vehicles and its connectors

Applications ferroviaires - Matériel roulant - Système
externe d'alimentation triphasée des véhicules ferroviaires
par connecteurs

Bahnanwendungen - Fahrzeuge - Dreiphasiges
Fremdeinspeisungssystem für Schienenfahrzeuge und
zugehörige Steckverbinder

This European Standard was approved by CENELEC on 2020-08-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

European foreword	5
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General requirements.....	12
4.1 Functional description	12
4.2 System requirements	12
4.2.1 General.....	12
4.2.2 Supply voltages for the shore supply system	13
4.2.3 Power limitation	13
4.2.4 Emergency cut-off switch	14
4.2.5 Earth fault system.....	14
4.2.6 Prevention of-Energization of fixed connector by the vehicle.....	14
4.2.7 Shore side (infrastructure) system	14
4.2.8 Overload protection	15
4.2.9 Traction and brake interlock.....	15
4.2.10 Cables	15
4.3 Installation — Mounting of fixed connector.....	15
5 Classification.....	15
5.1 General.....	15
5.2 Intended use of rolling stock	15
5.3 Location of connector on-board rolling stock.....	15
6 Connector requirements	15
6.1 General.....	15
6.1.1 Voltage ratings	15
6.1.2 Current ratings	16
6.1.3 Connector layouts	16
6.1.4 Connector dimensions	16
6.1.5 Gender of the connectors	17
6.1.6 Accepted cables.....	17
6.1.7 Contact design	17
6.1.8 Contact resistance of wired contact pair by contact type	18
6.1.9 Wired contact voltage drop linked to the cable section	19
6.1.10 Creepage and clearance distances.....	19
6.1.11 Single person operation.....	19
6.2 Marking and identification	19
6.2.1 Identification.....	19
6.2.2 Marking	20
6.3 Scoop proof	20
6.4 Protection against electric shock	20
6.5 Provisions for earthing	20
6.6 Terminations and connection methods	21
6.6.1 Crimped connections	21
6.6.2 Soldered connections	21
6.6.3 Tooling	21
6.7 Resistance to ageing	21

6.8	Interlock.....	21
6.8.1	Mechanical	21
6.8.2	Electrical.....	22
6.9	Degree of protection IP	22
6.10	Dielectric strength	22
6.11	Mechanical and electrical durability.....	22
6.12	Harness or assembly strain relief.....	22
6.13	Mechanical strength.....	23
6.13.1	Insert retention in the shell	23
6.13.2	Retention of the contacts within insert.....	23
6.13.3	Durability	23
6.13.4	Bending moment withstand	23
6.14	Vibration and shock	23
6.15	Insulation and insulation co-ordination	23
6.16	Temperature classes.....	23
6.17	Temperature rise	23
6.18	Protection against corrosion	23
6.19	Fire behaviour of materials and components	23
6.20	Resistance to chemically active substances and to contaminating fluids	24
6.21	Resistance to ozone.....	24
6.22	Resistance to UV radiation.....	24
6.23	Connector material.....	24
6.24	Protective cover.....	24
7	Tests	25
7.1	Introduction.....	25
7.1.1	General	25
7.1.2	Preconditioning and preparation	25
7.1.3	Test conditions	25
7.2	Test schedule (EN 60512-1-100 – General – Applicable Publications)	26
7.2.1	Test conditions for Group A.....	26
7.2.2	Test conditions for Group B.....	27
7.2.3	Test conditions for Group C.....	28
7.2.4	Test conditions for Group D.....	28
7.2.5	Test conditions for Group E.....	29
7.2.6	Test conditions for Group F — Test phase F1	30
7.2.7	Test conditions for Group G	31
7.3	Tests on raw materials.....	32
7.4	Protection against electric shock	32
7.5	Temperature rise	32
7.6	Mechanical operation.....	32
7.6.1	General	32
7.6.2	Test conditions	32
7.7	Measurement of contact resistance of wired contact pair	32
7.8	Drop test for free connector.....	33
7.9	Measurement of clearances and creepage	33
7.10	Dielectric strength	33
7.11	Resistance between earthing conductor of the free connector and the shell of the fixed connector	33
7.12	Corrosion test	33
7.13	Contact retention	34
	Annex A (normative) 63 A/125 A Connector design	35
A.1	Fixed connector.....	35
A.1.1	Arrangement of contacts	35
A.1.2	Locking mechanism	36

A.1.3 Dimensions of male contacts	37
A.1.4 Dimensions of protective cover	40
A.2 Free connector	41
A.2.1 General.....	41
A.2.2 Arrangement of contacts and locking pin.....	42
A.2.3 Dimensions of power contacts.....	44
A.2.4 Dimensions of pilot and coding contacts	45
Annex B (normative) 600 A connector design.....	46
B.1 Fixed connector	46
B.1.1 General.....	46
B.1.2 Arrangement of contacts	48
B.1.3 Locking mechanism	50
B.1.4 Dimensions of contacts	52
B.2 Free connector	53
B.2.1 General.....	53
B.2.2 Dimensions for locking arrangement	56
B.2.3 Dimensions of power contacts.....	58
B.2.4 Dimensions of pilot and coding contacts	58
Annex ZZ (informative) Relationship between this European Standard and the essential requirements of EU Directive 2016/797/EU [2016 OJ L138] aimed to be covered.....	60
Bibliography	62

European foreword

This document (EN 50546:2020) has been prepared by CLC/SC 9XB, "Electrical, electronic and electromechanical material on board rolling stock, including associated software".

The following dates are fixed:

- latest date by which this document has (dop) 2021-08-17
to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national (dow) 2023-08-17
standards conflicting with this document have to be withdrawn

This document supersedes CLC/TS 50546:2013.

EN 50546:2020 includes the following significant technical changes with respect to CLC/TS 50546:2013:

- a) Revision of Clause 1, Scope;
- b) Revision of Clause 2, Normative references;
- c) Revision of Clause 3, Terms and definitions, with reorganization of definitions;
- d) Revision of Clause 4, General requirements, to include reference to connectors and associated shore side requirements;
- e) Introduction of new Clause 5, Classification;
- f) Introduction of new Clause 6, Connector requirements;
- g) Introduction of new Clause 7, Tests;
- h) Introduction of the following mandatory Annexes:
 - 1) Annex A, Connector design 63 A/ 125 A;
 - 2) Annex B, Connector design 600 A;
- i) Bibliography, revised and corrected.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

This standardization project was derived from the EU-funded Research project MODTRAIN (MODPOWER). It is part of a series of standards, referring to each other. The hierarchy of the standards is intended to be as set out in Figure 1:




Figure 1 — Overview on the technical framework CLC/TS 50534 defines the basis for other dependent standards

Introduction

The shore supply system is used within depots and sidings location for providing power to the auxiliary electrical supply (which may include battery charging) when the primary power supply is not available, and the train is static (0 km/h). This document defines connectors that are intermateable to provide interoperability for rolling stock that is to run across borders and has been equipped with batteries which are be charged in locations other than their normal depot or sidings location.

The connectors are dimensioned using standard rolling stock cables as set out in EN 50264-3-1:2008.

This document provides the requirements for compatibility of systems defined and good practice 3-phase AC + N; 400 V, 50 Hz shore (external) supply systems. It focuses on describing the defined interfaces regarding electrical power supply in stations, depots/workshops and sidings location into the rail vehicle.

This document provides recommended characteristics of power supply and the interface drawings for the shore supply connectors. The interface drawings are supplied to provide intermateability and interoperability of connectors. The fixed connector is provided with a protective cover to prevent any ingress when the connector is not in use.

Two connectors have been specified in this document. The first is suitable for either 63 A or 125 A shore supplies. The second is suitable for 600 A shore supplies. The 600 A connector is the existing UK standard three-phase shore supply connector which has a long service history.

1 Scope

This document specifies requirements for the shore supply system for auxiliaries and pre-conditioning and the related intermateable connector pairs. This standard specifies the characteristics of the connectors in order to achieve interoperability at the rolling-stock/shore power supply interface.

This document does not apply to shore supplies to move the rolling stock.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 45545-2:2013+A1:2015, *Railway applications – Fire protection on railway vehicles – Part 2: Requirements for fire behaviour of materials and components*

EN 50122-1:2011, *Railway applications - Fixed installations - Electrical safety, earthing and the return circuit Part 1: Protective provisions against electric shock*

EN 50124-1:2017, *Railway applications – Insulation coordination – Part 1: Basic requirements – Clearances and creepage distances for all electrical and electronic equipment*

EN 50125-1:2014, *Railway applications – Environmental conditions for equipment Part 1:Rolling stock and on-board equipment*

EN 50153:2014, *Railway applications – Rolling stock – Protective provisions relating to electrical hazards*

EN 50160, *Voltage characteristics of electricity supplied by public electricity networks*

EN 50264-3-1:2008, *Railway applications – Railway rolling stock power and control cables having special fire performance – Part 3-1: Cables with crosslinked elastomeric insulation with reduced dimensions – Single core cables*

EN 50467:2011, *Railway applications – Rolling stock – Electrical connectors, requirements and test methods*

EN 50533:2011¹⁾, *Railway applications – Three-phase train line voltage characteristics*

EN 60512-1-4:1997, *Electromechanical components for electronic equipment - Basic testing procedures and measuring methods - Part 1: General - Section 4: Test 1d: Contact protection effectiveness (scoop-proof) (IEC 60512-1-4:1997)*

EN 60529:1991²⁾, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 61373:2010, *Railway applications - Rolling stock equipment - Shock and vibration tests (IEC 61373:2010)*

EN ISO 4892-2:2013, *Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps (ISO 4892-2:2013)*

ISO 1431-1:2012, *Rubber, vulcanized or thermoplastic – Resistance to ozone cracking – Part 1: Static and dynamic strain testing*

¹⁾ Currently impacted by EN 50533:2011/A1:2016.

²⁾ Currently impacted by EN 60529:1991/A1:2000, EN 60529:1991/A2:2013 and EN 60529:1991/AC:2016-12.