

This document is a review generated by EVS

Aerospace series - Ethylene-propylene elastomer (EPM/EPDM) - Hardness 80 IRHD for static seal elements in hydraulic systems for long-term application
- Material standard

ESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 6111:2020 sisaldab Euroopa standardi EN 6111:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 6111:2020 consists of the English text of the European standard EN 6111:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.09.2020.	Date of Availability of the European standard is 30.09.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 49.025.40, 49.080

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 6111

September 2020

ICS 49.025.40; 49.080

English Version

Aerospace series - Ethylene-propylene elastomer
(EPM/EPDM) - Hardness 80 IRHD for static seal elements
in hydraulic systems for long-term application - Material
standard

Série aérospatiale - Élastomère éthylène propylène
(EPM/EPDM) - Dureté 80 DIDC pour joints statiques
dans les systèmes hydrauliques pour application à long
terme - Norme de matériau

Luft- und Raumfahrt - Ethylen-Propylen-Elastomer
(EPM/EPDM) - Härte 80 IRHD für statische Dichtungen
in Hydraulik-Systemen für Langzeitanwendung -
Werkstoffnorm

This European Standard was approved by CEN on 22 December 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	5
4 Requirements	5
4.1 General.....	5
4.2 Specific	5
4.2.1 Physical and mechanical requirements.....	5
4.2.2 Test specimens.....	5
4.2.3 Hazardous constituents	5
5 Designation.....	5
6 Technical specification.....	6

European foreword

This document (EN 6111:2020) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2021, and conflicting national standards shall be withdrawn at the latest by March 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document defines the requirements of ethylene-propylene elastomer (EPM/EPDM) for seal elements for use as static seals in hydraulic systems using phosphate ester fluids, hardness 80 IRHD (International Rubber Hardness Degree) for long-term application for aerospace application.

Unless otherwise specified in the drawing, order or inspection schedule, this document shall be used in conjunction with the referenced documents.

Applicable temperature range:

- continuous service: -55°C to 107°C ;
- intermittent service: -55°C to 120°C .

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 6075, *Aerospace series — Static seal elements O-Ring ethylene-propylene, moulded, phosphate ester resistant (-55°C to 107°C) — Inch series*

EN 6076, *Aerospace series — Static seal elements O-Ring straight thread tube fitting boss, ethylene-propylene, moulded, phosphate ester resistant (-55°C to 107°C) — Inch series*

EN 6109:2018, *Aerospace series — Static seal elements elastomer, moulded, phosphate ester resistant — Technical specification*

ISO 48-2, *Rubber, vulcanized or thermoplastic — Determination of hardness — Part 2: Hardness between 10 IRHD and 100 IRHD*

ISO 188, *Rubber, vulcanized or thermoplastic — Accelerated ageing and heat resistance tests*

ISO 1817, *Rubber, vulcanized or thermoplastic — Determination of the effect of liquids*

ISO 2781, *Rubber, vulcanized or thermoplastic — Determination of density*

ASTM D 1414, *Standard Test Methods for Rubber O-Rings¹*

ASTM D 3677, *Standard Test Methods for Rubber — Identification by Infrared Spectrophotometry¹*

ASTM E 1131, *Standard Test Method for Compositional Analysis by Thermogravimetry¹*

¹ Published by: American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, USA.