



Edition 3.0 2020-10

TECHNICAL SPECIFICATION



Surface cleaning appliances -

Part 1: General requirements on test material and test equipment





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC TS 62885-1

Edition 3.0 2020-10

TECHNICAL SPECIFICATION



Surface cleaning appliances -

Part 1: General requirements on test material and test equipment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 97.080 ISBN 978-2-8322-8856-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD)	4
INTRODUCT	TION	6
1 Scope		7
2 Normati	ve references	7
3 Terms	ind definitions	8
	construction specification	
•	eneral	
	onstruction verification	
4.2.1	General	
4.2.2	Performance verification	
4.3 Pr	e-treatment of new and replacement carpets for testing	
4.3.1	General	
4.3.2	Pre-treatment of new Wilton test carpets for dust removal testing	11
4.3.3	Verification of replacement carpets for dust removal testing	11
	e-treatment of new carpets for the determination of airborne acoustical	
	ise	
_	d test dusts	
	mulated household dust	
5.1.1	Background	
5.1.2	Composition of the simulated household dust	
5.1.3	Components	
5.1.4	Mixing of simulated household dust	
	neral dust	
5.2.1	Mineral dust – Type 1	
5.2.2	Mineral dust – Type 2	
	ebris	
5.3.1	Background	
5.3.2	Large debris	
5.3.3		
	ormative) Information on supplier of test materials and details of test	
	ormative) Initial production run of the BIC4 Wilton test carpet	
•	ormative) Determination of carpet pile direction	
•	ormative) Categories of dry vacuum cleaners	
•		
	eneral	
	acuum categories	
D.2.1 D.2.2	Upright vacuum cleaner	
D.2.2 D.2.3	Stick (handstick) vacuum cleaner	
D.2.3 D.2.4	Hand-held vacuum cleaner	
D.2.4 D.2.5	Robotic vacuum cleaner	
	Nobolic vacuulii cleariei	
Dibliography		
Figure 4 D	and become also also discontinuo di anno also al la contra di altri di altr	40
•	eal household dust (left) and simulated household dust (right)	
FIGURE 2 P.	eady mixed simulated household dust	13

Figure 6 – Comparison between non-organic and organic medium size debris Figure 7 – Comparison between non-organic and organic large debris Figure C.1 – Looking against pile direction Figure C.2 – Looking with pile direction Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	1720232425262610141518
Figure 5 – Sampling of simulated household dust Figure 6 – Comparison between non-organic and organic medium size debris Figure 7 – Comparison between non-organic and organic large debris Figure C.1 – Looking against pile direction Figure C.2 – Looking with pile direction Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	19232425262610141518
Figure 7 – Comparison between non-organic and organic large debris. Figure C.1 – Looking against pile direction Figure C.2 – Looking with pile direction Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	20232425262610141518
Figure C.1 – Looking against pile direction Figure C.2 – Looking with pile direction Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	232425262610141518
Figure C.2 – Looking with pile direction Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	232526269101415
Figure D.1 – Upright Cleaner Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	2425269141415
Figure D.2 – Canister vacuum cleaner Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	25269141415
Figure D.3 – Stick vacuum cleaner Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	25269101415
Figure D.4 – Hand-held vacuum cleaner Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	269141415
Figure D.5 – Robotic vacuum cleaner Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	2610141415
Table 1 – Wilton test carpet construction specifications Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	9141415
Table 2 – Level loop test carpet construction specifications Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	10 14 15 18
Table 3 – Grain size distribution: Type 3 mineral dust Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	14 14 15
Table 4 – Cellulose dust fibre size distribution Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	14 15 18
Table 5 – Cotton linters characteristics Table 6 – Grain size distribution: Type 1 mineral dust Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	15 18
Table 6 – Grain size distribution: Type 1 mineral dust	18
Table 7 – Grain size distribution: Type 2 mineral dust Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	
Table 8 – Specifications of nuts and set crews Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	18
Table 9 – Specification of cap nuts Table B.1 – Test results for BIC4 Wilton test carpets	
Table B.1 – Test results for BIC4 Wilton test carpets	19
	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURFACE CLEANING APPLIANCES -

Part 1: General requirements on test material and test equipment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62885-1, which is a technical specification, has been prepared by subcommittee 59F: Surface cleaning appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- a) Clauses 4 and 5 on test carpets have been combined into the new Clause 4;
- b) a new Clause 5 has been added containing specifications and treatment of various kinds of test dust:
- c) a level loop test carpet specification has been added.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
59F/390/DTS	59F/402/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62885 series, under the general title *Surface cleaning appliances*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

600

INTRODUCTION

IEC subcommittee 59F has agreed to make a collection of test material and test equipment used in standards for testing surface cleaning appliances and to publish this collection as a technical specification. The existing annexes published on the IEC web will be integrated in this technical specification step by step.

Regular maintenance of the technical specification ensures that other standards which refer to this TS always reference the current status regarding test material and test equipment.

This third edition complements the specification of the Wilton test carpet in the second edition with the specification of a level loop test carpet and information on pre-treatment of test carpets.

Furthermore, the specification of various types of test dust has been included. Further test material and test equipment specifications will follow.

The intention with this document is to ensure a minimum of test material types and common use of these materials in tests of various surface cleaning appliances.

For information on supplies of test materials and details of test equipment, see Annex A.

Ative to Annex D provides general information relative to the various categories of dry vacuum cleaners.

SURFACE CLEANING APPLIANCES -

Part 1: General requirements on test material and test equipment

1 Scope

This part of IEC 62885 specifies the physical characteristics of test equipment and material used in tests common to several products covered by the IEC 62885 series for surface cleaning appliances. In addition, it provides guidance regarding the evaluation of Wilton and other types of carpets to determine their acceptability for testing and pre-treatment of test dust.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62885-2:-1, Surface cleaning appliances – Part 2: Dry vacuum cleaners for household or similar use – Methods for measuring the performance

ISO 1763, Textile floor coverings – Determination of number of tufts and/or loops per unit length and per unit area

ISO 1765, Machine-made textile floor coverings - Determination of thickness

ISO 1766, Textile floor coverings – Determination of thickness of pile above the substrate

ISO 1833-1, Textiles – Quantitative chemical analysis – General principles of testing

ISO 2060, Textiles – Yarn from packages – Determination of linear density (mass per unit length) by the skein method

ISO 2061, Textiles - Determination of twist in yarns - Direct counting method

ISO 2424, Textile floor coverings - Vocabulary

ISO 4032, Hexagon nuts (style 1) - Product grades A and B

ISO 4766, Slotted set screws with flat point

ISO 6989, Textile fibres – Determination of length and length distribution of staple fibres (by measurement of single fibres)

ISO 8543, Textile floor coverings – Methods for determination of mass

ISO 13320, Particle size analysis — Laser diffraction methods

¹ Under preparation. Stage at the time of publication: IEC AFDIS 62885-2:2020.

100 OZ TZ

BS 4223, Methods for determination of constructional details of carpets with yarn pile

BS 8459, Determination of extractable matter in textiles - Method

DIN 1587, Hexagon domed cap nuts

EN 1307, Textile floor coverings - Classification

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

interlaboratory testing

testing the same samples in different laboratories, with different operators, and comparing the results

4 Carpet construction specification

4.1 General

Test carpets shall be manufactured to the specifications provided in Table 1 and Table 2. Given that wool is a natural fibre, it should be understood that some variability exists in the final product.

The carpets used for performance testing of vacuum cleaners are classified and specified in accordance with the characteristics in Table 1 and Table 2.

The pile direction is predefined for tests on cut pile carpets (like the Wilton test carpet). Usually the pile direction of the test carpet is specified by the manufacturer. In Annex C several methods for determining pile direction are provided.