IEC PAS 63324

Edition 1.0 2020-10

PUBLICLY AVAILABLE SPECIFICATION

This document is a preview generated by EVS

colour inside

Zhaga interface specification Book 1 and Book 10



IEC PAS 63324:2020-10(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

This document is a preview generated by EVS

IEC PAS 63324

Edition 1.0 2020-10

PUBLICLY AVAILABLE SPECIFICATION

This document is a preview generated by EVS

colour inside

Zhaga interface specification Book 1 and Book 10

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.99

ISBN 978-2-8322-8944-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 10
INTRODUCTION 12
Subdivision 1 13
Zhaga Interface Specification Book 10 13
Summary (informative) 13
Background 13
Contents 13
Intended Use 13
1 General 14
1.1 Introduction 14
1.2 Scope 14
1.3 Conformance and references 14
1.3.1 Conformance 14
1.3.2 References 15
1.4 Definitions 15
1.5 Acronyms 15
1.6 Symbols 15
1.7 Conventions 15
1.7.1 Precedence 15
1.7.2 Cross references 16
1.7.3 Informative text 16
1.7.4 Terms in capitals 16
1.7.5 Units of physical quantities 16
1.7.6 Decimal separator 16
1.7.7 Limits 16
2 Overview (Informative) 17
2.1 General 17
2.2 Description of the LED Module and LED Array Holder 17
2.3 Outline of this Book 18
Part 1: Interface Definition 19
3 Mechanical interface 20
3.1 Drawing principles 20
3.2 Mechanical references 20
3.3 Definition of the mechanical interface of the LED Module (and Holder) 21
3.3.1 LED Module demarcation 21
3.3.2 Optics Contact Area 23
3.3.3 Requirements on screw holes 25
3.3.4 LED Module Connection 25
3.3.5 Luminaire keepouts for interconnect 26
3.3.6 Inner Feature 26
3.4 Additional LED Array Holder properties (informative) 27
3.5 Luminaire mechanical properties 27
3.6 Optional “Locking Ring System” (LRS) 27
4 Photometric interface 28
4.1 General 28
4.2 Light Emitting Surface 28

This document is a preview generated by EVS

4.2.1 Additional hints for LES features to improve interchangeability with Luminaire Optics (Informative) 28
4.3 Operating conditions 29
4.4 Luminous flux 29
4.5 Luminous intensity distribution 29
4.6 Luminance uniformity 29
4.7 Correlated color temperature 30
4.8 Color rendering index 30
4.9 Luminaire Optics (Informative) 30
5 Electrical interface 32
5.1 Electrical interface to the ECG 32
5.2 Electrical insulation 32
6 Thermal interface 33
6.1 Background information (informative) 33
6.2 Generic thermal interface model 33
6.2.1 General case 33
6.2.2 Rated Operating Temperature and safety (informative) 33
6.2.3 Thermal overload protection 33
6.2.4 Thermal compatibility check 33
6.2.5 Thermal Interface Material 33
6.2.6 Surface planarity and roughness 34
6.2.7 Aging of LED Module (informative) 34
6.3 Luminaire Thermal requirements 34
6.4 Compatibility check 34
6.5 Ambient temperature and thermal resistance (Informative) 34
Part 2: Compliance Tests 35
7 Compliance test tools 36
7.1 LED Module test tools 36
7.1.1 Test Fixture PETF (photometric and electrical) 36
7.2 Luminaire test tools 36
8 LED Module Compliance and LED Array Holder Tests 37
8.1 LED Module and LED Array Holder mechanical interface tests 37
8.1.1 Test of the mechanical interface of the LED Module or LED Array Holder 37
8.1.2 Test OCA of the LED Module or LED Array Holder for the D35 Category 37
8.1.3 Test OCA of the LED Module or LED Array Holder for the D50 Category 38
8.2.1 Test on luminous flux 38
8.2.2 Test on relative partial luminous flux and beam angle 38
8.2.3 Test on correlated color temperature (CCT) 38
8.2.4 Test on color rendering index 39
8.3 LED Module thermal interface tests 39
8.3.1 Test on thermal power (Pth) 39
8.3.2 Temperature stabilization 39
8.3.3 Position of measurement point for the Reference Temperature 39
8.4 LED Module electrical interface tests 39
8.5 LED Module and LED Array Holder Product Data Set test 39
9 Luminaire compliance tests 40
9.1 Luminaire mechanical interface tests 40

This document is a preview generated by EVS

9.1.1 Test on the mechanical interface of the Luminaire for mounting the LED Module(s) 40
9.2 Luminaire Product Data Set test 40
Annexes 41
Annex A Product Data Set requirements 42
LED Module Product Data Set 42
LED Array Holder Product Data Set 42
Luminaire Product Data Set 42
Annex B (informative) Guidelines for mechanical interface test 43
Annex C (informative) Guidelines for LES and Luminance measurements 45
C.1 Test equipment 45
C.2 Test conditions 45
C.3 Test procedure 45
Annex D (informative) Remarks 47
D.1 Photometric interchangeability 47
D.2 Color effects 47
Annex E (informative) Luminaire thermal test tools 48
Thermal Test Engine TTE – Spot (informative) 48
Annex F History of changes 50
Subdivision 2 50
Zhaga Interface Specification Book 1 50
Summary (informative) 50
Background 50
Contents 50
Intended Use 50
1 General 51
1.1 Introduction 51
1.2 Scope 51
1.3 Conformance and references 51
1.3.1 Conformance 51
1.3.2 Normative references 51
1.3.3 Informative references 52
1.4 Common definitions 52
1.5 Common acronyms 54
1.6 Common symbols 55
1.7 Common conventions 55
1.7.1 Cross references 55
1.7.2 Informative text 55
1.7.3 Terms in capitals 55
1.7.4 Units of physical quantities 55
1.7.5 Decimal separator 55
2 Overview of Zhaga (informative) 56
2.1 About Zhaga 56
2.2 Zhaga building blocks and interfaces 56
2.3 Compatibility and Interchangeability 58
2.4 Product Data Set 58
2.5 Compliance testing 59

This document is a preview generated by EVS

2.5.1 Certification 59
2.5.2 Market surveillance 60
2.6 Compatibility check 60
2.7 Zhaga product certification 61
3 Mechanical interface 61
3.1 Drawing principles 61
3.2 Mechanical interface between Separate ECG and Luminaire 61
3.3 Thermal expansion 61
3.4 Demarcation (Informative) 61
4 Photometric interface 63
4.1 Light Emitting Surface 63
4.1.1 LES categories 64
4.2 Operating conditions for measuring photometric parameters 64
4.3 Luminous flux 65
4.4 Luminous intensity distribution 66
4.4.1 Beam angle and beam angle categories 67
4.5 Luminance uniformity 67
4.6 Correlated color temperature (CCT) 67
4.7 Color rendering index (CRI) 68
4.8 Luminaire Optics (informative) 68
5 Electrical interface 68
5.1 Electrical insulation (informative) 68
6 Thermal interface 68
6.1 Background information (informative) 68
6.2 Generic thermal interface model 68
6.2.1 General case 68
6.2.2 Test Fixture TPTF 71
6.2.3 Rated Operating Temperature and safety (informative) 71
6.2.4 Thermal overload protection (Informative) 71
6.2.5 Ambient Temperature 71
6.2.6 Luminaires with multiple LLEs or multiple LED Modules 72
6.2.6.1 Separate heat sinks 72
6.2.6.2 One heat sink 72
6.2.7 Thermal compatibility check 72
6.2.8 Thermal uniformity 73
6.2.9 Thermal Interface Material 74
6.2.10 Surface planarity and roughness 74
6.2.11 Aging of LED Light Engine or LED Module/LED Array (informative) 74
6.2.12 Empty 74
6.2.13 Ambient Temperature and thermal resistance ($\boldsymbol{R}$th) 74
6.3 Simplified thermal interface model 75
6.3.1 General case 75
6.3.2 Rated Operating Temperature and safety (informative) 75
6.3.3 Thermal overload protection (informative) 75
6.3.4 Thermal compatibility check 75
6.3.5 Thermal Interface Material 76
6.3.6 Surface planarity and roughness 76
6.3.7 Aging of LED Light Engine or LED Module/LED Array (informative) 76

This document is a preview generated by EVS

7 Control interface 76
Annex A Compliance tests 77
A.0 LED Module/LED Array compliance tests 77
A.0.1 LED Module/LED Array mechanical interface test 77
A.0.1.1 Test in the mechanical interface or the LED Module/LED Array 77
A.0.1.1.1 Test equipment 77
A.0.1.1.2 Test conditions 77
A.0.1.1.3 Test procedure 77
A.0.1.1.4 Pass criteria 77
A.0.2 LED Module/LED Array photometric interface tests 77
A.0.2.1 Test on Luminous Flux 77
A.0.2.1.1 Test equipment 77
A.0.2.1.2 Test conditions 77
A.0.2.1.3 Test procedure 77
A.0.2.1.4 Pass criteria 78
A.0.2.2 Test on Relative Partial Luminous Flux and beam angle 78
A.0.2.2.1 Test equipment 78
A.0.2.2.2 Test conditions 78
A.0.2.2.3 Test procedure 78
A.0.2.2.4 Pass criteria 78
A.0.2.3 Test on correlated color temperature (CCT) 79
A.0.2.3.1 Test equipment 79
A.0.2.3.2 Test conditions 79
A.0.2.3.3 Test procedure 79
A.0.2.3.4 Pass criteria 79
A.0.2.4 Test on color rendering index 79
A.0.2.4.1 Test equipment 79
A.0.2.4.2 Test conditions 79
A.0.2.4.3 Test procedure 80
A.0.2.4.4 Pass criteria 80
A.0.2.5 Test on Luminance Uniformity 80
A.0.3 LED Module/LED Array thermal interface tests 80
A.0.3.1 Test on thermal power (***P***th) 80
A.0.3.1.1 Test equipment 80
A.0.3.1.2 Test conditions 80
A.0.3.1.3 Test procedure 80
A.0.3.1.4 Pass criteria 80
A.0.4 LED Module/LED Array electrical interface tests 81
A.0.5 LED Module/LED Array Product Data Set test 81
A.0.5.1 Test 81
A.0.5.2 Pass criteria 81
A.1 LLE compliance tests 81
A.1.1 LLE mechanical interface tests 81
A.1.1.1 Test of the mechanical interface of the Integrated LLE 81
A.1.1.1.1 Test equipment 81
A.1.1.1.2 Test conditions 81
A.1.1.1.3 Test procedure 81
A.1.1.1.4 Pass criteria 81

This document is a preview generated by EVS

A.1.2 LLE photometric interface tests 82
A.1.2.1 Test on Luminous Flux 82
A.1.2.1.1 Test equipment 82
A.1.2.1.2 Test conditions 82
A.1.2.1.3 Test procedure 82
A.1.2.1.4 Pass criteria 82
A.1.2.2 Test on Relative Partial Luminous Flux and beam angle 82
A.1.2.2.1 Test equipment 82
A.1.2.2.2 Test conditions 82
A.1.2.2.3 Test procedure 82
A.1.2.2.4 Pass criteria 83
A.1.2.3 Test on correlated color temperature (CCT) 83
A.1.2.3.1 Test equipment 83
A.1.2.3.2 Test conditions 83
A.1.2.3.3 Test procedure 83
A.1.2.3.4 Pass criteria 84
A.1.2.4 Test on color rendering index 84
A.1.2.4.1 Test equipment 84
A.1.2.4.2 Test conditions 84
A.1.2.4.3 Test procedure 84
A.1.2.4.4 Pass criteria 84
A.1.2.5 Test on Luminance Uniformity 84
A.1.3 LLE thermal interface tests 85
A.1.3.1 Test on thermal power (***P***th) 85
A.1.3.1.1 Test equipment 85
A.1.3.1.2 Test conditions 85
A.1.3.1.3 Test procedure 85
A.1.3.1.4 Pass criteria 85
A.1.3.2 Test on Thermal power through the Thermal Interface Surface (***P***th,rear) 85
A.1.3.2.1 Test equipment 85
A.1.3.2.2 Test conditions 86
A.1.3.2.3 Calibration of ***P***th,rear test setup 86
A.1.3.2.4 Measurement of ***P***th,rear of the LLE 88
A.1.3.2.5 Pass criteria 88
A.1.3.3 Empty 88
A.1.3.4 Empty 88
A.1.3.5 Temperature stabilization 88
A.1.3.6 Position of measurement point for the temperature ***t***r 89
A.1.4 LLE electrical interface tests 89
A.1.5 LLE control interface tests 89
A.1.6 LLE Product Data Set test 89
A.1.6.1 Test 89
A.1.6.2 Pass criteria 89
A.2 Luminaire compliance tests 89
A.2.1 Luminaire mechanical interface tests 89
A.2.1.1 Test of the mechanical dimensions of the Luminaire 89
A.2.1.1.1 Test equipment 90
A.2.1.1.2 Test conditions 90
A.2.1.1.3 Test procedure 90

This document is a preview generated by EVS

A.2.1.1.4 Pass criteria 90
A.2.2 Luminaire photometric interface tests 90
A.2.3 Luminaire thermal interface tests 90
A.2.3.1 Empty 90
A.2.4 Luminaire electrical interface tests 90
A.2.5 Luminaire control interface tests 90
A.2.6 Luminaire Product Data Set test 90
A.2.6.1 Test 90
A.2.6.2 Pass criteria 90
Annex B Guidelines for Demarcation measurement 91
Annex C History of changes 93

Figure 0-1 – Example 3D-drawing of a Book 10 D35 LED Module (informative) 17
Figure 0-1 – Positions of the reference point and reference plane of the LED Module or LED Array Holder 20
Figure 0-2 – Positions of the reference point, plane and axis in a sketch of the LED Module (example for D50 category). Similar for Holders, except that they do not have an LES 21
Figure 0-3 – Drawing of the demarcation of the D35 LED Module 22
Figure 0-4 – Drawing of the demarcation of the D50 LED Module 23
Figure 0-5 – Optics Contact Area of the 35mm LED Module 24
Figure 0-6 – Height of the Optics Contact Area of the D35 LED Module 24
Figure 0-7 – Dimensions of OCAs for a D50 category 25
Figure 0-8 – Maximum Inner Feature outlines (dense hatched area) 26
Figure 0-1 – Luminance property evaluation areas 30
Figure B-1 – Example of a LED Module 43
Figure B-2 – Example of a LED Module with sections 43
Figure B-3 – Example of a LED Module with measurement points 44
Figure C-1 – Set-up for measurement of luminance uniformity and LES diameter 45
Figure E-1 – Thermal Test Engine TTE-Spot schematic 48
Figure E-2 – Thermal Test Engine TTE-Spot – technical drawing of the aluminum part 49
Figure 2-3 – Schematic overview of a Luminaire and one or more non-integrated LED Light Engines 57
Figure 2-4 – Schematic overview of a Luminaire and one or more integrated LED Light Engines 57
Figure 2-5 – Schematic overview of a LED Light Engine with Integrated ECG 58
Figure 2-6 – Schematic overview of a LED Light Engine with Separate ECG 58
Figure 2-7 – Overview of test and certification of Zhaga products 60
Figure 2-8 – Compatibility check 61
Figure 3-1 – Example of a Demarcation Model (2-dimensional) 62
Figure 3-2 – Example of a product which is compliant with the Demarcation Model 62
Figure 3-3 – Example of a product which is not compliant with the Demarcation Model 62
Figure 3-4 – Example of a product which is not compliant with the Demarcation Model 63
Figure 4-1 – Rotationally symmetric solid angle bounded by the polar angles $\boldsymbol{\gamma 1}$ and $\boldsymbol{\gamma 2}$ which is used to define the Relative Partial Luminous Flux 67

This document is a preview generated by EVS

Figure 6-1 – Thermal model of a LLE – Luminaire or a LED Module – Luminaire combination 69
Figure 6-2 – Power conversion 70
Figure 6-3 – Position of the Thermal Interface Surface in case of a configuration with TIM 74
Figure A-1 – Heat sensor equipment with Test Fixture and LLE-under-test 86
Figure A-2 – Calibration of the heat flux measurement setup 87
Figure A-3 – Position of measurement point for the temperature *t*r 89
Figure B-1 – Example of a LED Array 91
Figure B-2 – Example of a LED Array with sections 91
Figure B-3 – Example of a LED Array with measurement points 92

Table 0-1 – Mechanical dimensions of D35 LED Module Demarcation 22
Table 0-2 – Mechanical dimensions of D50 LED Module Demarcation 23
Table 0-3 – Maximum inner OCA diameter 25
Table 0-4 – Allowed minimum and maximum OCA heights within demarcation 25
Table 0-5 – Maximum height of inner feature (b) 26
Table 0-1 – Association of LES Category to LED Module Category 28
Table 0-2 – Categorization of LES height 29
Table 0-3 – Requirements for a Lambertian light intensity distribution 29
Table F-1 – Changes 50
Table 4-1 – Definition of circular LES categories 64
Table 4-2 – Test voltages for different Rated input voltages of the LLE 65
Table 4-3 – Definition of luminous flux categories 66
Table 4-4 – Definition of beam angle categories 67
Table C-1 – Changes from Edition 1.7 to Edition 1.8 93

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ZHAGA INTERFACE SPECIFICATION BOOK 1 AND BOOK 10

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is an intermediate specification made available to the public and needing a lower level of consensus than an International Standard to be approved by vote (simple majority).

IEC PAS 63324 has been processed by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
34A/2194/DPAS	34A/2204/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This document is a preview generated by EVS

This PAS shall remain valid for an initial maximum period of 2 years starting from the publication date. The validity may be extended for a single period up to a maximum of 2 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This document is a preview generated by EVS

INTRODUCTION

This PAS is a reproduction of Zhaga Book 1 Edition 1.8 and Book 10 Edition 1.0 with no changes introduced.

The document layout, terms and definitions, etc within this PAS therefore do not follow the normal IEC drafting rules that would be applied for an International Standard.

Subdivision 1 comprises Zhaga Book 10 Edition 1.0 – Circular LED modules for spot lighting.

Subdivision 2 comprises Zhaga Book 1 Edition 1.8 – Overview and common information, which is essential to the interpretation of Zhaga Book 10 (and future Zhaga books).

The future intention is for the content of this PAS to be incorporated within one or more International Standards and at this time any conflict with IEC Directives and drafting rules will be addressed.

This document is a preview generated by EVS

Subdivision 1

Zhaga Interface Specification Book 10

Summary (informative)

Background

The Zhaga Consortium is a global lighting-industry organization that aims to standardize LED light engines and associated components such as LED modules, Holders and electronic control gear (LED drivers).

Zhaga has created a set of interface specifications, known as Books. Each Book defines an LED light engine and/or associated components by means of the mechanical, photometric, electrical, thermal, and control interfaces of the product to its environment. This makes such products interchangeable in the sense that it is easy to replace one product with another, even if they have been made by different manufacturers.

Contents

The LED Modules defined in this Book have an essentially circular outer shape with a small, also preferably circular Light Emitting Surface, so that they are well suited to be used with collimating Luminaire Optics in spot lighting applications. The LED Modules are disc shaped, and are grouped into several size categories, to allow for different LES sizes and flux categories. The LED Modules are intended to be used with a separate Electronic Control Gear, which is specified in Zhaga Book 13.

This Book should be read together with Zhaga Book 1.

Intended Use

The LED module defined in this specification is intended to be screwed to a heat sink and to be connected to a separate electronic control gear. The light output is essentially Lambertian to enable the luminaire optics to shape the application’s desired light distribution from a defined input.

The LED modules defined in this Book 10 are intended to be installed and replaced by luminaire manufacturers only.

This document is a preview generated by EVS

1 General

1.1 Introduction

The Zhaga Consortium is a global organization that aims to standardize LED Light Engines and associated components. An LED Light Engine is a light source for general lighting that is based on solid state technology, and typically consists of one or more LEDs combined with Electronic Control Gear. Examples of associated components are LED Modules, Electronic Control Gear, and Holders. Zhaga has created a set of interface specifications, known as “Books” defining interfaces between LED Light Engines, associated components and Luminaires.

Book 1 is a special Book that provides common information relevant to all other Books in the series. In addition, Book 1 defines requirements and compliance tests which are applicable across multiple Zhaga Books. The Books refer to these requirements and compliance tests as applicable.

1.2 Scope

This Book 10 defines interfaces between LED Modules, associate components (Holders) and luminaires. Not all interface descriptions are applicable to LED Modules or Holders, but where applicable they are identical.

The scope of the interface descriptions is focused on a range of LED Modules with a circular shape and high luminance LES. A LED Module is intended to be fixed to a luminaire heat sink by means of screws. Its light output distribution is primarily Lambertian, to enable Luminaire Optics to shape an application-specific light distribution independently of that of the LED Module.

Zhaga Book 12 defines an LED (Chip on Board) Array component, which shares certain interface descriptions with this Book 10 (mainly photometric). It is possible to combine a Book 12 compliant LED Array with a Holder that ensures mechanical and electrical fit of the assembly. The Holder provides its own set of mechanical/electrical/thermal interfaces to a luminaire. If these interfaces are compliant with the interface descriptions in this Book 10, the Holder+LED Array assembly can be used in the same way as an LED Module compliant with this Book. Thus this Book can also be used to check compliance of Holders with respect to the Holder-Luminaire interface.

This Book 10 defines several size categories of the LED Module

- 35 mm, 50 mm maximum outer diameter

The size categories can have different LES diameters and different LES categories:

- LES6.3, LES9, LES13.5, LES19, LES23

The LED Modules are intended to be installed and replaced by professionals only.

1.3 Conformance and references

1.3.1 Conformance

All provisions in the Zhaga interface Specifications are mandatory, unless specifically indicated as recommended, optional or informative. Verbal expressions of provisions in the Zhaga interface specifications follow the rules provided in Clause 7 of ISO/IEC Directives, Part 2:2018. For clarity, the word “shall” indicates a requirement that is to be followed strictly in order to conform to the Zhaga interface specifications, and from which no deviation is permitted. The word “should” indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is discouraged but not prohibited. The word “may” indicates a course of action

This document is generated by Evaluation