TECHNICAL REPORT

ISO/TR 18146

Second edition 2020-10

Space systems — Space debris mitigation design and operation manual for spacecraft

.èmes inuel d'u. Systèmes spatiaux — Conception de réduction des débris spatiaux et



Reference number ISO/TR 18146:2020(E)



© ISO 2020

mentation, no part of vical, including pluested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org

Website: www.iso.org Published in Switzerland

Co	ntent	S		Page	
Fore	word			v	
Intr	oductio	n		vi	
1	Scon	P		1	
2			erence.		
			finitions		
3					
4 5	Symbols and abbreviated terms				
	System-level activities				
	5.1				
	5.2	Design 1	for limiting the release of objects	3	
			Intents of requirements in ISO 24113:2019 ^[1]	3	
		5.2.2	Work breakdown		
		5.2.3	Identification of released objects and design measures	4	
		5.2.4	Design measures	5	
		5.2.5	Monitoring during operation		
	۲.	5.2.6	Preventing failure		
	5.3		cion of break-up		
		5.3.1 5.3.2	General Proofs up governd by intentional behaviour or stored energy		
		5.3.3	Break-up caused by intentional behaviour, or stored energy	0	
		5.3.4	Break-up caused by a collision with catalogued objects	/	
	5.4		il after the end of mission to minimize interference with the protected regions	11	
	5.4	5.4.1	Intents of requirements in ISO 24113:2019 ^[1]		
		5.4.1	Work breakdown		
		5.4.2	Procedure for determination of mission extension or termination		
		5.4.3 5.4.4	Disposal plan		
		5.4.5	Estimation of the orbital lifetime		
		5.4.6	Design of the function to remove spacecraft from the protected regions		
		5.4.7	Assurance of resources for disposal manoeuvre		
		5.4.8	Reliability of disposal function up to the design life		
		5.4.9	Useful life limited items		
		5.4.10	Health assessment procedure and contingency planning		
		5.4.11	Design the monitoring system to monitor the critical parameters	23	
		5.4.12	Assessment of the risk of debris impact	24	
		5.4.13	Operational remediations	24	
		5.4.14	Decision-making to extend or terminate the mission		
		5.4.15	Disposal		
		5.4.16	Registration of objects launched into outer space complying with the UN	20	
		5.1.10	treaty	25	
		5.4.17	Specific subjects for GEO mission		
		5.4.18	Specific subjects for LEO mission	26	
		5.4.19	High elliptical orbit mission	26	
	5.5		safety from re-entering objects		
		5.5.1	Intents of requirements in ISO 24113:2019 ^[1]		
		5.5.2	Work breakdown		
		5.5.3	Identification of requirements		
		5.5.4	Hazards analysis		
		5.5.5	Design measures		
		5.5.6	Specific design for controlled re-entry in subsystem level	29	
		5.5.7	Notification		
		5.5.8	Conduct controlled re-entry and monitoring.		
	5.6	Quality	and reliability assurance	29	
6	Dehr		d work in the development cycle		
•	ונוטע	ciatet	a morning the development eyele		

ISO/TR 18146:2020(E)

		General	
	6.2	Concept of debris-related work in phased planning	30
	6.3	Mission analysis phase (phase 0 or pre-phase A)	
		6.3.1 General	
		6.3.2 Debris-related work	
	6.4		
	0.5		
		6.5.1 Work in phase B	
		6.5.2 Work procedure	
	6.6	Development phase (phase C)	
		6.6.1 Work in phase C	
		6.6.2 Conditions	37
	6.7	Production phase (phase D)	38
		6.7.1 Work in phase D	
		6.7.2 Qualification review	
	6.8	Utilization phase (phase E)	
	0.0	6.8.1 Launch preparation	
		6.8.2 Lift-off time	
		6.8.3 Initial operation	
		COA Normal aparation	37 20
		6.8.4 Normal operation	
	6.0	6.8.5 Decision to terminate or extension of operations	
	6.9	Disposal phase (phase F)	
7	Syste	m-level information	41
•	7.1	Mission design	
	7.2	Mass allocation	
	7.2	Propellant allocation	
	7.3 7.4	Power allocation	42 42
8	Subs	ystem/component design and operation	42
8	Subs : 8.1	ystem/component design and operation	4 2 42
8	Subs y 8.1 8.2	General	42
8	8.1 8.2	General Debris-mitigation measures and subsystem-level actions for realizing them	42 42
8	8.1	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem	42 42 44
8	8.1 8.2	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General	42 42 44
8	8.1 8.2	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design	42 44 44 44
8	8.1 8.2	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems	42 44 44 44
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design	42 44 44 44 44
8	8.1 8.2	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design	
8	8.1 8.2 8.3	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems	
8	8.1 8.2 8.3 8.4	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design	
8	8.1 8.2 8.3 8.4	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs	
8	8.1 8.2 8.3 8.4	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems	
8	8.1 8.2 8.3 8.4 8.5	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems 8.6.3 Information of component design	
8	8.1 8.2 8.3 8.4	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems 8.6.3 Information of component design Structural subsystem	
8	8.1 8.2 8.3 8.4 8.5	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems 8.6.3 Information of component design Structural subsystem 8.7.1 Debris-related design	
8	8.1 8.2 8.3 8.4 8.5 8.6	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems 8.6.3 Information of component design Structural subsystem 8.7.1 Debris-related design 8.7.2 Information of structural subsystems	
8	8.1 8.2 8.3 8.4 8.5	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem. 8.3.1 General. 8.3.2 Debris-related design. 8.3.3 Information of propulsion subsystems. 8.3.4 Information in component design. Attitude and orbit control subsystem. 8.4.1 Debris-related designs. 8.4.2 Information of AOCS. 8.4.3 Information of component design. Power-supply subsystem. 8.5.1 Debris-related designs. 8.5.2 Information of power-supply subsystems. 8.5.3 Information of component design. TT&C subsystem. 8.6.1 Debris-related designs. 8.6.2 Information of TT&C subsystems. 8.6.3 Information of component design. Structural subsystem. 8.7.1 Debris-related design. 8.7.1 Debris-related design. 8.7.2 Information of structural subsystems. Thermal-control subsystem.	
8	8.1 8.2 8.3 8.4 8.5 8.6	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem 8.3.1 General 8.3.2 Debris-related design 8.3.3 Information of propulsion subsystems 8.3.4 Information in component design Attitude and orbit control subsystem 8.4.1 Debris-related designs 8.4.2 Information of AOCS 8.4.3 Information of component design Power-supply subsystem 8.5.1 Debris-related designs 8.5.2 Information of power-supply subsystems 8.5.3 Information of component design TT&C subsystem 8.6.1 Debris-related designs 8.6.2 Information of TT&C subsystems 8.6.3 Information of component design Structural subsystem 8.7.1 Debris-related design 8.7.2 Information of structural subsystems Thermal-control subsystem 8.8.1 Debris-related design	
	8.1 8.2 8.3 8.4 8.5 8.6 8.7	General Debris-mitigation measures and subsystem-level actions for realizing them Propulsion subsystem. 8.3.1 General. 8.3.2 Debris-related design. 8.3.3 Information of propulsion subsystems. 8.3.4 Information in component design. Attitude and orbit control subsystem. 8.4.1 Debris-related designs. 8.4.2 Information of AOCS. 8.4.3 Information of component design. Power-supply subsystem. 8.5.1 Debris-related designs. 8.5.2 Information of power-supply subsystems. 8.5.3 Information of component design. TT&C subsystem. 8.6.1 Debris-related designs. 8.6.2 Information of TT&C subsystems. 8.6.3 Information of component design. Structural subsystem. 8.7.1 Debris-related design. 8.7.1 Debris-related design. 8.7.2 Information of structural subsystems. Thermal-control subsystem.	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

This second edition cancels and replaces the second edition (ISO/TR 18146:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

- text has been updated to be aligned with ISO 24113:2019[1];
- information has been added that the ejection of slag debris from solid rocket motors is limited newly
 in low Earth orbit in addition to GEO previously;
- information relating to collision avoidance against catalogued space objects has been improved;
- information of the intention of the new requirement avoiding fragmentation caused by impact of space debris and meteoroid, and typical assessment procedure in the world space agencies has been added;
- corresponding to the new requirement limiting the total probability of successful disposal to be at least 0,9, the state of the art to confirm the compliance with that taken in the world space industries and national agencies has been added;
- other information relating to the changes in ISO 24113 has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Coping with debris is essential to preventing the deterioration of the orbital environment and ensuring the sustainability of space activities. Effective actions are also taken to ensure the safety of those on the ground from re-entering objects that were disposed of from low-Earth orbit.

Recently, the orbital environment has become so deteriorated by debris that action is taken to prevent damage due to the impact. Collision avoidance manoeuvres are taken to avoid large debris (larger than 10 cm, for example), which can be observed from the ground. Spacecraft design protects against microdebris (even smaller than 1 mm) that can cause critical damage to vulnerable components.

ISO 24113:2019^[1] and other ISO documents, introduced in Bibliography, were developed to encourage debris mitigation activities.

In <u>Clause 5</u>, the major space debris mitigation requirements are informed.

In <u>Clause 6</u>, the information of life-cycle implementation of space debris mitigation related activities is provided.

In <u>Clause 7</u>, the system level aspects stemming from the space debris mitigation requirements are highlighted; while in <u>Clause 8</u>, the impacts at subsystem and component levels are detailed.

atio.
1 requi. This document provides comprehensive information on what ISO requires to do for the design and operation of the launch vehicles, and where such requirements and recommendations are registered in a set of ISO documents.

Space systems — Space debris mitigation design and operation manual for spacecraft

1 Scope

This document contains information on the design and operational practices for launch vehicle orbital stages for mitigating space debris.

This document provides information to engineers on what are required or recommended in the family of space debris mitigation standards to reduce the growth of space debris by ensuring that spacecraft is designed, operated, and disposed of in a manner that prevents them from generating debris throughout their orbital lifetime.

2 Normative reference

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Symbols and abbreviated terms

A/M area-to-mass

AOCS attitude and orbit control system

CDR critical design review

CFRP carbon-fibre-reinforced plastic

CNES Centre National d'Etudes Spatiales

CSpOC Combined Space Operations Center (USA)

DAS debris assessment software (NASA)

COTS commercial off-the-shelf

DRAMA debris risk assessment and mitigation analysis (ESA)

EOMDP end-of-mission (operation) disposal plan

ESA European Space Agency

FDIR failure detection, isolation and recovery