

# **IEC SRD 63268**

Edition 1.0 2020-10





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either JEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been

AR CPL Jolecter CISPR. WORMORADING OF MALE ORANGARIAN OF MALE ORANGARIAN OF MALE



Edition 1.0 2020-10



ICS 29.020, 29.240

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

FOREWORD7						
INTRODUCTION						
1	Scop	e	10			
2	Norm	ative references	10			
3	Term	s. definitions and abbreviated terms	. 10			
2.1 Forms and definitions						
	3.2	Abbreviated terms	. 10			
4	5.2 Exec					
4.1 Conord		10				
	4.1	IEC entities involvement summary	12 12			
	4.2	General	12 12			
	4.2.1	Main gans	12 13			
	4.2.2	Standardization entity coordination improvement	13			
5	4.2.3	Standardization entry coordination improvement	. 15			
J	E 4	Deference to SCAM				
	5.1 5.0	COAM principles (reprinder)	. 15			
	5.2		15			
	5.2.1	General	. 15			
	5.2.2	SGAM interoperability layers	. 15			
	5.2.3	SGAM – smart grid plane	10			
	5.2.4	Biodal SGAM Italiework	10			
	5.5	Main considered interactions	19			
	5.4		20			
	5.4.1	General	20			
	5.4.Z	Transposition into the SCAM concents	ZU			
	5.4.3	Internetione detailed identification				
	5.4.4	Specific case of EV and accepted interactions and SCAM manning				
6	5.4.5 Stop	Specific case of EV and associated interactions and SGAM mapping	20			
0	Stand		29			
	6.1		29			
	6.2	Interactions with the grid operators	29			
	6.3	Interactions related to DER operation	30			
	6.3.1	General	30			
	6.3.2	In case of DER grid users	30			
	0.3.3	Customer Premises grid users)	31			
	6.3.4	In case of DER units within Industry grid users (specific Customer Premises grid users)	31			
	6.3.5	In case of DER units within a multi-owner microgrid (specific Customer Premises grid users)	32			
	6.4	Interactions to and from the service provider and energy metering.	32			
	6.5	Interactions with the energy market places	.32			
	6.6	Additional interactions applying to EV	.33			
Annex A (informative) Mapping of the interfaces between the grid operator with grid						
users hosting DER units						
	A.1	Interfaces under consideration	34			
	A.2	Main use cases	34			
	A.3	Mapping standards to the SGAM architecture	34			

A.3.1	Preamble	34			
A.3.2	Component layer	34			
A.3.3	Communications layer	35			
A.3.4	Information (Data) layer	36			
A.8.5	Mapping IEC entities involved interfacing the grid operator with grid users	37			
Annex B (infor	mative) Mapping the interfaces related to DER operation	40			
B.1 Inte	rfaces under consideration	40			
B.2 Mai	Tyse cases				
B.3 Mar	norm standards to the SGAM architecture				
B 3 1	General	41			
B 3 2	Manning standards to the SGAM architecture in case of DER grid users	11			
B 3 3	Mapping standards to the SGAM architecture in case of DER units				
D.0.0	within Home and Building grid users (specific Customer Premises grid	16			
	Manning standards to the SCAM architecture in page of DEB units	40			
D.3.4	within Industry grid users (specific Customer Premises grid users)	51			
B 3 5	Manning standards to the SGAM architecture in case of a multi-owner				
D.0.0	microgrid (specific Customer Premises domain grid users)	56			
Annex C (infor	mative) Mapping the interfaces between grid users and service	61			
		01			
C.1 Inte	rfaces under consideration	61			
C.2 Mai	n use cases	61			
C.3 Map	oping standards to the SGAM architecture	62			
C.3.1	Preamble	62			
C.3.2	Component layer	62			
C.3.3	Communications layer	63			
C.3.4	Information (Data) layer	64			
C.3.5	Mapping involved IEC entities to the SGAM architecture	65			
Annex D (infor	mative) Mapping the interfaces with the market places	68			
D.1 Inte	rfaces under consideration	68			
D.2 Mai	n use cases	68			
D.3 Map	oping standards to the SGAM architecture	69			
D.3.1	Preamble	69			
D.3.2	Component layer	69			
D.3.3	Communications layer	70			
D.3.4	Information (Data) layer	70			
D.3.5	Mapping involved IEC entities to the SGAM architecture	71			
Annex E (infor	mative) Mapping the additional interfaces supporting EV integration	73			
E.1 Inte	rfaces under consideration	73			
E.2 Map	oping standards to the SGAM architecture	73			
E.2.1	Preamble	73			
E.2.2	Component layer				
E.2.3	Communications layer				
E.2.4	Information (Data) layer	.75			
E.2.5	Mapping involved IEC entities to the SGAM architecture	76			
Annex F (informative) Smart metering main standard (extract)					
Annex G (informative) European smart grid conceptual model (extract from the SG-CG document [4])					
G 1 Hial	a level presentation of the smart grid conceptual model				
-·· ··· 9'	,				

G.2 Main elements of the smart grid conceptual model	82
G.2.1 Operations	82
G.2.2 Grid Users	82
G.2.3 Energy Services	82
G.2.4 Markets	83
Bibliography	84
0.	
Figure 1 – Grouping into SGAM interoperability layers	16
Figure 2 – Smart grid plane – domains and hierarchical zones	17
Figure 3 – The SGAM framework	19
Figure 4 – SGAM illustrating the smart grid user interface and its interfaces	20
Figure 5 – Reworked smart grid conceptual model based on the SG-CG one	21
Figure 6 – Main stakeholders' interactions, simplified view – Mapping the conceptual model over the SGAM one	22
Figure 7 – Global smart grid user interface mapped over the SGAM	23
Figure 8 – Detailed smart grid user interface mapped over the SGAM	24
Figure 9 – EV additional interactions – mapped over the SGAM	27
Figure A.1 – Interfacing the grid operator with grid users hosting DER units mapped to the SGAM component layer	35
Figure A.2 – Interfacing the grid operator with grid users hosting DER units mapped to the SGAM communication layer	36
Figure A.3 – Interfacing the grid operator with grid users hosting DER units mapped to the SGAM information layer	37
Figure A.4 – IEC entities involved in interfacing the grid operator with grid users hosting DER units	38
Figure B.1 – Interfacing DER units within DER grid users for operation purpose – component layer	42
Figure B.2 – Interfacing DER units within DER grid users for operation purpose – communication layer	43
Figure B.3 – Interfacing DER units within DER grid users for operation purpose – information layer	44
Figure B.4 – IEC entities involved in interfacing DER units within DER grid users for operation purpose	45
Figure B.5 – Interfacing DER units within Home and Building grid users for operation purpose – component layer	47
Figure B.6 – Interfacing DER units within Home and Building grid users for operation purpose – communication layer	48
Figure B.7 – Interfacing DER units within Home and Building grid users for operation purpose – information layer	49
Figure B.8 – IEC entities involved in interfacing DER units within Home and Building grid users for operation purpose	50
Figure B.9 – Interfacing DER units within Industry grid users for operation purpose – Component layer	
Figure B.10 – Interfacing DER units within Industry grid users for operation purpose – communication layer	<b>.</b> 53
Figure B.11 – Interfacing DER units within Industry grid users for operation purpose – information layer	54
Figure B.12 – IEC entities involved in interfacing DER units within Industry grid users for operation purpose	55

Figure B.13 – Interfacing DER units within a multi-owner microgrid for operation purpose – component layer	56
Figure B.14 – Interfacing DER units within a multi-owner microgrid for operation purpose – communication layer	57
Figure B.15 – Interfacing DER units within a multi-owner microgrid for operation purpose – information layer	58
Figure B 16 – IEC entities involved in interfacing DER units within a multi-owner microgrid for operation purpose	59
Figure C.1 – Interfacing the service providers and energy metering – in relationship with grid users (example) mapped to the SGAM component layer	63
Figure C.2 – Service providers and energy metering interfaces – in relationship with grid users (example) mapped to the SGAM communication layer	64
Figure C.3 – Service providers and energy metering interfaces – in relationship with grid users (example) mapped to the SGAM information layer	65
Figure C.4 – IEC entities involved in supporting service providers and energy metering interfaces	66
Figure D.1 –Interfacing market places – mapped to the SGAM component layer	69
Figure D.2 – Market places interfaces mapped to the SGAM communication layer	70
Figure D.3 – Market places interfaces mapped to the SGAM information layer	71
Figure D.4 – IEC entities involved in supporting market places interfaces	72
Figure E.1 – Interfacing market places – mapped to the SGAM component layer	74
Figure E.2 – Additional interfaces to support EV mapped to the SGAM communication layer (in case of H&B)	75
Figure E.3 – Market places interfaces mapped to the SGAM information layer	76
Figure E.4 – IEC entities involved in supporting market places interfaces	77
Figure F.1 – The smart metering reference architecture	79
Figure G.1 – European smart grid conceptual model	82
Table 1 – Summary of IEC entities involved in supporting interfaces of smart grid users	13
Table 2 – SGAM interoperability layers	16
Table 3 – SGAM domains	17
Table 4 – SGAM zones	18
Table 5 – Main (direct) smart grid users related interactions	25
Table 6 – Main (indirect) smart grid users related interactions	26
Table 7 – Additional interactions to consider for supporting EV integration	28
Table 8 – Main interactions between the grid user and the grid operators	29
Table 9 – Main interactions related to DER operation	30
Table 10 – Main interactions between the grid user and the service provider and energy metering	32
Table 11 – Main interactions between the grid user and the energy market places	32
Table A.1 – Interfaces under consideration between the grid users and the Utilities	34
Table A.2 – Supported business processes and use cases when considering interfaces with utilities	<b>)</b> 34
Table B.1 – Interfaces related to DER operation	40
Table B.2 – Supported business processes and use cases when considering DER     operation	40

Table C.1 – Interfaces under consideration to and from the service providers and   energy metering	61
Table C.2 – Supported business processes and use cases when considering interfaces   with service providers and energy metering	61
Table D.1 – Interfaces under consideration to and from the market places	68
Table D.2 – Supported business processes and use cases when considering interfaces   with market places	68
Table E.1 - Supported business processes and use cases related to the considered   additional interfaces supporting EV integration	73
Table F.1 – Advanced metering infrastructure – available standards for smart metering	80

as... sported. sported.

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ENERGY AND DATA INTERFACES OF USERS CONNECTED TO THE SMART GRID WITH OTHER SMART GRID STAKEHOLDERS – STANDARDIZATION LANDSCAPE

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC SRD 63268, which is a Systems Reference Deliverable, has been prepared by IEC systems committee Smart Energy.

The text of this Systems Reference Deliverable is based on the following documents:

Draft SRD	Report on voting
SyCSmartEnergy/136/DTS	SyCSmartEnergy/144/RVDTS

Full information on the voting for the approval of this Systems Reference Deliverable can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- 8 -

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ent is a preview of nerview of ne IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

One of the main impacts of the smart grid and/or the smart energy grid is the increasing interactions between the grid users and the other energy-related stakeholders.

The main driver remains the introduction of renewables to the grid which makes the grid operation much more complex, but other drivers are also the consequences of the digitalization trend and the coupling with energy efficiency and greener energy trends.

All these new interactions and trends make the interface between grid users and the other stakeholders more complex, and it is the ambition of this document is to build this new landscape.

It is in some way very close to the objective of the IEC TR 63097 [1] smart grid standardization roadmap, with however a clear focus on the area related to interfacing the grid users, and also the objective to map the roles of the different IEC entities coping with this objective.

This document aims as well at providing an entry point for solving the situation 7. S-HBES/BACS-1 of the IEC SRD 63199 SyC Smart Energy development plan established by the IEC SyC Smart Energy WG 2

As decided in the Worcester joint IEC SyC SE WG 2/WG 3 meeting, in June 2018, addressing this point will need to get a global landscape of the grid user interface, and restricted neither to demand-response type of interface (which is just one type of interface) nor to home and buildings (except for the internal implementation of DER unit hosted within this grid user, all interfaces seem common to all types of grid user).

It will serve as well the IEC TR 63097 roadmap update but will also be a source for the SGAM (IEC SRD 63200 [2]) currently under development by the IEC SyC SE WG 6.

w the IEC Syl of ...

# ENERGY AND DATA INTERFACES OF USERS CONNECTED TO THE SMART GRID WITH OTHER SMART GRID STAKEHOLDERS – STANDARDIZATION LANDSCAPE

1 Scope

This document depicts a comprehensive standardization landscape of the interfaces between the main grid stakeholders and the grid users, grid users comprising DERs and Customer Premises.

This document considers the main "physical" and "logical" interactions (i.e. through wires/functions – power and/or communication) between grid users and grid stakeholders, both from an electrical standpoint and from a data standpoint. Then for each interaction type, the document presents the standardization landscape.

This document depicts, as well, the interactions between the grid stakeholders manipulating grid user related data, themselves. Effectively it appears that considering the sole landscape of the interfaces between the grid users and the grid would be very limited without considering the way the data attached to grid users are manipulated/managed within and between the different stakeholders holding these data. Providing a seamless vision of the management of these data is becoming of highest priority.

The document focuses exclusively on Distribution grid users, excluding as such "bulk generation" grid users and "transmission connected grid users", the main reason being that the main breakthrough resulting from the introduction of distributed energy resources affects mostly the Distribution grid users.

This document mostly focuses on establishing the standardization landscape for the considered domain, including the IEC entities involved in producing reports, technical specifications and standards related to it. From this assessment a first set of recommendations is issued related to the way IEC addresses this scope.

## 2 Normative references

There are no normative references in this document.

#### 3 Terms, definitions and abbreviated terms

#### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp