

Lead-acid starter batteries - Part 4: Dimensions of
batteries for heavy vehicles

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50342-4:2020 sisaldab Euroopa standardi EN 50342-4:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 50342-4:2020 consists of the English text of the European standard EN 50342-4:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.11.2020.	Date of Availability of the European standard is 20.11.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.220.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Lead-acid starter batteries - Part 4: Dimensions of batteries for heavy vehicles

Batteries d'accumulateurs de démarrage au plomb - Partie
4: Dimensions des batteries pour poids lourds

Blei-Akkumulatoren-Starterbatterien - Teil 4: Maße von
Nutzkraftwagen-Batterien

This European Standard was approved by CENELEC on 2020-10-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 General requirements	4
4.1 Safety labelling	4
4.2 Marking	5
4.2.1 General	5
4.2.2 Marking of positive terminals	5
4.2.3 Marking of negative terminals	5
4.2.4 Design and dimensions of marking of terminals	5
4.3 Recycling	5
4.3.1 Recycling of lead	5
4.3.2 Recycling of plastic material	5
4.4 Dimensions and design	6
4.5 Dimensions of terminals	6
5 Preferred types	7
5.1 General	7
5.2 Main dimensions of types A, B, C and D2	7
5.3 Handles for manual handling	8
5.4 Fastening	8
5.5 Polarity	9
5.6 Terminal clearance	9
5.7 Short circuit protection	10
5.8 Central degassing	10
5.9 Bulging of battery side walls	10
6 Other types	10
6.1 Fastening	10
6.2 Main dimension for other types	11
Bibliography	16

European foreword

This document (EN 50342-4:2020) has been prepared by CLC/TC 21X "Secondary cells and batteries".

The following dates are fixed:

- latest date by which this document has (dop) 2021-10-26
to be implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2023-10-26
standards conflicting with this document
have to be withdrawn

This document supersedes EN 50342-4:2009 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

1 Scope

This document is applicable to lead-acid batteries used for heavy vehicles.

The object of this document is to specify the European requirements of the main dimensions of starter batteries.

For new and future developments of the above applications, it is expected that only batteries from the “Preferred Types” series be used.

Batteries of the series of “Other Types” exist under several national standards. They have been transferred from the previous standard EN 60095-4.

The preferred types A, B and C are newly introduced and correspond closely to the types D4, D5 and D6 with some differences in tolerances and dimensions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50342-1, *Lead-acid starter batteries - Part 1: General requirements and methods of test*

EN 50342-2, *Lead-acid starter batteries - Part 2: Dimensions of batteries and marking of terminals*

EN 50342-5, *Lead-acid starter batteries - Part 5: Properties of battery housings and handles*

EN 61429, *Marking of secondary cells and batteries with the international recycling symbol ISO 7000-1135 and indications regarding directives 93/86/EEC and 91/157/EEC (IEC 61429)*

EN ISO 1043-1, *Plastics - Symbols and abbreviated terms - Part 1: Basic polymers and their special characteristics (ISO 1043-1)*

IEC 60050-482, *International Electrotechnical Vocabulary (IEV) — Part 482: Primary and secondary cells and batteries*

IEC 60417, *Graphical symbols for use on equipment*

ISO 11469, *Plastics — Generic identification and marking of plastics products*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-482 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 General requirements

4.1 Safety labelling

The batteries shall bear the six coloured safety symbols in accordance with EN 50342-1.