

This document is a review generated by EVS

Covered conductors for overhead lines and the related accessories for rated voltages above 1 kV AC and not exceeding 36 kV AC - Part 1: Covered conductors

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50397-1:2020 sisaldb Euroopa standardi EN 50397-1:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 50397-1:2020 consists of the English text of the European standard EN 50397-1:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.11.2020.	Date of Availability of the European standard is 20.11.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 29.240.20

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

November 2020

ICS 29.240.20

Supersedes EN 50397-1:2006 and all of its amendments  
and corrigenda (if any)

English Version

Covered conductors for overhead lines and the related  
accessories for rated voltages above 1 kV AC and not exceeding  
36 kV AC - Part 1: Covered conductors

Conducteurs gainés pour lignes aériennes et accessoires  
associés pour des tensions assignées supérieures à 1 kV  
en courant alternatif et ne dépassant pas 36 kV en courant  
alternatif - Partie 1: Conducteurs gainés

Kunststoffumhüllte Leiter und zugehörige Armaturen für  
Freileitungen mit Nennspannungen über 1 kV und nicht  
mehr als 36 kV Wechselspannung - Teil 1:  
Kunststoffumhüllte Freileitungssseile

This European Standard was approved by CENELEC on 2020-10-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
<b>European foreword .....</b>	<b>4</b>
<b>Introduction .....</b>	<b>5</b>
<b>1 Scope .....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Definitions .....</b>	<b>7</b>
<b>4 Covered conductors .....</b>	<b>7</b>
<b>4.1 Code designation .....</b>	<b>7</b>
<b>4.2 Construction requirements .....</b>	<b>8</b>
<b>4.2.1 Conductor .....</b>	<b>8</b>
<b>4.2.2 Filling .....</b>	<b>8</b>
<b>4.2.3 Covering .....</b>	<b>8</b>
<b>5 Marking .....</b>	<b>10</b>
<b>5.1 Indication of origin .....</b>	<b>10</b>
<b>5.2 Continuity of marks .....</b>	<b>10</b>
<b>5.3 Other markings.....</b>	<b>11</b>
<b>5.4 Durability .....</b>	<b>11</b>
<b>5.5 Legibility .....</b>	<b>11</b>
<b>6 Tests .....</b>	<b>11</b>
<b>Annex A (normative) Measurement of the leakage current.....</b>	<b>14</b>
<b>A.1 Test equipment.....</b>	<b>14</b>
<b>A.2 Sampling.....</b>	<b>14</b>
<b>A.3 Test procedure .....</b>	<b>15</b>
<b>A.4 Test evaluation .....</b>	<b>15</b>
<b>Annex B (normative) Tracking resistance .....</b>	<b>16</b>
<b>B.1 Scope and object .....</b>	<b>16</b>
<b>B.2 Definitions .....</b>	<b>16</b>
<b>B.3 Test specimens .....</b>	<b>16</b>
<b>B.3.1 Dimensions.....</b>	<b>16</b>
<b>B.3.2 Preparation .....</b>	<b>17</b>
<b>B.4 Apparatus .....</b>	<b>17</b>
<b>B.4.1 Electrical apparatus .....</b>	<b>17</b>
<b>B.4.1.1 General.....</b>	<b>17</b>
<b>B.4.1.2 Power supply.....</b>	<b>17</b>
<b>B.4.1.3 Resistor.....</b>	<b>17</b>
<b>B.4.1.4 Voltmeter .....</b>	<b>18</b>
<b>B.4.1.5 Overcurrent delay relay .....</b>	<b>18</b>
<b>B.4.2 Electrodes.....</b>	<b>19</b>
<b>B.4.2.1 General.....</b>	<b>19</b>

B.4.2.2	Top electrode.....	19
B.4.2.3	Bottom electrode.....	20
B.4.3	Contamination.....	20
B.4.3.1	Contaminant.....	20
B.4.3.2	Applicator paper.....	20
B.4.3.3	Contaminant flow .....	21
B.4.3.4	Flow rate .....	21
B.4.4	Timing device .....	21
B.4.5	Depth gauge .....	21
B.5	Procedure .....	22
B.5.1	Preparation of the test .....	22
B.5.1.1	Ambient conditions.....	22
B.5.1.2	Mounting.....	22
B.5.1.3	Adjustment of the contaminant flow.....	22
B.5.2	Application of the voltage.....	22
B.5.3	Test evaluation.....	22
B.6	Test report .....	22
	<b>Annex C (normative) Slippage test .....</b>	<b>23</b>
C.1	Scope and object .....	23
C.2	Definitions .....	23
C.3	Test specimens .....	23
C.3.1	Dimensions.....	23
C.3.2	Preparation .....	23
C.4	Apparatus — clamp.....	24
C.5	Procedure and requirements.....	24
C.5.1	General.....	24
C.5.2	Test conditions.....	24
C.6	Test report .....	25
	<b>Annex D (normative) Non-electrical test on samples of complete cable — Resistance to UV rays .....</b>	<b>26</b>
D.1	<b>Resistance to UV rays.....</b>	<b>26</b>
	<b>Bibliography .....</b>	<b>28</b>

## European foreword

This document (EN 50397-1:2020) has been prepared by WG 13 “Covered Overhead Line Conductors” of CLC/TC 20 “Electric cables”.

The following dates are fixed:

- latest date by which this document has (dop) 2021-10-26  
to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national (dow) 2023-10-26  
standards conflicting with this document have to be withdrawn

This document supersedes EN 50397-1:2006 and all of its amendments and corrigenda (if any).

EN 50397-1:2020 includes the following significant technical changes with respect to EN 50397-1:2006:

- new references to HD 605 S3 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

The EN 50397 series consists of three parts:

- Part 1, “Covered conductors”;
- Part 2, “Accessories for covered conductors: Tests and acceptance criteria”; and
- Part 3, “Guide to use”

## Introduction

The EN 50397 series covers the construction, performance and test requirements for covered conductors for overhead lines having a nominal voltage  $U$  above 1 kV AC up to and including 36 kV AC, and for the related accessories.

Covered conductors consist of a conductor surrounded by a covering made of insulating material as protection against accidental contacts with other covered conductors and with grounded parts such as tree branches, etc. In comparison with insulated conductors, this covering has reduced properties, but is able to withstand the phase-to-earth voltage temporarily.

Since covered conductors are unscreened, they are not touch-proof, i.e. they should be treated as bare conductors with respect to electric shock.

This document does not cover aspects related to the installation of overhead lines such as determination of clearances, spans, sags, etc.

## 1 Scope

This document contains the requirements for covered conductors with or without integrated longitudinal water tightness and/or semi-conductive conductor screen for applications in overhead lines with rated voltages  $U$  above 1 kV a.c. and not exceeding 36 kV a.c.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50182:2001, *Conductors for overhead lines - Round wire concentric lay stranded conductors*

EN 60811-201, *Electric and optical fibre cables - Test methods for non-metallic materials - Part 201: General tests - Measurement of insulation thickness (IEC 60811-201)*

EN 60811-401:2012,<sup>1</sup> *Electric and optical fibre cables - Test methods for non-metallic materials - Part 401: Miscellaneous tests - Thermal ageing methods - Ageing in an air oven (IEC 60811-401:2012)*

EN 60811-402, *Electric and optical fibre cables - Test methods for non-metallic materials - Part 402: Miscellaneous tests - Water absorption tests (IEC 60811-402)*

EN 60811-501:2012,<sup>2</sup> *Electric and optical fibre cables - Test methods for non-metallic materials - Part 501: Mechanical tests - Tests for determining the mechanical properties of insulating and sheathing compounds (IEC 60811-501:2012)*

EN 60811-502, *Electric and optical fibre cables - Test methods for non-metallic materials - Part 502: Mechanical tests - Shrinkage test for insulations (IEC 60811-502)*

EN 60811-507, *Electric and optical fibre cables - Test methods for non-metallic materials - Part 507: Mechanical tests - Hot set test for cross-linked materials (IEC 60811-507)*

EN 60811-508:2012,<sup>3</sup> *Electric and optical fibre cables - Test methods for non-metallic materials - Part 508: Mechanical tests - Pressure test at high temperature for insulation and sheaths (IEC 60811-508:2012)*

EN 60811-605:2012, *Electric and optical fibre cables - Test methods for non-metallic materials - Part 605: Physical tests - Measurement of carbon black and/or mineral filler in polyethylene compounds (IEC 60811-605:2012)*

EN 62219, *Overhead electrical conductors - Formed wire, concentric lay, stranded conductors (IEC 62219)*

EN 62230, *Electric cables - Spark-test method (IEC 62230)*

HD 605 S3:2019, *Electric cables - Additional test methods*

IEC 60502-2:2014, *Power cables with extruded insulation and their accessories for rated voltages from 1 kV ( $U_m = 1,2$  kV) up to 30 kV ( $U_m = 36$  kV) - Part 2: Cables for rated voltages from 6 kV ( $U_m = 7,2$  kV) up to 30 kV ( $U_m = 36$  kV)*

---

<sup>1</sup> As impacted by EN 60811-401:2012/A1:2017.

<sup>2</sup> As impacted by EN 60811-501:2012/A1:2018.

<sup>3</sup> As impacted by EN 60811-508:2012/A1:2017.