

KRAANAD. OHUTUS. KINNITUSETA KOORMUSE
TÕSTMISE VAHENDID

Crane - Safety - Non-fixed load lifting attachments

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 13155:2020 sisaldab Euroopa standardi EN 13155:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 13155:2020 consists of the English text of the European standard EN 13155:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.12.2020.	Date of Availability of the European standard is 16.12.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 53.020.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Crane - Safety - Non-fixed load lifting attachments

Appareils de levage à charge suspendue - Sécurité -
Accessoires de levage amovibles

Krane - Sicherheit - Lose Lastaufnahmemittel

This European Standard was approved by CEN on 17 January 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword.....		8
Introduction		9
1	Scope.....	10
2	Normative references.....	11
3	Terms and definitions	12
4	List of significant hazards	21
5	Safety requirements and/or protective measures	46
5.1	General requirements	46
5.1.1	General.....	46
5.1.2	Mechanical load bearing parts	46
5.1.3	Controls.....	47
5.1.4	Handles	47
5.1.5	Requirements for slings which are integrated.....	47
5.1.6	Stability during storage	48
5.1.7	Quality of welding	48
5.2	Specific requirements for each category of attachment	48
5.2.1	Plate clamps	48
5.2.2	Vacuum lifters	49
5.2.3	Lifting magnets.....	50
5.2.4	C-hooks	52
5.2.5	Lifting forks	52
5.2.6	Lifting beams	53
5.2.7	Clamps.....	54
5.2.8	Lifting insert systems.....	55
6	Verification of the safety requirements and/or protective measures.....	56
7	Information for use	62
7.1	Instruction handbook.....	62
7.1.1	General information.....	62
7.1.2	Specific information	63
7.1.3	Guidance for maintenance.....	66
7.1.4	Verifications and inspections	67
7.2	Marking.....	67
7.2.1	Minimum marking	67
7.2.2	Additional marking	67
7.2.3	Additional safety plates	68
Annex A (normative) General verification methods		69
A.1	Verification of mechanical strength by calculation	69
A.2	Verification of mechanical strength on the type by a static test	69
A.2.1	Conditions.....	69
A.2.2	Procedure.....	69
A.2.3	Acceptance criteria.....	69
A.3	Verification of mechanical strength on each individual attachment by a static test.....	70

A.3.1	Conditions	70
A.3.2	Procedure	70
A.3.3	Acceptance criteria	70
A.4	Verification by inspection	70
A.4.1	Procedure	70
A.4.2	Acceptance criteria	70
Annex B (normative)	Verification methods for plate clamps	71
B.1	No detachment when the load is brought down and in case of impact	71
B.1.1	Conditions	71
B.1.2	Procedure	71
B.1.3	Acceptance criteria	71
B.2	Determination of the friction coefficient	71
B.2.1	Conditions	71
B.2.2	Procedure	72
B.2.3	Acceptance criteria	73
B.3	No slipping of the load - clamping by friction or penetration	73
B.3.1	Procedure	73
B.3.2	Acceptance criteria	74
B.4	Range of thickness of clamps	74
B.4.1	Conditions	74
B.4.2	Procedure	74
B.4.3	Acceptance criteria	74
B.5	Minimum working load	74
B.5.1	Conditions	74
B.5.2	Procedure	74
B.5.3	Acceptance criteria	74
Annex C (normative)	Verification methods for vacuum lifters	75
C.1	Verification of pressure measuring device	75
C.1.1	Conditions	75
C.1.2	Procedure	75
C.1.3	Acceptance criteria	75
C.2	Verification of leakage indicator	75
C.2.1	Conditions	75
C.2.2	Procedure	75
C.2.3	Acceptance criteria	75
C.3	Verification of visibility of measuring device or indicator	75

C.3.1	Conditions	75
C.3.2	Procedure	75
C.3.3	Acceptance criteria	75
C.4	Verification of devices to compensate for vacuum losses	76
C.4.1	Conditions	76
C.4.2	Procedure	76
C.4.3	Acceptance criteria	76
C.5	Verification of warning device	76
C.5.1	Conditions	76
C.5.2	Procedure	76
C.5.3	Acceptance criteria	76
C.6	Verification of the non-return valve	76
C.6.1	Conditions	76
C.6.2	Procedure	76
C.6.3	Acceptance criteria	76
C.7	Verification of controls	77
C.7.1	Conditions	77
C.7.2	Procedure	77
C.7.3	Acceptance criteria	77
C.8	Verification of energy source failure warning system	77
C.8.1	Conditions	77
C.8.2	Procedure	77
C.8.3	Acceptance criteria	77
C.9	Verification of the position of the load	77
C.9.1	Conditions	77
C.9.2	Procedure	77
C.9.3	Acceptance criteria	77
C.10	Verification of adhesion force by calculation or testing	77
C.10.1	General	77
C.10.2	Verification by calculation	78
C.10.2.1	Procedure	78
C.10.2.2	Acceptance criteria	78
C.10.3	Verification by testing	79
C.10.3.1	Procedure	79
C.10.3.2	Acceptance criteria	79
C.11	Determination of the friction coefficient	79

C.11.1	Conditions	79
C.11.2	Procedure	80
C.11.3	Acceptance criteria	80
Annex D	(normative) Verification methods for lifting magnets	81
D.1	Verification of tear-off force	81
D.1.1	Verification by pull test	81
D.1.1.1	Conditions (see Figure D.1):	81
D.1.1.2	Procedure	82
D.1.1.3	Acceptance criteria	82
D.1.2	Verification by flux measurement and calculation	82
D.1.2.1	Conditions	82
D.1.2.2	Procedure	83
D.1.2.3	Acceptance criteria	83
D.2	Verification of controls	83
D.2.1	Conditions	83
D.2.2	Procedure	83
D.2.3	Acceptance criteria	83
D.3	Verification of back-up and warning devices	83
D.3.1	Conditions	83
D.3.2	Procedure	83
D.3.3	Acceptance criteria	83
D.4	Verification of the discharge time of batteries	83
D.4.1	Conditions	83
D.4.2	Procedure	84
D.4.3	Acceptance criteria	84
D.5	Verification of indicating devices	84
D.5.1	Conditions	84
D.5.2	Procedure	84
D.5.3	Acceptance criteria	84
D.6	Verification of alternative mechanical back-up devices	84
D.6.1	Conditions	84
D.6.2	Procedure	84
D.6.3	Acceptance criteria	84
D.7	Verification that the magnet is matched to the intended load(s)	85
D.7.1	Procedure	85
D.7.2	Acceptance criteria	85

Annex E (normative) Verification methods for lifting beams	86
E.1 Verification of mechanical strength of each individual lifting beam by static test or live load test	86
E.1.1 Conditions	86
E.1.2 Procedure	86
E.1.3 Acceptance criteria	86
E.2 Verification of mechanical strength on the type by a static test	86
E.2.1 Conditions	86
E.2.2 Procedure	86
E.2.3 Acceptance criteria	87
E.3 Verification of locking or holding devices by testing	87
E.3.1 Conditions	87
E.3.2 Procedure	87
E.3.3 Acceptance criteria	87
E.4 Verification of the locking or holding by calculation	88
Annex F (normative) Verification methods for lifting forks	89
F.1 Verification of mechanical strength of the secondary positive holding device for lifting forks in horizontal direction	89
F.1.1 Conditions	89
F.1.2 Procedure	89
F.1.3 Acceptance criteria	89
F.2 Verification of mechanical strength of the secondary positive holding device for lifting forks in vertical direction	89
F.2.1 Conditions	89
F.2.2 Procedure	89
F.2.3 Acceptance criteria	89
Annex G (normative) Verification methods for clamps	90
G.1 Determination of the friction coefficient	90
G.1.1 Conditions	90
G.1.2 Procedure	90
G.1.3 Acceptance criteria	91
G.2 No slipping of the load – clamping by friction or penetration	91
G.2.1 Conditions	91
G.2.2 Acceptance criteria	92
G.3 Verification of mechanical strength of the secondary positive holding device for clamps in horizontal direction	92
G.3.1 Conditions	92
G.3.2 Procedure	92

G.3.3	Acceptance criteria	92
G.4	Verification of mechanical strength of the secondary positive holding device for clamps in vertical direction	92
G.4.1	Conditions	92
G.4.2	Procedure	92
G.4.3	Acceptance criteria	92
G.5	Range of thickness of clamps.....	93
G.5.1	Conditions	93
G.5.2	Procedure	93
G.5.3	Acceptance criteria	93
Annex H (normative)	Verification methods for lifting insert systems	94
H.1	Verification of the embedment in concrete.....	94
H.1.1	Conditions	94
H.1.2	Procedure	94
H.1.2.1	General	94
H.1.2.2	Failure modes	99
H.1.3	Acceptance criteria	101
H.1.3.1	General	101
H.1.3.2	Normalization of ultimate loads.....	102
H.1.3.3	Concrete failure.....	102
H.1.3.4	Pull-out	102
H.1.3.5	Steel failure	102
H.1.3.6	Evaluation criteria.....	102
H.2	Individual verifications	103
H.2.1	Conditions	103
H.2.1.1	General	103
H.2.1.2	Factory Production Control (FPC)	103
H.2.2	Procedure	104
H.2.3	Acceptance criteria	104
Annex I (informative)	Selection of a suitable set of crane standards for a given application.....	105
Annex ZA (informative)	Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC aimed to be covered.....	107
Bibliography	112

European foreword

This document (EN 13155:2020) has been prepared by Technical Committee CEN/TC 147 “Cranes - Safety”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2021, and conflicting national standards shall be withdrawn at the latest by June 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede EN 13155:2003+A2:2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main modifications between EN 13155:2003+A2:2009 and EN 13155:2020 concern:

- general requirement to introduce the reference to EN 13001-1 and -2 for the calculation;
- vacuum lifters;
- lifting magnet;
- the addition to the scope of lifting insert systems for lifting prefabricated concrete products;
- reduction of load changes from 20 000 to 16 000 in all clauses.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document has been prepared to be a harmonized standard to provide one means for non-fixed load lifting attachments used on cranes to conform with the essential health and safety requirements of the Machinery Directive, as amended.

This document is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for non-fixed load lifting attachments which have been designed and built according to the provisions of this type C standard.

This document is a preview generated by EVS

1 Scope

This document specifies safety requirements for the following non-fixed load lifting attachments for cranes, hoists and manually controlled load manipulating devices:

- a) plate clamps;
- b) vacuum lifters:
 - 1) self-priming;
 - 2) non-self-priming (pump, venturi, turbine);
- c) lifting magnets:
 - 1) electric lifting magnets (battery fed and mains-fed);
 - 2) permanent lifting magnets;
 - 3) electro-permanent lifting magnets;
- d) lifting beams;
- e) C-hooks;
- f) lifting forks;
- g) clamps;
- h) lifting insert systems for use in normal weight concrete,

as defined in Clause 3.

This document does not give requirements for:

- non-fixed load lifting attachments in direct contact with foodstuffs or pharmaceuticals requiring a high level of cleanliness for hygiene reasons;
- hazards resulting from handling specific hazardous materials (e.g. explosives, hot molten masses, radiating materials);
- hazards caused by operation in an explosive atmosphere;
- hazards caused by noise;
- hazards relating to the lifting of persons;
- electrical hazards;
- hazards due to hydraulic and pneumatic components.

For high risk applications not covered by this standard, EN 13001-2:2014, 4.3.2 gives guidance to deal with them.

This document covers the proof of static strength, the elastic stability and the proof of fatigue strength.

This document does not generally apply to attachments intended to lift above people. Some attachments are suitable for that purpose if equipped with additional safety features. In such cases the additional safety features are specified in the specific requirements.

This document does not cover slings, ladles, expanding mandrels, buckets, grabs, or grab buckets. This document does not cover power operated container handling spreaders, which are in the scope of EN 15056.

This document is not applicable to non-fixed load attachments manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 206:2013+A1:2016, *Concrete — Specification, performance, production and conformity*

EN 349:1993+A1:2008, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body*

EN 818-4:1996+A1:2008, *Short link chain for lifting purposes — Safety — Part 4: Chain slings — Grade 8*

EN 818-5:1999+A1:2008, *Short link chain for lifting purposes — Safety — Part 5: Chain slings — Grade 4*

EN 842:1996+A1:2008, *Safety of machinery — Visual danger signals — General requirements, design and testing*

EN 981:1996+A1:2008, *Safety of machinery — System of auditory and visual danger and information signals*

EN 1492-1:2000+A1:2008, *Textile slings — Safety — Part 1: Flat woven webbing slings made of man-made fibres for general purpose use*

EN 1492-2:2000+A1:2008, *Textile slings — Safety — Part 2: Roundslings made of man-made fibres for general purpose use*

EN 1492-4:2004+A1:2008, *Textile slings — Safety — Part 4: Lifting slings for general service made from natural and man-made fibre ropes*

EN 1677-1:2000+A1:2008, *Components for slings — Safety — Part 1: Forged steel components, Grade 8*

EN 1677-2:2000+A1:2008, *Components for slings — Safety — Part 2: Forged steel lifting hooks with latch, Grade 8*

EN 1677-3:2001+A1:2008, *Components for slings — Safety — Part 3: Forged steel self-locking hooks — Grade 8*

EN 1677-4:2000+A1:2008, *Components for slings — Safety — Part 4: Links, Grade 8*

EN 1677-5:2001+A1:2008, *Components for slings — Safety — Part 5: Forged steel lifting hooks with latch — Grade 4*

EN 1677-6:2001+A1:2008, *Components for slings — Safety — Part 6: Links - Grade 4*

EN 10029:2010, *Hot-rolled steel plates 3 mm thick or above — Tolerances on dimensions and shape*

EN 10034:1993, *Structural steel I and H sections — Tolerances on shape and dimensions*

EN 12385-4:2002+A1:2008, *Steel wire ropes — Safety — Part 4: Stranded ropes for general lifting applications*

EN 13001-1:2015, *Cranes — General design — Part 1: General principles and requirements*

EN 13001-2:2014, *Cranes safety — General design — Part 2: Load actions*

EN 13001-3-1:2012+A2:2018, *Cranes — General Design — Part 3-1: Limit States and proof competence of steel structure*

EN 13369:2018, *Common rules for precast concrete products*

EN 13414-1:2003+A2:2008, *Steel wire rope slings — Safety — Part 1: Slings for general lifting service*

EN 13557:2003+A2:2008, *Cranes — Controls and control stations*

EN ISO 5817:2014, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections (ISO 5817:2014)*

EN ISO 7731:2008, *Ergonomics — Danger signals for public and work areas — Auditory danger signals (ISO 7731:2003)*

EN ISO 9606-1:2017, *Qualification testing of welders — Fusion welding — Part 1: Steels (ISO 9606-1:2012 including Cor 1:2012 and Cor 2:2013)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13849-1:2015, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2015)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

adhesion force

force required to remove the load from a vacuum lifter

3.2

C-hook

equipment in the form of a 'C' used for lifting hollow loads

(see Figure 1)

EXAMPLE Examples of hollow loads are coils and pipes.