

Petroleum and natural gas industries - Compact flanged connections with IX seal ring (ISO 27509:2020)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 27509:2020 sisaldab Euroopa standardi EN ISO 27509:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 27509:2020 consists of the English text of the European standard EN ISO 27509:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.12.2020.	Date of Availability of the European standard is 16.12.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.60

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Petroleum and natural gas industries - Compact flanged connections with IX seal ring (ISO 27509:2020)

Industries du pétrole et du gaz naturel -
Raccordements à brides compactes avec bague
d'étanchéité IX (ISO 27509:2020)

Erdöl- und Erdgasindustrie - Kompakte
Flanschverbindungen mit IX Dichtungsring (ISO
27509:2020)

This European Standard was approved by CEN on 12 February 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 27509:2020) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2021, and conflicting national standards shall be withdrawn at the latest by June 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 27509:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 27509:2020 has been approved by CEN as EN ISO 27509:2020 without any modification.

Contents

	Page
Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviations and symbols	2
4.1 Abbreviated terms	2
4.2 Symbols	3
5 Design	5
5.1 General.....	5
5.2 Design principles.....	6
5.3 Assembly requirements	8
5.4 Standard components.....	8
5.5 Units of measurements.....	9
5.6 Rounding.....	9
5.7 Conformance with piping design codes	9
5.8 Conformance with this document.....	10
6 Designation	10
6.1 Designation of flanges.....	10
6.2 Designation of seal rings	10
7 Materials	11
7.1 General.....	11
7.2 Flange materials.....	11
7.3 Bolting materials.....	11
7.4 Seal ring materials	12
8 Strength, pressure/temperature ratings and leak tightness	13
8.1 General.....	13
8.2 Pressure/temperature ratings	13
8.3 Pressure testing and leak tightness	14
9 Dimensions of flanges	14
9.1 General.....	14
9.2 Weld neck dimensions.....	15
9.3 Blind flange (BL) dimensions.....	23
9.4 Integral flange (IF) dimensions.....	26
9.5 Rigid interface dimensions.....	37
9.6 Dimensions of paddle blanks (PB) and paddle spacers (PS)	39
9.7 Handle and lifting lugs.....	41
9.8 Dimensions of orifice spacers (OS)	42
9.9 Dimensions of reducing threaded flanges	44
9.10 Auxiliary connections.....	45
9.11 Flange tolerances	45
9.12 Surface finish	47
10 Marking of flanges	48
10.1 Flanges other than integral flanges.....	48
10.2 Manufacturer's name or trademark	48
10.3 Nominal size.....	48
10.4 Pressure class designation.....	48
10.5 Pipe dimensions.....	48
10.6 Material identification	48
10.7 Identification of internally threaded flanges	49

10.8	Material traceability	49
10.9	Marking examples	49
10.10	Stamping	49
11	Dimensions of seal rings	49
12	Manufacture, testing and inspection of IX seal rings	53
13	Coating and colour coding	53
14	Marking of seal rings	54
15	Quality management systems	54
16	Bolt dimensions and masses	54
Annex A (normative)	Pressure temperature ratings and load capacity	55
Annex B (normative)	Integral flange angle selection	59
Annex C (normative)	Bolt dimensions and masses	70
Annex D (normative)	Handling, installation, assembly and repair of flanges	77
Annex E (informative)	Mass of flanges	90
Annex F (informative)	Metric bolting	100
Annex G (informative)	Additional information on bibliographical references	102
Bibliography	104

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 6, *Processing equipment and systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 27509:2012), which has been technically revised. It also incorporates the Technical Corrigendum ISO 27509:2012/Cor.1:2013. The main changes compared to the previous edition are as follows:

- [Annexes B](#) and [D](#) ([Annex E](#) in previous edition) have become normative annexes;
- more stringent quality requirements regarding manufacture of products and assembly instructions have been introduced. These include
 - a) ultrasonic testing of products in accordance with new requirements in ASME VIII div. 2 (in [Clause 7](#)),
 - b) requirements to material strength and machining strictly in accordance with given tolerances for IX seal rings (in [Clause 12](#)),
 - c) new and better coating requirements for IX seal rings (in [Clause 13](#) and [Annex D](#)),
 - d) excluding use of IX seal rings to assist alignment by transfer of significant shear load during assembly (in [Annex D](#)),
 - e) more comprehensive and detailed guidelines on the evaluation of damages to products and the repair of such damages (in [Annex D](#)),
 - f) more comprehensive requirements to qualification of bolt tensioning procedures (in [Annex D](#)), and

- g) the elastoplastic deformation of flanges by first assembly has been better explained in [5.3](#) and in [Annex D](#), in order to prevent unnecessary re-machining or rejection when flange bevel angles have changed.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document, which is originally based on NORSOK L-005, has been developed to provide an International Standard for compact flanged connections that constitutes an alternative to conventional flanges as specified in ASME standards, European standards and other standards, with reduced mass and smaller overall dimensions, as well as increased reliability in leak tightness by means of its inherent design features and make up procedures. CFCs can also provide an alternative to other types of clamp and hub type mechanical connectors.

The use of load carrying sealing elements, traditionally referred to as "gaskets", does not conform with the requirements of this document.

This document has been developed for use in process piping systems, which are designed in accordance with codes for pressure piping, e.g. ASME B31.3. See [5.7](#) for more details.

The flange designs have been selected to achieve a minimum safety factor of 2,0 when subjected to a design pressure equal to ASME B16.5 pressure temperature ratings within the temperature limits of this document.

The main body of this document contains all necessary information on how to manufacture and supply flange and seal ring materials, such as

- flange dimensions and material requirements,
- seal ring dimensions and material requirements,
- bolting dimensions and material requirements,
- requirements to tolerances and surface finish, and
- requirements to designation and marking of finished products.

[Annexes A, B, C](#) and [D](#) cover the following topics:

- structural capacity equations for flange assemblies;
- how to apply the flanges to special geometries of valves and equipment nozzles;
- bolt dimensions and masses;
- installation and assembly instructions, and guidelines on how to repair damage and irregularities on sealing surfaces.

[Annexes E, F](#) and [G](#) cover the following topics:

- masses of all standard components;
- suitable dimensions of alternative metric bolting;
- additional information on bibliographical references.

In this document, the following verbal forms are used:

- "shall" indicates a requirement;
- "should" indicates a recommendation;
- "may" indicates a permission;
- "can" indicates a possibility or a capability.

Petroleum and natural gas industries — Compact flanged connections with IX seal ring

1 Scope

This document specifies detailed manufacturing requirements for circular steel and nickel alloy compact flanged connections and associated seal rings, for designated pressures and temperatures in class designations CL 150 (PN 20) to CL 1500 (PN 260) for nominal sizes from DN 15 (NPS ½) to DN 1200 (NPS 48), and for CL 2500 (PN 420) for nominal sizes from DN 15 (NPS ½) to DN 600 (NPS 24).

NOTE NPS is expressed in accordance with ASME B36.10M and ASME B36.19M.

This document is applicable to welding neck flanges, blind flanges, paddle spacers and spacer blinds (paddle blanks), valve/equipment integral flanges, orifice spacers, reducing threaded flanges and rigid interfaces for use in process piping for the petroleum, petrochemical and natural gas industries.

This document is applicable within a temperature range from -196 °C to +250 °C.

This document is not applicable for external pressure.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 4287, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*

ISO 4288, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Rules and procedures for the assessment of surface texture*

ISO 5167-1, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 1: General principles and requirements*

ISO 5167-2:2003, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 2: Orifice plates*

ISO 14313, *Petroleum and natural gas industries — Pipeline transportation systems — Pipeline valves*

ISO 80000-1:2009, *Quantities and units — Part 1: General*

EN 1591-4, *Flanges and their joints — Part 4: Qualification of personnel competency in the assembly of the bolted connections of critical service pressurized systems*

EN 1779, *Non-destructive testing — Leak testing — Criteria for method and technique selection*

ASME B16.5, *Pipe Flanges and Flanged Fittings: NPS 1/2 through NPS 24 Metric/Inch Standard*

ASME B16.34, *Valves — Flanged, Threaded and Welding End*

ASME B1.20.1, *Pipe Threads, General Purpose (Inch)*

ASME B31.3:2018, *Process Piping*

ASTM B568, *Standard Test Method for Measurement of Coating Thickness by X-Ray Spectrometry*

ASTM B571, *Standard Practice for Qualitative Adhesion Testing of Metallic Coatings*

ASME VIII Div. 2: *Boiler and Pressure Vessel Code — Alternative Rules*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 class

CL

pressure class in accordance with specific values

Note 1 to entry: The values shall be in accordance with ASME B16.5 and ASME B16.34

3.2 compact flanged connection

CFL

non-gasketed bolted static pipe connection including two flanges and where the bolt loads are transferred through metal to metal contact between the flange faces

3.3 gasket

barrier to prevent the passage of fluids, but which does transmit all loads between flanges

3.4 purchaser

individual or organization that buys the pipe connection on behalf of the user and/or operator or for its own use

3.5 seal ring

component providing a barrier to prevent the passage of fluids, transmitting no significant loads between the flanges

3.6 supplier

individual or organization that takes the responsibility for the supply of the pipe connection

4 Abbreviations and symbols

4.1 Abbreviated terms

BL	blind flange
DN	nominal pipe diameter (expressed in millimetres)
ID	internal diameter
IF	integral flange (as part of some other equipment or component)