

AKUSTIKA. HOONETE JA EHITUSELEMENTIDE
HELIISOLATSIOONI HINDAMINE. OSA 2: LÖÖGIHELI
ISOLATSIOON

Acoustics - Rating of sound insulation in buildings and
of building elements - Part 2: Impact sound insulation
(ISO 717-2:2020)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 717-2:2021 sisaldab Euroopa standardi EN ISO 717-2:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 717-2:2021 consists of the English text of the European standard EN ISO 717-2:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.12.2020.	Date of Availability of the European standard is 16.12.2020.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.120.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 717-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2020

ICS 91.120.20

Supersedes EN ISO 717-2:2013

English Version

Acoustics - Rating of sound insulation in buildings and of building elements - Part 2: Impact sound insulation (ISO 717-2:2020)

Acoustique - Évaluation de l'isolement acoustique des immeubles et des éléments de construction - Partie 2: Protection contre le bruit de choc (ISO 717-2:2020)

Akustik - Bewertung der Schalldämmung in Gebäuden und von Bauteilen - Teil 2: Trittschalldämmung (ISO 717-2:2020)

This European Standard was approved by CEN on 12 December 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 717-2:2020) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 126 "Acoustic properties of building elements and of buildings" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2021, and conflicting national standards shall be withdrawn at the latest by June 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 717-2:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 717-2:2020 has been approved by CEN as EN ISO 717-2:2020 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Procedure for evaluating single-number quantities for impact sound insulation rating	3
4.1 General.....	3
4.2 Reference values.....	4
4.3 Method of comparison.....	4
4.3.1 Measurements in one-third-octave bands.....	4
4.3.2 Measurements in octave bands.....	5
4.4 Statement of results.....	5
4.5 Impact sound insulation measured with heavy and soft impact sources.....	6
5 Procedure for evaluating the weighted reduction in impact sound pressure level by floor coverings on bare heavy floors	7
5.1 General.....	7
5.2 Reference floor.....	7
5.3 Calculation.....	8
5.4 Statement of results.....	9
6 Procedure for evaluating the weighted reduction in impact sound pressure level by floor coverings on lightweight floors	9
6.1 General.....	9
6.2 Reference curves for the reference lightweight floors used to calculate $\Delta L_{t,w}$	9
6.3 Calculation.....	10
6.4 Statement of results.....	10
Annex A (informative) Additional weighting procedure	11
Annex B (informative) Procedure for evaluating the equivalent weighted normalized impact sound pressure level of bare heavy floors	14
Annex C (informative) Examples of the evaluation of a single-number quantity	16
Annex D (normative) Rating method for impact sound insulation measured with a heavy and soft impact source	20
Bibliography	23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 2, *Building acoustics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 126, *Acoustic properties of building elements and of buildings*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 717-2:2013), which has been technically revised.

The main changes compared to the previous edition are as follows:

- A new [Annex D](#) with a method for rating heavy/soft impact sound insulation using an A-weighted maximum impact sound pressure level.

A list of all parts in the ISO 717 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Methods of measurement of impact sound insulation in buildings and of building elements have been standardized in ISO 10140-3 and ISO 16283-2. These methods give values for the impact sound insulation which are frequency dependent. The purpose of this document is to standardize a method whereby the frequency-dependent values of impact sound insulation can be converted into a single number characterizing the acoustical performance.

Acoustics — Rating of sound insulation in buildings and of building elements —

Part 2: Impact sound insulation

1 Scope

This document

- a) defines single-number quantities for impact sound insulation in buildings and of floors,
- b) gives rules for determining these quantities from the results of measurements carried out in one-third-octave bands in accordance with ISO 10140-3 and ISO 16283-2, and in octave bands in accordance with that option in ISO 16283-2 for field measurements only,
- c) defines single-number quantities for the impact sound reduction of floor coverings and floating floors calculated from the results of measurements carried out in accordance with ISO 10140-3, and
- d) specifies a procedure for evaluating the weighted reduction in impact sound pressure level by floor coverings on lightweight floors.

The single-number quantities in accordance with this document are intended for rating impact sound insulation and for simplifying the formulation of acoustical requirements in building codes. An additional single-number evaluation in steps of 0,1 dB is indicated where it is needed for the expression of uncertainty (except for spectrum adaptation terms). Numerical values of the single-number quantities are specified where required for calculations.

The rating of measurements over an enlarged frequency range is given in [Annex A](#).

A method for obtaining single-number quantities for bare heavy floors according to their performance in combination with floor coverings is given in [Annex B](#).

Example calculations of single-number quantities are given in [Annex C](#).

The rating of measurements with a heavy and soft impact source (rubber ball) is given in [Annex D](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10140-1, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 1: Application rules for specific products*

ISO 10140-3:2010, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 3: Measurement of impact sound insulation*

ISO 10140-5, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 5: Requirements for test facilities and equipment*

ISO 12999-1, *Acoustics — Determination and application of measurement uncertainties in building acoustics — Part 1: Sound insulation*

ISO 16283-2:2018, *Acoustics — Field measurement of sound insulation in buildings and of building elements — Part 2: Impact sound insulation*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1
single-number quantity for impact sound insulation rating
 value of the relevant reference curve at 500 Hz after shifting it in accordance with the method specified in 4.3.1 or the value of the relevant reference curve at 500 Hz after shifting it in accordance with the method specified in 4.3.2, reduced by 5 dB

Note 1 to entry: Terms and symbols for the single-number quantity used depend on the type of measurement. Examples are listed in Table 1 for impact sound insulation properties of building elements and in Table 2 for impact sound insulation in buildings. In general, new single-number quantities are derived in a similar way.

Note 2 to entry: This quantity is expressed in decibels.

3.2
spectrum adaptation term
 C_1
 value to be added to the single-number quantity (e.g. L_n) to take account of the unweighted impact sound level, thereby representing the characteristics of typical walking noise spectra

Note 1 to entry: This quantity is expressed in decibels.

3.3
weighted reduction in impact sound pressure level
 difference between the weighted normalized impact sound pressure levels derived with a bare heavy reference floor or a lightweight reference floor, without and with a floor covering

Note 1 to entry: The quantity derived with a bare heavy reference floor is denoted by ΔL_w and is expressed in decibels.

Note 2 to entry: The quantity derived with a lightweight reference floor is denoted by $\Delta L_{t,w}$ and is expressed in decibels. According to the type of reference floor it is denoted as $\Delta L_{t1,w}$, $\Delta L_{t2,w}$, $\Delta L_{t3,w}$.

3.4
equivalent weighted normalized impact sound pressure level of a bare heavy floor
 $L_{n,eq,0,w}$
 sum of the weighted normalized impact sound pressure level of the bare floor under test with the reference floor covering and the weighted reduction in impact sound pressure level of the reference floor covering

Note 1 to entry: This quantity is calculated in accordance with the method specified in this document.

Note 2 to entry: This quantity is expressed in decibels.

3.5
A-weighted maximum impact sound pressure level
 $L'_{iA,Fmax}$
 A-weighted maximum impact sound pressure level determined with Fast time-weighting when measured with a heavy and soft impact source, the rubber ball

Note 1 to entry: This quantity is expressed in decibels.