INTERNATIONAL STANDARD

ISO/IEC 30192

Third edition 2021-01

Information technology — Digitally recorded media for information interchange and storage — 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Rewritable disk

Technologies de l'information — Supports enregistrés numériquement pour échange et stockage d'information — Disques BD réinscriptibles de 120 mm simple couche (25,0 Go par disque) et double couche (50,0 Go par disque)





© ISO/IEC 2021

"mentation, no part of valued from "quested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page	
Fore	word		ix	
Intr	oductio	n	X	
1	Scop	e	1	
2		native references		
3		is and definitions		
4	-	ool and abbreviated terms		
5	Conf o 5.1	ormance Optical disk		
	5.2	Generating system		
	5.3	Receiving system		
	5.4	Compatibility statement		
6	Conv	entions and notations	4	
	6.1	Levels of grouping		
	6.2	Representation of numbers	4	
	6.3	Integer calculus	5	
7	Gene	ral descriptions of disk	5	
8	Gene	ral requirements	7	
•	8.1	Environments		
		8.1.1 Test environment		
		8.1.2 Operating environment		
		8.1.3 Storage environment		
	8.2	8.1.4 Transportation		
	8.3	Safety requirements Flammability		
0		rence drive		
9	Refe l	General		
	9.1	Environmental conditions		
	9.3	Optical system		
	9.4	Optical beam		
	9.5	HF read channel		
	9.6	Radial PP read channel	13	
	9.7 9.8	Disk clampingRotation of the disk and measurement velocity	13	
	9.6 9.9	Normalized servo transfer function	13 14	
	9.10	Measurement velocity and reference servo for axial tracking		
	9.11	Measurement velocity and reference servo for radial tracking	16	
10	Dime	ensional characteristics	17	
	10.1	General		
	10.2	Disk reference planes and reference axis		
	10.3	Overall dimensions		
	10.4	First transition area		
	10.5 10.6	Protection ring Clamping zone	19 10	
	10.7	Second transition area	19	
	10.8	Information area		
		10.8.1 General	20	
		10.8.2 Subdivisions of information zone on SL disk		
	400	10.8.3 Subdivisions of information zone on DL disks		
	10.9	Rim area		
11	Mech	panical characteristics	22	

ISO/IEC 30192:2021(E)

	11.1	Mass	
	11.2	Moment of inertia	22
	11.3	Dynamic imbalance	22
	11.4		
	11.4		
		11.4.1 General	
		11.4.2 Residual axial tracking error	
	11.5	Radial runout	23
		11.5.1 General	2.3
		11.5.2 Residual radial tracking error on SL disks	
		11.5.3 Residual radial tracking error on DL disks	
	44.6		
	11.6	Durability of cover layer	
		11.6.1 Impact resistance of cover layer	
		11.6.2 Scratch resistance of cover layer	24
		11.6.3 Repulsion of fingerprints by cover layer	24
12	Optic	al characteristics in information area	
	12.1	General	
	12.2	Refractive index of transmission stacks (TS)	25
	12.3	Thickness of transmission stack(s)	
		12.3.1 Thickness of transmission stack of SL disks	
		12.3.2 Thickness of transmission stack of DL disks	
	12.4		
	12.4	Reflectivity	
		12.4.1 Reflectivity of recording layer of SL disks	26
		12.4.2 Reflectivity of recording layer of DL disks	
	12.5	Birefringence	27
	12.6	Angular deviation	27
4.0		format	
13			
	13.1	General	
	13.2	Data frames	31
	13.3	Error detection code (EDC)	31
	13.4	Scrambled data frame	
	13.5	Data block	
	13.6	LDC block	
	13.7	LDC code words	
	13.8	LDC cluster	
		13.8.1 General	
		13.8.2 First interleave step	35
		13.8.3 Second interleaving step	
	13.9	Addressing and control data	37
	10.7	13.9.1 General	
		13.9.2 Address units	
		13.9.3 User control data	
		13.9.4 Byte/bit assignments for user control data	
	13.10	Access block	41
		BIS block	
		BIS code words	
		BIS cluster	
		ECC cluster	
		Recording frames	
		Physical cluster	
	13.17	17PP modulation for recordable data	49
		13.17.1 General	49
		13.17.2 Bit conversion rules	
		13.17.3 dc-control procedure	
		13.17.4 Frame sync	
	12.10		
		Modulation and NRZI conversion	
14	Physi	cal data allocation and linking	53
		General	
	T 1.T	G01101 W1	J

	14.2	Recording unit block (RUB)	
		14.2.1 General	
		14.2.2 Data run-in	
		14.2.3 Data run-out	55
		14.2.4 Guard_3 field	56
	14.3	Locating data relative to wobble addresses	56
		14.3.1 General	56
	(Q)	14.3.2 Start position shift (SPS)	56
15	Troal	s format	FO
13	15.1		
	15.2	Track shape	
	15.3	Track path	
	15.4	Track pitch	
		15.4.1 Track pitch in BCA zone	
		15.4.2 Track pitch in embossed HFM areas	
		15.4.3 Track pitch in rewritable areas	
		15.4.4 Track pitch between embossed HFM area and rewritable area	
	15.5	Track layout of HFM groove	
		15.5.1 General	
		15.5.2 Data format	
		15.5.3 Addressing and control data	
		15.5.4 Recording frames	
	15.6	Track layout of wobbled groove(s)	
		15.6.1 General	
		15.6.2 Modulation of wobbles	68
	15.7	ADIP information	69
		15.7.1 General	69
		15.7.2 ADIP unit types	70
		15.7.3 ADIP Word structure	71
		15.7.4 ADIP Data structure	
		15.7.5 ADIP error correction	
	15.8	Disk information in ADIP aux frame	
		15.8.1 General	
		15.8.2 Error protection for disk information aux frames	
		15.8.3 Disk information data structure	
1.0	C	ral description of information zone	100
16	1 (1	ral description of information zone	109
	16.1	General	
	16.2	Format of information zone on single-layer disk	109
	16.3	Format of information zone on dual-layer disk	109
17	Layou	ut of rewritable area of information zone	109
18		zone	
10	18.1		
		General Representation and control data (DIC) rong	
	18.2	Permanent information and control data (PIC) zone	
		18.2.1 General	
		18.2.2 Content of PIC zone	
	400	18.2.3 Emergency brake	
	18.3	Rewritable area of inner zone(s)	
		18.3.1 Protection zone 2	
		18.3.2 INFO 2/Reserved 8	
		18.3.3 INFO 2/Reserved 7	
		18.3.4 INFO 2/Reserved 6	
		18.3.5 INFO 2/Reserved 5	
		18.3.6 INFO 2/PAC 2	
		18.3.7 INFO 2/DMA 2	
		18.3.8 INFO 2/Control data 2	
		18.3.9 INFO 2/Buffer 2	119

ISO/IEC 30192:2021(E)

	18.3.1	.0 OPC/Test zone	11	9
	18.3.1	1 Reserved	11	9
		2 INFO1/Buffer 1		
		3 INFO 1/Drive area (optional)		
		4 INFO 1/Reserved 3		
		5 INFO 1/Reserved 2		
		6 INFO 1/Reserved 1		
		7 INFO 1/DMA 1		
		8 INFO1/Controle data 1		
		9 INFO1/PAC 1		
19	Data zone		12	1
20		s)		
		al		
		3/Buffer 4		
		3/DMA 3		
		3/Control data 4		
		ar buffer		
		4/DMA 4		
		4/Control data 4		
		4 / Buffer 6		
		ction zone 3		
21		ess control clusters		
		al		
		et of PAC zones		
		ral structure of PAC clusters		
		ry PAC cluster (mandatory)vrite-protect PAC cluster (optional)		
		nd IS2 PAC clusters		
00				
22		ement		
		ral (DMC)		
		management structure (DMS)		
		Disk definition structure (DDS)		
	22.2.3		14	
		Defect list header (DLH)		
		List of defects		
	22.2.6			
23	Accianment	of logical sector numbers (LSNs)		
	Assignment	ics of grooved areas	17	J
24		_		
25		esting for grooved area		
		al	The state of the s	
		onment		
		ence drive		
	25.3.1			
	25.3.2	1		
	25.3.3			
	25.3.4			
	25.3.5 25.4 Signa	Scanning velocityls		
	9			
26	•	HFM grooves		
		pull signal		
		wobble signal		
	-	of HFM signal		
27	Signals from	wobbled groove(s)	14	R

	27.1	Phase depth	
	27.2	Push-pull signal	
	27.3	Wobble signal	149
		27.3.1 General	
		27.3.2 Measurement of <i>I</i> _{NWS}	149
	2.	27.3.3 Measurement of wobble CNR	150
	3.	27.3.4 Measurement of harmonic distortion requirements	150
28		acteristics of recording layer	150
29	Meth	od of testing for recording layer	150
		General	
	29.2	Environment	151
	29.3	Reference drive	151
		29.3.1 General	151
		29.3.2 Read power	151
		29.3.3 Read channels	
		29.3.4 Tracking requirements	
		29.3.5 Scanning velocities	151
	29.4	Write conditions	
		29.4.1 Write-pulse waveform	
		29.4.2 Write powers	
		29.4.3 Write conditions for jitter measurement	152
		29.4.4 Write conditions for cross-erase measurement	
		29.4.5 Write conditions for inter-velocity overwrite measurements	
	29.5	Definition of signals	
30	Signa	ls from recorded areas	153
	30.1	HF signals	153
	30.2		
	30.3	Reflectivity modulation product	154
	30.4	Asymmetry Jitter	155
	30.5	Jitter	155
	30.6	Cross-erase	155
	30.7	Inter-velocity overwrite	156
	30.8	Read stability	156
31	Local	defects	157
32	Chara	acteristics of user data	158
33	Meth	od of testing for user data	158
	33.1	General	158
	33.2	Environment	
	33.3	Reference drive	158
		33.3.1 General	158
		33.3.2 Read power	158
		33.3.3 Read channels	
		33.3.4 Error correction	158
		33.3.5 Tracking requirements	159
		33.3.6 Scanning velocities	159
	33.4	Error signals	
34	Minimum quality of recorded information		
	34.1	Random symbol error rate	160
	34.2	Maximum burst errors	
	34.3	User-written data	161
35	BCA		161
Anne	ex A (no	rmative) Thickness of transmission stacks in case of multiple layers	163
Anne	ex B (no	rmative) Measurement of reflectivity	165
		- v	

ISO/IEC 30192:2021(E)

Annex C (normative) Measurement of scratch resistance of cover layer	168
Annex D (normative) Measurement of repulsion of grime by cover layer	170
Annex E (normative) Measurement of wobble amplitude	173
Annex F (normative) Write-pulse waveform for testing	
Annex G (normative) Optimum power control (OPC) procedure for disk	187
Annex H (normative) HF signal pre-processing for jitter measurements	191
Annex I (normative) Measurement procedure	
Annex J (informative) Measurement of birefringence	204
Annex K (informative) Measurement of thickness of cover layer and spacer layer	207
Annex L (informative) Measurement of impact resistance of cover layer	210
Annex M (informative) Groove deviation and wobble amplitude	
Bibliography	214
Annex M (informative) Groove deviation and wobble amplitude Bibliography	
viii © ISO/IEC 2021 – All	rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information Technology*, Subcommittee SC 23, *Digitally recorded media for information interchange and storage*.

This third edition cancels and replaces the second edition (ISO/IEC 30192:2016), which has been technically revised. It also incorporates the Amendment ISO/IEC 30192:2016/Amd.1:2019.

The main changes compared to the previous edition is the addition of requirements for physical accesss control and reserved area of BD application.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In March 2002, the Blu-ray Disc Founders, or BDF, came together to create optical disk formats with the large capacity and high-speed transfer rates that would be needed for recording and reproducing of high-definition video content. The first edition of Blu-ray DiscTM Rewritable Format Part 1 Version 1.0 was issued in June 2002 (capacity 23 GB with catridge).

The BDA issued Version 2.1 of the Blu-ray Disc™ Rewritable Format Part1 in October 2005 and Version 3.0 in June of 2010 (capacity 25 GB and 50 GB without cartridge).

To keep the compatibility of the removable medium in the market, just to make a standard is not enough, and it is necessary to check that the disks and devices can satisfy the specifications. The BDA conducts verification activities for both disks and devices and has established more than 10 testing Centres in Asia, Europe and the USA.

Blu-rayTM disks, players, recorders and PC drives/software based on BDA standards became popular all over the world. The BDA gave consumer applications the highest priority in the first few years. But it was known, of course, that international standardization would be required before many government entities and their contractors would be allowed to use Blu-ray Disc™. In January and February 2011, the BDA was formally requested to consider international standardization. The reason for this was to enable the inclusion of writable BDs, along with DVDs and CDs, in an International Standard specifying test methods for the estimation of lifetime of optical storage media for long-term data storage. In October 2011, the BDA responded that it had decided to pursue international standardization of the basic physical formats for the Recordable and Rewritable Blu-ray Disc™.

In December 2011, the BDA sent project proposals for international standardization of four formats. They are 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Recordablee disks, 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Rewritable disks, 120 mm Triple Layer (100,0 Gbytes per disk) and Quadruple Layer (128,0 Gbytes per disk) BD Recordable disks and 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk.

A few additional specifications are required in order to write and read video recording applications, such as the BDMV and BDAV formats, which have been specified by the BDA for use on BD recordable disks. These specifications, which are related to the BD application, the file system and the content-protection system, are required for the disk, the generating system and the receiving system¹⁾.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. Information may be obtained from the patent database available at www.iso.org/patents.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Blu-ray™, Blu-ray Disc™ and the logos are trademarks of the Blu-ray Disc Association.

¹⁾ For more information of the BD application, the content-protection system and the additional requirements for the Blu-ray™ Format specifications, see http://www.blu-raydisc.info.

Information technology — Digitally recorded media for information interchange and storage — 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Rewritable disk

1 Scope

This document specifies the mechanical, physical and optical characteristics of a 120 mm rewritable optical disk with a capacity of 25,0 Gbytes or 50,0 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. User data can be written, read and overwritten many times using a reversible method. This disk is identified as a BD rewritable disk.

This document specifies the following:

- two related but different types of this disk;
- conditions for conformance;
- environments in which the disk is to be operated and stored;
- mechanical and physical characteristics of the disk, which allow mechanical interchange between data processing systems;
- format of the information on the disk, including the physical disposition of the tracks and sectors;
- error-correcting codes and coding method used;
- characteristics of the signals recorded on the disk, which enable data processing systems to read data from the disk.

This document provides for interchange of disks between drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 646, Information technology — ISO 7-bit coded character set for information interchange

ISO 9352, Plastics — Determination of resistance to wear by abrasive wheels

ISO 30193, Information technology — Digitally recorded media for information interchange and storage — 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk

IEC 60068-2-2, Environment testing — Part 2-2: Tests — Test B: Dry heat

IEC 60068-2-30, Environment testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60950-1, Information technology equipment — Safety — Part 1: General requirements