INTERNATIONAL STANDARD

ISO 24024-2

First edition 2021-02

Plastics — Homopolymer and copolymer resins of vinyl chloride —

Part 2:

Preparation of test samples and determination of properties

Plastiques — Résines d'homopolymères et de copolymères de chlorure de vinyle —





© ISO 2021

nentation, no part of vical, including provested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ontents	Page
For	eword	iv
1	Scope	
2	Normative references	1
3	Terms and definitions	2
4	Preparation of test samples	
	4.1 Sampling	2 2
5	Conditioning of test samples	
6	Determination of properties	
	Tonkis a provious denotation of the second o	
© ISI	50 2021 – All rights reserved	iii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *Thermoplastic materials*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 249, *Plastics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 24024-2 cancels and replaces ISO 1060-2:1998, which has been technically revised.

The main changes compared to the previous edition are as follows:

— the dated normative references have been replaced with undated reference.

A list of all parts in the ISO 24024 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

5

Plastics — Homopolymer and copolymer resins of vinyl chloride —

Part 2:

Preparation of test samples and determination of properties

1 Scope

This document specifies the methods of preparation of test samples and the test methods to be used in determining the properties of PVC resins. Requirements for handling test material and for conditioning the material before testing are given here. In addition, properties and test methods which are suitable and necessary to characterize PVC resins are listed.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 60, Plastics — Determination of apparent density of material that can be poured from a specified funnel

 ${\it ISO~1068, Plastics-Homopolymer~and~copolymer~resins~of~vinyl~chloride-Determination~of~compacted~apparent~bulk~density}$

ISO 1158, Plastics — Vinyl chloride homopolymers and copolymers — Determination of chlorine content

ISO 1264, Plastics — Homopolymer and copolymer resins of vinyl chloride — Determination of pH of aqueous extract

ISO 1265, Plastics — Poly(vinyl chloride) resins — Determination of number of impurities and foreign particles

ISO 1269, Plastics — Homopolymer and copolymer resins of vinyl chloride — Determination of volatile matter (including water)

ISO 1385-1, Phthalate esters for industrial use — Methods of test — Part 1: General

ISO 1624, Plastics — Vinyl chloride homopolymer and copolymer resins — Sieve analysis in water

ISO 1628-2, Plastics — Determination of the viscosity of polymers in dilute solution using capillary viscometers — Part 2: Poly(vinyl chloride) resins

ISO 2555, Plastics — Resins in the liquid state or as emulsions or dispersions — Determination of apparent viscosity using a single cylinder type rotational viscometer method

ISO 2591-1, Test sieving — Part 1: Methods using test sieves of woven wire cloth and perforated metal plate

ISO 3219, Plastics — Polymers/resins in the liquid state or as emulsions or dispersions — Determination of viscosity using a rotational viscometer with defined shear rate

ISO 3451-5, *Plastics — Determination of ash — Part 5: Poly(vinyl chloride)*

ISO 4574, Plastics — PVC resins for general use — Determination of hot plasticizer absorption

ISO 24024-2:2021(E)

ISO 4575, Plastics — Poly(vinyl chloride) pastes — Determination of apparent viscosity using the Severs rheometer

ISO~4608, Plastics -- Homopolymer and copolymer resins of vinyl chloride for general use -- Determination of plasticizer absorption at room temperature

ISO 4610, Plastics — Vinyl chloride homopolymer and copolymer resins — Sieve analysis using air-jet sieve apparatus

ISO 4612, Plastics — Preparation of PVC pastes for test purposes — Planetary-mixer method

ISO 6186, Plastics — Determination of pourability

ISO 6401, Plastics — Poly(vinyl chloride) — Determination of residual vinyl chloride monomer — Gaschromatographic method

ISO 11468, Plastics — Preparation of PVC pastes for test purposes — Dissolver method

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Preparation of test samples

4.1 Sampling

The sample of resin taken should be generally representative of the resin whose properties are to be determined and be sufficiently large to provide the number of test samples required by the test methods concerned.

In order to obtain reproducible and comparable test results, it is necessary to use the methods of sample preparation and conditioning and the test procedures specified herein. Values determined will not necessarily be identical to those obtained using different test samples, or test samples prepared using different procedures.

4.2 Preparation of standard pastes

In order to carry out certain tests on paste resins, it is necessary to prepare standard pastes from the test sample concerned.

For designation purposes, one of two standard paste formulations, A and B, shall be used, but formulation A should be used in preference. Formulation B should be used when the resin to be designated does not form a paste with formulation A or if the temperature exceeds 35 $^{\circ}$ C during the preparation of the paste. Formulation B should also be used when it is not possible to measure the viscosities of the paste at both shear rates with formulation A.