

Milk - Quantitative determination of microbiological quality - Guidance for establishing and verifying a conversion relationship between results of an alternative method and anchor method results (ISO 21187:2021)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 21187:2021 sisaldab Euroopa standardi EN ISO 21187:2021 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 21187:2021 consists of the English text of the European standard EN ISO 21187:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.03.2021.	Date of Availability of the European standard is 10.03.2021.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 07.100.30, 67.100.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 21187

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2021

ICS 07.100.30; 67.100.01

Supersedes EN ISO 21187:2005

English Version

Milk - Quantitative determination of microbiological quality - Guidance for establishing and verifying a conversion relationship between results of an alternative method and anchor method results (ISO 21187:2021)

Lait - Mesure quantitative de la qualité microbiologique - Lignes directrices pour établir et vérifier une relation de conversion entre les résultats de la méthode alternatif et les résultats de la méthode d'ancrage (ISO 21187:2021)

Milch - Quantitative Bestimmung der bakteriologischen Qualität - Leitfaden für die Erarbeitung einer Übertragungsbeziehung zwischen den Messwerten von Routine- und Bezugsverfahren sowie deren Verifizierung (ISO 21187:2021)

This European Standard was approved by CEN on 4 December 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 21187:2021) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 302 "Milk and milk products - Methods of sampling and analysis" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2021, and conflicting national standards shall be withdrawn at the latest by September 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 21187:2005.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 21187:2021 has been approved by CEN as EN ISO 21187:2021 without any modification.

Contents

	Page
Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principles	2
4.1 General.....	2
4.2 Guidance for applied methods and laboratories.....	2
4.3 Organizational set-up.....	3
5 Consideration of factors influencing the conversion relationship	3
5.1 General.....	3
5.2 Environmental factors.....	3
5.2.1 General.....	3
5.2.2 Animal species.....	4
5.2.3 Bulk milk storage conditions.....	4
5.2.4 Seasonal variations.....	4
5.2.5 Sampling and pre-treatment of the test samples.....	4
5.2.6 Test sample preservation.....	4
5.2.7 Milk production conditions.....	4
5.3 Analytical factors.....	5
5.3.1 Instrument make and model.....	5
5.3.2 Chemicals.....	5
5.3.3 High somatic cell counts.....	5
6 Test samples	5
6.1 Calculation of number of test samples.....	5
6.2 Range of test samples.....	6
6.3 Representativeness of samples.....	6
6.4 Pre-treatment of test samples.....	6
6.4.1 General.....	6
6.4.2 Preparation of sub-samples.....	6
6.4.3 Storage and transport of sub-samples.....	7
7 Analysis	7
8 Establishing a conversion relationship	7
8.1 General.....	7
8.2 Validity of results.....	7
8.3 Conversion relationship.....	8
8.4 Calculations.....	8
8.4.1 General.....	8
8.4.2 Removal of outliers.....	8
8.4.3 Conversion relationship.....	8
9 Verification of a conversion relationship	9
9.1 Frequency of verification.....	9
9.2 Calculation.....	9
10 Test report	9
Annex A (informative) Number of test samples for linear regression	11
Annex B (informative) Example identification of outliers and calculation of conversion relationship	14
Annex C (informative) Example — Calculation of significance (verification of conversion relationship)	15

Bibliography 19

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 302, *Milk and milk products — Methods of sampling and analysis*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement), and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

This second edition cancels and replaces the first edition (ISO 21187 | IDF 196:2004), which has been technically revised. The main changes compared with the previous edition are as follows:

- the formula describing the conversion relationship has been based on grouped data rather than data from individual samples;
- examples of how to perform outlier tests, and calculation and verification of conversion relationships have been given in a spreadsheet.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IDF (the International Dairy Federation) is a non-profit private sector organization representing the interests of various stakeholders in dairying at the global level. IDF members are organized in National Committees, which are national associations composed of representatives of dairy-related national interest groups including dairy farmers, dairy processing industry, dairy suppliers, academics and governments/food control authorities.

ISO and IDF collaborate closely on all matters of standardization relating to methods of analysis and sampling for milk and milk products. Since 2001, ISO and IDF jointly publish their International Standards using the logos and reference numbers of both organizations.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

This document was prepared by the IDF *Standing Committee on Statistics and Automation* and ISO Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*. It is being published jointly by IDF and ISO.

The work was carried out by the IDF/ISO Action Team (S11) of the *Standing Committee on Statistics and Automation* under the aegis of its project leaders, Ms B. Asmussen (DK), Ms V. Tzeneva (NL), Mr R. Kissling (NZ) and Ms B. Müller (DE).

Introduction

Conversion in quantitative microbiology means expressing the result of a quantitative determination of the microbiological status of a test sample obtained with an alternative method in units of another method, generally an anchor method. Through this, quantitative results obtained with alternative methods can be compared to values or limits that are stated in anchor method units. For establishing and applying a conversion relationship, a number of prerequisites should be met. These are referred to in this document, but are generally described elsewhere.

Although a considerable part of the applied principles for conversion coincides with those applied for the calibration of indirect or alternative methods against an anchor method, or by means of (certified) reference materials, it is stressed that the background and aims for applying conversion are different from those for calibration. Calibration involves the determination of the adjustment needed for each level of an analyte to closely approximate the true value of its concentration or number. However, in quantitative microbiology, a true value in its strict sense cannot be established and is only defined by the method description applied. When applying alternative methods in the quantitative determination of microbiological quality, one is often dealing with different methodological principles and therefore also other units. Conversion is used to transfer results obtained with different methods to a common scale.

Milk — Quantitative determination of microbiological quality — Guidance for establishing and verifying a conversion relationship between results of an alternative method and anchor method results

1 Scope

This document gives guidelines for the establishment of a conversion relationship between the results of an alternative method and an anchor method, and its verification for the quantitative determination of the microbiological quality of milk.

NOTE The conversion relationship can be used a) to convert results from an alternative method to the anchor basis or b) to convert results/limits, expressed on an anchor basis, to results in units of an alternative method.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8196-1 | IDF 128-1, *Milk — Definition and evaluation of the overall accuracy of alternative methods of milk analysis — Part 1: Analytical attributes of alternative methods*

ISO 8196-2 | IDF 128-2, *Milk — Definition and evaluation of the overall accuracy of alternative methods of milk analysis — Part 2: Calibration and quality control in the dairy laboratory*

ISO 16140-1, *Microbiology of the food chain — Method validation — Part 1: Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8196-1 | IDF 128-1, ISO 8196-2 | IDF 128-2, ISO 16140-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

alternative method

method of analysis allowing quantification of the microbiological status of a test sample

Note 1 to entry: The method can be proprietary or non-commercial.

Note 2 to entry: The term “alternative” in this document refers to the entire method. It includes all aspects (such as test sample pre-treatment, materials and instruments) required for the execution of the method.