

This document is a preview generated by EVS

Building hardware - Hardware for windows and door height windows - Requirements and test methods - Part 7: Finger catches

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 13126-7:2021 sisaldab Euroopa standardi EN 13126-7:2021 ingliskeelset teksti.	This Estonian standard EVS-EN 13126-7:2021 consists of the English text of the European standard EN 13126-7:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 31.03.2021.	Date of Availability of the European standard is 31.03.2021.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 91.190

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN 13126-7**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2021

ICS 91.190

Supersedes EN 13126-7:2007

English Version

**Building hardware - Hardware for windows and door  
height windows - Requirements and test methods - Part 7:  
Finger catches**

Quincaillerie pour le bâtiment - Ferrures de fenêtres et  
portes-fenêtres - Exigences et méthodes d'essai - Partie  
7 : Verrous de ferme-imposte

Baubeschläge - Beschläge für Fenster und Fenstertüren  
- Anforderungen und Prüfverfahren - Teil 7: Fallen-  
Schnäpper

This European Standard was approved by CEN on 8 February 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

# Contents

Page

European foreword.....	3
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Terms and definitions.....</b>	<b>6</b>
<b>4 Classification.....</b>	<b>6</b>
4.1 General.....	6
4.2 Durability (1 - first box).....	7
4.3 Mass (2 - second box).....	7
4.4 Corrosion resistance (3 - third box).....	7
4.5 Test sizes (4 - fourth box).....	7
4.6 Example of classification for finger catches.....	7
<b>5 Requirements.....</b>	<b>8</b>
5.1 Dangerous substances.....	8
5.2 Durability.....	8
5.3 Additional requirements.....	8
5.4 Corrosion resistance.....	9
<b>6 Test equipment and preparation for the test.....</b>	<b>9</b>
6.1 Test rig.....	9
6.2 Specimen.....	9
6.3 Mounting of specimen.....	9
<b>7 Test procedure.....</b>	<b>9</b>
7.1 Samples.....	9
7.2 Durability test.....	10
7.3 Static load test.....	10
7.4 Corrosion resistance.....	10
<b>8 Marking.....</b>	<b>10</b>
<b>Annex A (informative) Test assembly.....</b>	<b>11</b>
<b>Annex B (informative) Flowchart of test procedure.....</b>	<b>12</b>
<b>Bibliography.....</b>	<b>13</b>

## European foreword

This document (EN 13126-7:2021) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2021, and conflicting national standards shall be withdrawn at the latest by September 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13126-7:2007.

With regard to EN 13126-7:2007, the following significant changes were made:

- EN 13126-7 now is independent from EN 13126-1; all necessary information are included without the need of any further information from EN 13126-1;
- several editorial changings in the wording for a better understanding;
- terms under 3.1 'sample', 3.2 'specimen' and 3.3 'test-rig', 3.4 'sash width', 3.5 'sach height' added;
- under 4.1 classification system changed completely; former digits 1 (Category of use), 4 (Fire resistance), 5 (Safety in use), 7 (security) and 8 (Application) deleted; former digit 2 changed into box 1 (Durability), former digit 3 changed into box 2 (Mass), former digit 6 changed into box 3 (Corrosion resistance), former digit 9 changed into box 4 (Test sizes);
- under 4.2 new grades for the number of cycles defined; H1 (5 000), H2 (10 000) and H3 (20 000); see also 5.2;
- under Clause 4.6 new example added for the new classification;
- under 5.2 new grades for the number of cycles defined; H1 (5 000), H2 (10 000) and H3 (20 000) in accordance with 4.2 established;
- under 5.4 clause for corrosion resistance added;
- under 6 headline modified with “...and preparation for the test”;
- subclauses 6.1 'Test rig', 6.2 'Specimen' and 6.3 'Mounting of specimen’ added;
- under 8 new clause added regarding marking with information from the current version of EN 13126-1.

This document is one of a series of European standards for building hardware products for windows and door height windows. This document is independent of EN 13126-1.

EN 13126 consists of the following parts:

- EN 13126-1, *Building hardware — Hardware for windows and door height windows — Requirements and test methods — Part 1: Requirements common to all types of hardware;*
- EN 13126-2, *Building hardware — Hardware for windows and door height windows — Requirements and test methods — Part 2: Window fastener handles;*
- EN 13126-3, *Building hardware — Hardware for windows and door-height windows — Requirements and test methods — Part 3: Handles, primarily for Tilt and Turn, Tilt-First and Turn-Only hardware;*
- EN 13126-4, *Building hardware — Requirements and test methods for windows and door height windows — Part 4: Espagnolettes;*
- EN 13126-5, *Building hardware — Hardware for windows and door height windows — Requirements and test methods — Part 5: Devices that restrict the opening of windows and door height windows;*
- EN 13126-6, *Building hardware — Hardware for windows and door height windows — Requirements and test methods — Part 6: Variable geometry stay hinges (with or without a friction stay);*
- EN 13126-7, *Building hardware — Requirements and test methods for windows and door height windows — Part 7: Finger catches;*
- EN 13126-8, *Building hardware — Hardware for windows and door height windows — Part 8: Requirements and test methods for tilt and turn, Tilt-First and Turn-Only hardware;*
- EN 13126-9, *Building hardware — Requirements and test methods for windows and door height windows — Part 9: Hardware for horizontal and vertical pivot windows;*
- EN 13126-10, *Building hardware — Requirements and test methods for windows and door height windows — Part 10: Arm-balancing systems;*
- EN 13126-11, *Building hardware — Requirements and test methods for windows and door height windows — Part 11: Top hung projecting reversible hardware;*
- EN 13126-12, *Building hardware — Requirements and test methods for windows and door height windows — Part 12: Side hung projecting reversible hardware;*
- EN 13126-13, *Building hardware — Hardware for windows and balcony door — Requirements and test methods — Part 13: Sash balances;*
- EN 13126-14, *Building hardware — Hardware for windows and balcony door — Requirements and test methods — Part 14: Sash fasteners;*
- EN 13126-15, *Building hardware — Hardware for windows and balcony door — Requirements and test methods — Part 15: Rollers for sliding and hardware for sliding folding windows;*
- EN 13126-16, *Building hardware — Hardware for windows and balcony door — Requirements and test methods — Part 16: Hardware for Lift and Slide windows;*

- EN 13126-17, *Building hardware — Hardware for windows and balcony door — Requirements and test methods — Part 17: Hardware for Tilt and Slide windows*;
- EN 13126-19, *Building hardware — Requirements and test methods for windows and door height windows — Part 19: Sliding Closing Devices*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This document specifies the requirements and test procedures for durability, strength, security and functionality of finger catches for windows and door height windows.

## 2 Normative references

The following documents are referred to in the text in such a way that some of all of their contents constitute requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1670, *Building hardware — Corrosion resistance — Requirements and test methods*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

### 3.1

#### **sample**

hardware component which which is intended to be tested

### 3.2

#### **specimen**

window to accommodate hardware components (samples) for testing

### 3.3

#### **test-rig**

testing device onto which the specimen is mounted

### 3.4

#### **sash width**

total horizontal outer dimension of the sash

### 3.5

#### **sash height**

total vertical outer dimension of the sash

## 4 Classification

### 4.1 General

Finger catches shall be classified in accordance with the four box classification system (see Table 1).

**Table 1 — Clasification system of hardware**

<b>box</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
<b>characteristic</b>	Durability	Mass	Corrosion resistance	Test sizes