

CEN WORKSHOP AGREEMENT

CWA 50272

April 2021

ICS 27.140

English version

Methodology, procedures and equipment required for the laboratory testing of a modular and crosscutting Power Take-Off for wave energy converters

This CEN and CENELEC Workshop Agreement is a technical agreement, developed and approved by an open independent workshop structure within the framework of the CEN-CENELEC system.

This CEN and CENELEC Workshop Agreement reflects the agreement only of the registered participants responsible for its content, and was developed in accordance with the CEN-CENELEC rules and practices available in for the development and approval of CEN/CENELEC Workshop Agreements.

This CEN and/or CENELEC Workshop Agreement does not have the status of a European Standard (EN) developed by CEN and CENELEC and their national Members, as it does not represent the wider level of consensus and transparency required for a European Standard (EN). Furthermore, it is not intended to support legislative requirements or to address issues with significant health and safety implications. For these reasons, CEN and CENELEC cannot be held accountable for the technical content of this CEN and CENELEC Workshop Agreement or for any possible conflicts with national standards or legislation.

The Workshop participants who drafted and approved this CEN and CENELEC Workshop Agreement, the names of which are indicated in the Foreword of this document, intend to offer market players a flexible and timely tool for achieving a technical agreement where there is no prevailing desire or support for a European Standard (EN) to be developed. The copyright of this document is owned exclusively by CEN and CENELEC. Copies of it are available from the national standards bodies of the following countries: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Republic of North Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
Foreword	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviation	7
3.1 Terms and definitions	7
3.2 Acronyms	9
4 Description of the methodology for laboratory testing of modular and crosscutting PTOs	9
4.1 General	9
4.2 Components of a modular and crosscutting PTO	10
4.3 The testing procedures at the laboratory	11
4.4 Combination of Modular and Crosscutting PTO components and tests	13
4.5 Equipment required for the laboratory tests	14
4.6 Connection and operation guide	14
4.7 Results of the laboratory tests: Testing report and model generation	15
Annex A (informative) Application cases	16
A.1 General	16
A.2 APPLICATION CASE 1: H2020 sea titan project - Grant Agreement No. 764014	16
A.2.1 General	16
A.2.2 Components of the modular and crosscutting PTO	16
A.2.3 Equipment required for the laboratory tests	20
A.2.4 Hardware-In-the-Loop (HIL) scheme	22
A.2.5 Laboratory Testing Facilities	23
A.3 APPLICATION CASE 2: Test-rig set up for WEC dynamics emulation	24
A.4 APPLICATION CASE 3: Example of equipment for PTO testing	27
Bibliography	29

Foreword

CWA 50272:2021 has been developed in accordance with the CEN-CENELEC Guide 29 “CEN/CENELEC Workshop Agreements – A rapid prototyping to standardization” and with the relevant provisions of CEN/CENELEC Internal Regulations – Part 2. It was approved by a Workshop of representatives of interested parties on 2021-02-10, the constitution of which was supported by CEN-CENELEC following the public call for participation made on 2020-06-10. However, this CEN-CENELEC Workshop Agreement does not necessarily include all relevant stakeholders.

The final text of CWA 50272:2021 was provided to CEN-CENELEC for publication on 2021-03-18.

Results incorporated in this CWA received funding from the European Union’s Horizon 2020 research and innovation programme under grant agreement No 764014.

The following organizations and individuals developed and approved this CEN-CENELEC Workshop Agreement:

- CENTIPOD LTD., Mr. Alan McCall
- CIEMAT, Mr. Marcos Lafoz
- CIEMAT, Mr. Marcos Blanco
- CIMEAT, Mr. Miguel Santos
- CIEMAT, Mr. Luis García-Tabarés
- CORPOWER OCEAN, Mr. Matt Dickson
- Fabricom NV (ENGIE), Mr. Luka Vanderplancke
- HYDROCAP ENERGY SAS, Mr. Alain LARIVAIN
- NEW R&D – CNET (EDP), Mr. Christian Verrecchia
- NEW R&D – CNET (EDP), Mr. Tiago Lourenco
- OCEM Energy Technology, Mr. Mattia Mantellini
- OCEM Energy Technology, Mr. Miguel Pretelli
- WEDGE GLOBAL S.L., Mr. Aleix Arenas

Attention is drawn to the possibility that some elements of this document may be subject to patent rights. CEN-CENELEC policy on patent rights is described in CEN-CENELEC Guide 8 “Guidelines for Implementation of the Common IPR Policy on Patent”. CEN-CENELEC shall not be held responsible for identifying any or all such patent rights.

Although the Workshop parties have made every effort to ensure the reliability and accuracy of technical and nontechnical descriptions, the Workshop is not able to guarantee, explicitly or implicitly, the correctness of this document. Anyone who applies this CEN-CENELEC Workshop Agreement shall be aware that neither the Workshop, nor [CEN and/or CENELEC], can be held liable for damages or losses of any kind whatsoever. The use of this CEN-CENELEC Workshop Agreement does not relieve users of their responsibility for their own actions, and they apply this document at their own risk. The CEN-CENELEC Workshop Agreement should not be construed as legal advice authoritatively endorsed by CEN/CENELEC.

Introduction

As stated in the SET-Plan Ocean Energy, ocean energy must reduce costs in order to be more competitive. Despite the current improvement in the technological development of different solutions, the harsh environment of the oceans is the main cause of uncertainties in the reliability of wave energy conversion systems, presenting the main barrier for the development of its massive energy potential¹⁾. The concept of reliability implies many issues, all of them related to minimize both the levelized cost of energy (LCOE) and the total expected life-cycle costs (operation, maintenance and failure costs). Since the wave energy conversion integrates many disciplines, the problem could be analysed from different perspectives. This CWA focusses in the reliability analysis of the device in charge of the energy conversion from mechanical into electrical, what is usually named power take-off (PTO). In particular, in the frame of the named modular and crosscutting PTO, which are defined by the existence of a unitary module with complete operative functionality and the ability to be adapted to different WECs in terms of available space, force, power, velocity and stroke. Since the testing of rotary generators has been addressed in greater detail in the literature [2], this CWA focuses on linear PTOs.

The PTO comprises the electric generator, power electronic converters, control devices and sometimes additional mechanical devices for the conditioning of the mechanical power provided by the prime mover.

Since the PTO system operation can be tested in a dry laboratory emulating the WEC operation conditions, preliminary commissioning of this important part of a WEC could be debugged and validated. An important reduction on the commissioning time could be achieved by this stage, saving important budget and reducing the potential failure risks involving the PTO equipment.

The CWA is defined in the frame of the stage III of full scale and mechanical loads at scaled tests of wave energy converters (IEC/TS 62600-103-2018 and IEC/TS 62600-3-2020 respectively) and the tests described below can be framed during the calibration and setup dry tests. According to IEC/TS 62600-103-2018, *“accurate calibration of the PTO arrangement is essential and shall be performed prior to experimental testing over the design frequency range to fully characterize the dynamic function of the PTO”*. Although there are previous standards facing the tank tests of scaled or full-scale prototypes, including some similar power conversion system, not necessarily the final PTO is currently tested at this stage. The current CWA present the laboratory testing of a unitary module but completely functional full-scale PTO before the final integration into the WEC, and previous to the sea commissioning.

This CWA aims to facilitate:

- Testing different parts of a PTO under rated power and/or operational conditions.
- Testing the different parts of a certain PTO together and under operational conditions.

¹⁾ Gunn and Stock-Williams, Quantifying the global wave power resource. Renewable Energy, 44 (2012), pp. 296-304. <https://doi.org/10.1016/j.renene.2012.01.101>

- Characterizing a certain PTO in order to obtain a mathematical model. The model is useful to:
 - Evaluate the LCOE/evaluate other stage gate parameters;
 - Evaluate in different locations under different sea states;
 - Evaluate the performance under different control strategies;
 - Compare different PTO technologies or the same PTO with different WECs.

The CWA comprises the following information:

- 1) A methodology to test in dry laboratory the performance of a modular and crosscutting linear PTO.
- 2) The definition of the different procedures for testing a modular and crosscutting linear PTO.
- 3) The equipment suggested for the experimental tests of each component at the laboratory.
- 4) The description of application cases, with examples of the different stages and equipment used in previous developments, are included in a final Annex.

This document has been developed in the frame of the project H2020 SEA TITAN (Grant Agreement No. 764014).

1 Scope

This CWA establishes a methodology, procedures and the required equipment in order to test and validate in dry laboratories a modular and crosscutting linear PTO, used for wave energy converters (WEC). It considers common procedures for different types of PTO solutions, as well as operation ranges related to its final location.

Some examples of application of this methodology are presented in Annex A at the end of the document.

Initially, the concepts of modular and crosscutting power take-off or PTO, its components, and the actuator are defined. Additionally, a set of testing scenarios are defined, corresponding to operation at the location, as well as the control strategies to be followed by the PTO. Both subsystems will be operated together with the PTO and the actuator, governed by an upper level supervision system, operating in a hardware-in-the loop scheme. Finally, a whole set of required instrumentation is defined in order to measure the system variables, used subsequently to compile the PTO characterization report.

Regarding the types of WEC where this methodology could be applied, there is no restriction in the WEC topology. Any WEC where a linear PTO is suitable could be in the scope of this document.

The potential users of this document are:

- Developers of power-take-off, either focused on electric machines, power electronics, control systems, instrumentation, or integration of the whole equipment.
- Developers of wave energy converters.
- Experimental facilities where PTOs or WECs are tested.
- Research centres who develop complementary technologies for the PTO.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TS 62600-1:2020, *Marine energy — Wave, tidal and other water current converters — Part 1: Vocabulary*

IEC/TS 62600-2, *Marine energy — Wave, tidal and other water current converters — Part 2: Marine energy systems — Design requirements*

IEC/TS 62600-3:2020, *Marine energy — Wave, tidal and other water current converters — Part 3: Measurement of mechanical loads.*

IEC/TS 62600-103, *Marine energy — Wave, tidal and other water current converters — Part 103: Guidelines for the early stage development of wave energy converters — Best practices and recommended procedures for the testing of pre-prototype devices*

IEC/TS 62600-30:2018, *Marine energy — Wave, tidal and other water current converters — Part 30: Electrical power quality requirements*

IEC 62506:2013, *Methods for product accelerated testing*

IEC 61439-1, *Low-voltage switchgear and control gear assemblies — Part 1: General rules*

IEC 61439-2, *Low-voltage switchgear and control gear assemblies — Part 2: Power switchgear and control gear assemblies*

3 Terms, definitions and abbreviation

For the purpose of this document, the following terms, definitions and abbreviations apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

wave energy converter (WEC)

device that converts energy from surface waves to electricity or other useful forms of energy

[SOURCE: IEC TS 62600-1:2020]

3.1.2

prime mover

marine energy converter component that interfaces with a resource from which energy is converted

[SOURCE: IEC TS 62600-1 2020]

3.1.3

power take-off (PTO)

mechanism that converts the motion of the prime mover into a useful form of energy such as electricity

[SOURCE: IEC TS 62600-1:2020]

Note 1 to entry: The subcomponent of the PTO are: electric generator, power electronics, (interface), upper level control, and lower level control.

3.1.4

crosscutting PTO

a PTO with the capability to be used or integrated in different WECs

3.1.5

modular PTO

a PTO with the possibility to be divided in sections with full functionality but reducing the initial values of power or force

3.1.6

direct-drive PTO (DDPTO)

a PTO without interface between the prime mover and the electric generator

3.1.7

mechanical PTO

a PTO with a mechanic interface between the prime mover and the electric generator, such as a rack and pinion or a planetary gearbox