



Edition 2.0 2021-04

INTERNATIONAL

Optical fibre cables – Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables for rapid/multiple deployment



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc <

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 2.0 2021-04

INTERNATIONAL STANDARD CUNON!

Optical fibre cables – Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables for rapid/multiple deployment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-9655-4

ICS 33.180.01; 33.180.10

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

1 Scope 5 2 Normative references 5 3 Terms and definitions 5 4 General requirements 6 5 Specification for outdoor optical fibre cables for rapid/multiple deployment 6 5.1 Construction 6 5.1.1 General 6 5.1.2 Rapid/multiple deployment optical fibre cables 6 5.1.2 Rapid/multiple deployment optical fibre cables 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 <th>FC</th> <th>DREWO</th> <th>RD</th> <th>3</th>	FC	DREWO	RD	3			
3 Terms and definitions 5 4 General requirements 6 5 Specification for outdoor optical fibre cables for rapid/multiple deployment 6 5.1 Construction 6 5.1.1 General 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 7.5 Mechanical and environmental tests 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 11 6.13 Bending under tension 11 6.14 Multiple cable colling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Impact	1	Scop	e	5			
3 Terms and definitions 5 4 General requirements 6 5 Specification for outdoor optical fibre cables for rapid/multiple deployment 6 5.1 Construction 6 5.1.1 General 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 7.5 Mechanical and environmental tests 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 11 6.13 Bending under tension 11 6.14 Multiple cable colling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Impact	2	Norm					
4 General requirements 6 5 Specification for outdoor optical fibre cables for rapid/multiple deployment 6 5.1 Construction 6 5.1.1 General 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.11 Emperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.16 Water penetration </td <td></td> <td></td> <td colspan="5"></td>							
5 Specification for outdoor optical fibre cables for rapid/multiple deployment 6 5.1 Construction 6 5.1.1 General 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 12 6.16 Water penetration 12 6.17 Ageing	-						
5.1 Construction 6 5.1.1 General 6 5.1.2 Rapid/multiple deployment optical fibre cables 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.10 Flexing 11 6.11 Kink 11 6.12 Bendi 11 6.13 Bendig 10 6.4 Abrasion 10 6.5 Crush 9 6.6 Impact. 9 6.7 Reise de be			You have been a second s				
5.1.1 General 6 5.1.2 Rapid/multiple deployment optical fibre cables 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 11 6.12 Bend 11 6.13 Bendig under tension 11 6.14 Multiple cable coiling and uncolling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing <td>5</td> <td>-</td> <td></td> <td></td>	5	-					
5.1.2 Rapid/multiple deployment optical fibre cables 6 5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.11 Kink 11 6.12 Bend 12 6.13 Bending under tension 12 6.14 Multiple cable coiling and uncoiling performance 11<		••••					
5.2 Optical fibres 7 5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bending under tension 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 <td></td> <td></td> <td></td> <td></td>							
5.3 Secondary coating 7 5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 13 6.20 Fibre ribbon separability 13		-					
5.4 Outer sheath 7 5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General. 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 13 6.19 External freezing 13 6.19 External freezing 13 6.19 External freezing 13							
5.5 Mechanical and environmental tests 7 6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 <td></td> <td></td> <td></td> <td></td>							
6 Testing of rapid/multiple deployment optical fibre cables 7 6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending. 10 6.9 Torsion 10 6.10 Flexing. 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance. 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and mini							
6.1 General 7 6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14							
6.2 Applicable tests 7 6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15	6						
6.3 Tensile performance 9 6.4 Abrasion 9 6.5 Crush 9 6.6 Impact. 9 6.6 Impact. 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending. 10 6.9 Torsion 10 6.10 Flexing. 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance. 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 T		-					
6.4 Abrasion 9 6.5 Crush 9 6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8		-					
6.5 Crush 9 6.6 Impact. 9 6.7 Ribbon strippability 10 6.8 Repeated bending. 10 6.9 Torsion 10 6.10 Flexing. 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance. 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8		6.3					
6.6 Impact 9 6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8		••••					
6.7 Ribbon strippability 10 6.8 Repeated bending 10 6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8							
6.8 Repeated bending			Impact	9			
6.9 Torsion 10 6.10 Flexing 10 6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8		•••					
6.10Flexing							
6.11 Kink 11 6.12 Bend 11 6.13 Bending under tension 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8			Torsion	10			
6.12 Bend 11 6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8							
6.13 Bending under tension 11 6.14 Multiple cable coiling and uncoiling performance 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable 8		••••					
6.14 Multiple cable coiling and uncoiling performance. 11 6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable							
6.15 Temperature cycling 12 6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable			-				
6.16 Water penetration 12 6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable							
6.17 Ageing 12 6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable .8							
6.18 UV resistance 12 6.19 External freezing 13 6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable							
6.19 External freezing			Ageing	12			
6.20 Fibre ribbon separability 13 6.21 Tube kinking 13 Annex A (normative) Blank detail specification and minimum requirements 14 Bibliography 15 Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable							
6.21 Tube kinking							
Annex A (normative) Blank detail specification and minimum requirements							
Bibliography			-				
Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable							
rapid/multiple deployment optical fibre cable	Bi	Bibliography15					
				8			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables for rapid/multiple deployment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60794-3-70 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) incorporation of the new classification system for optical fibre categories, sub-categories in IEC 60793-2-10;
- b) incorporation of the new classification system for optical fibre categories, sub-categories and models in IEC 60793-2-50;
- c) updating of cabled fibre performance categories in alignment with ISO/IEC 11801-1;
- d) updating of bibliographical references.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/2086/FDIS	86A/2091/RVD

- 4 -

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This International Standard is to be used in conjunction with IEC 60794-1-1, IEC 60794-1-2 and IEC 60794-3.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

OPTICAL FIBRE CABLES –

Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables for rapid/multiple deployment

1 Scope

This part of IEC 60794 is a family specification that covers outdoor optical fibre cables intended for rugged terrestrial rapid/multiple deployment. These cables, with enhanced mechanical, environmental and ingress performance can be used wherever a rapid or multiple deployment is relevant (e.g. mobile broadcast units, emergency rescue services, tactical ground-forces, outdoor motion-robotics, mining machinery, temporary repair cables for damaged links, etc.).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-10:2019, Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres

IEC 60793-2-50:2019, Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

IEC 60794-1-1, Optical fibre cables – Part 1-1: Generic specification – General

IEC 60794-1-2, Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance

IEC 60794-1-21:2015, Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods IEC 60794-1-21:2015/AMD1:2020

IEC 60794-1-22:2017, Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods

IEC 60794-1-23:2019, Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable element test methods

IEC 60794-1-215, Optical fibre cables – Part 1-215: Generic specification – Basic optical cable test procedures – Environmental test methods – Cable external freezing test, Method F15

IEC 60794-3, Optical fibre cables – Part 3: Outdoor cables – Sectional specification

ISO 4892-2, Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps

3 Terms and definitions

No terms and definitions are listed in this document.