

Ventilation for buildings - Performance testing of components/products for residential ventilation - Part 4: Aerodynamic, electrical power and acoustic performance of unidirectional ventilation units

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 13141-4:2021 sisaldab Euroopa standardi EN 13141-4:2021 ingliskeelset teksti. | This Estonian standard EVS-EN 13141-4:2021 consists of the English text of the European standard EN 13141-4:2021. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.04.2021. | Date of Availability of the European standard is 14.04.2021. |
| Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest. | The standard is available from the Estonian Centre for Standardisation and Accreditation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Ventilation for buildings - Performance testing of
components/products for residential ventilation - Part 4:
Aerodynamic, electrical power and acoustic performance
of unidirectional ventilation units

Ventilation des bâtiments - Essais de performance des
composants/produits pour la ventilation des
logements - Partie 4 : Performance aéraulique, de
puissance électrique et acoustique des unités de
ventilation simple flux

Lüftung von Gebäuden - Leistungsprüfungen von
Bauteilen/Produkten für die Lüftung von Wohnungen -
Teil 4: Aerodynamische, elektrische und akustische
Leistung von unidirektionalen Lüftungsgeräten

This European Standard was approved by CEN on 25 January 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| Contents | Page |
|---|-------------|
| European foreword..... | 4 |
| Introduction | 6 |
| 1 Scope..... | 8 |
| 2 Normative references..... | 8 |
| 3 Terms and definitions | 9 |
| 4 Symbols and abbreviations | 11 |
| 5 Performance testing of aerodynamic characteristics..... | 13 |
| 5.1 External leakages..... | 13 |
| 5.1.1 Test installation..... | 13 |
| 5.1.2 Test procedure..... | 13 |
| 5.2 Air flow/pressure performance..... | 15 |
| 5.2.1 General..... | 15 |
| 5.2.2 Test Installation..... | 16 |
| 5.2.3 Test procedure..... | 17 |
| 5.3 Air flow sensitivity..... | 21 |
| 5.4 Indoor/outdoor airtightness | 22 |
| 6 Energy..... | 22 |
| 6.1 Performance testing of electrical power | 22 |
| 6.1.1 Testing method | 22 |
| 6.1.2 Electrical power input at reference and maximum air volume flow..... | 22 |
| 6.1.3 Assessment of part load energy efficiency (optional) | 22 |
| 6.2 Operable mode..... | 22 |
| 6.3 Standby mode..... | 22 |
| 7 Performance testing of acoustic characteristics..... | 23 |
| 7.1 General..... | 23 |
| 7.2 Noise radiated through the casing of the unit L_{Wc} | 25 |
| 7.2.1 General..... | 25 |
| 7.2.2 Test Installation..... | 25 |
| 7.2.3 Measurements..... | 26 |
| 7.3 Radiated sound power level in the indoor or outdoor space – L_{Wi} and L_{Wo} | 27 |
| 7.3.1 General..... | 27 |
| 7.3.2 Test Installation..... | 27 |
| 7.3.3 Measurements..... | 29 |
| 7.4 In-duct sound power level of the unit..... | 29 |
| 7.4.1 General..... | 29 |
| 7.4.2 Test Installation..... | 29 |
| 7.4.3 Measurements..... | 31 |
| 7.5 Airborne sound insulation..... | 31 |
| 7.5.1 General..... | 31 |
| 7.5.2 Test Installation..... | 31 |
| 7.5.3 Measurements..... | 32 |
| 8 Test results | 32 |
| 8.1 Test report..... | 32 |

| | | |
|------------------------------|--|-----------|
| 8.2 | Product specifications..... | 32 |
| 8.3 | Leakages..... | 33 |
| 8.4 | Air flow/pressure curve..... | 33 |
| 8.5 | Air flow sensitivity for non-ducted ventilation units | 33 |
| 8.6 | Indoor/outdoor airtightness for non-ducted ventilation units..... | 33 |
| 8.7 | Energy | 33 |
| 8.8 | Acoustic characteristics | 33 |
| Annex A (normative) | Connection box(es) | 36 |
| Annex B (normative) | Evaluation of maximum air volume flow and pressure | 38 |
| Annex C (normative) | Examples for the evaluation of reference pressure..... | 39 |
| Annex D (informative) | Assessment of part load energy efficiency..... | 40 |
| Bibliography | | 44 |

European foreword

This document (EN 13141-4:2021) has been prepared by Technical Committee CEN/TC 156 “Ventilation for buildings”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2021, and conflicting national standards shall be withdrawn at the latest by October 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13141-4:2011.

In addition to a number of editorial revisions, the following main changes have been made with respect to EN 13141-4:2011:

- the scope has been changed, and concerns now all unidirectional ventilation units (ducted or non-ducted units, supply or exhaust units), excluding cowls with fans (see EN 13141-5);
- the terms and definitions have been updated in accordance with the parameters used in the document;
- performance testing of aerodynamic characteristics clause includes new testing of external leakages;
- description of the connection box has been moved in a normative annex;
- determination of the maximum and reference air flow has been added;
- assessment of part load energy efficiency has been moved in an informative annex;
- tests of air flow sensitivity and indoor/outdoor airtightness have been added;
- in the energy part, the characterization of SPI has been added;
- the whole acoustic clause has been reorganized and references to acoustic standard updated;
- testing of noise radiated by the casing for ducted units has been added;
- testing of radiated sound power in the indoor or outdoor space and the airborne sound insulation of non-ducted units have been added;
- the safety clause has been deleted;
- a new clause dealing with all test results has been created.

A list of all parts in the EN 13141 series, published under the general title *Ventilation for buildings — Performance testing of components/products for residential ventilation* can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This document is a preview generated by EVS

Introduction

This document specifies methods for the performance testing of components used in residential ventilation systems to establish the performance characteristics as identified in EN 13142:2021 [1].

This document incorporates many references to other European and International Standards, especially on characteristics other than the aerodynamic characteristics, for instance on acoustic characteristics.

In most cases, some additional tests or some additional conditions are given for the specific use in residential ventilation systems.

This document can be used for the following applications:

- laboratory testing;
- attestation purposes.

The position of this document in the field of standards for the mechanical building services is shown in Figure 1.




Figure 1 — Position of EN 13141-4 in the field of the mechanical building services

1 Scope

This document specifies aerodynamic, acoustic and electrical power performance test methods for unidirectional ventilation units used in residential ventilation systems.

This document is applicable to ventilation units:

- installed on a wall or in a window without any duct, A category;
- installed in the upstream of a duct, B category;
- installed in the downstream of a duct, C category;
- installed in a duct, or with duct connection upstream and downstream, D category;
- with one or several inlets/outlets;
- installed in a system with a heat pump for domestic hot water or water for cooling or heating;
- which can be used for supply or exhaust.

This document does not apply to:

- fan assisted cowls which are tested according to EN 13141-5;
- mechanical supply and exhaust units which are tested according to EN 13141-7:2021 or prEN 13141-8:2021.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12792, *Ventilation for buildings — Symbols, terminology and graphical symbols*

EN ISO 717-1, *Acoustics — Rating of sound insulation in buildings and of building elements — Part 1: Airborne sound insulation (ISO 717-1)*

EN ISO 5801:2017, *Industrial fans — Performance testing using standardized airways (ISO 5801:2017)*

EN ISO 5135, *Acoustics — Determination of sound power levels of noise from air-terminal devices, air-terminal units, dampers and valves by measurement in a reverberation room (ISO 5135)*

EN ISO 5136, *Acoustics — Determination of sound power radiated into a duct by fans and other air-moving devices — In-duct method (ISO 5136)*

EN ISO 10140-1, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 1: Application rules for specific products (ISO 10140-1)*

EN ISO 10140-2, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 2: Measurement of airborne sound insulation (ISO 10140-2)*

EN ISO 10140-5, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 5: Requirements for test facilities and equipment (ISO 10140-5)*

EN ISO 16890 (all parts), *Air filters for general ventilation (ISO 16890 (all parts))*

ISO 13347-2, *Industrial fans — Determination of fan sound power levels under standardized laboratory conditions — Part 2: Reverberant room method*

ISO 13347-3, *Industrial fans — Determination of fan sound power levels under standardized laboratory conditions — Part 3: Enveloping surface methods*

ISO 13347-4, *Industrial fans — Determination of fan sound power levels under standardized laboratory conditions — Part 4: Sound intensity method*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12792, EN ISO 5801:2017 and the following apply.

ISO and IEC maintain terminological databases for the use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

unit pressure

p_u

pressure increase induced by the ventilation unit given as difference between the total pressures at the unit outlet and the unit inlet

Note 1 to entry: In case of equal cross-section areas of the inlet and outlet, the total pressure difference is equal to the static pressure difference.

Note 2 to entry: The parameter p_u for a ventilation unit is defined as the parameter p_f described in EN ISO 5801 for a stand alone fan.

3.2

unit static pressure

p_{us}

pressure increase induced by the ventilation unit given as difference between the static pressure at the unit outlet and the total pressure at the unit inlet

Note 1 to entry: The parameter p_{us} for a ventilation unit is defined as the parameter p_{fs} described in EN ISO 5801 for a stand alone fan.

3.3

external static pressure difference

$p_{s,ext}$

pressure increase induced by the ventilation unit given as difference between the static pressures at the unit outlet and the unit inlet

Note 1 to entry: The external static pressure difference, $p_{s,ext}$ is used to determine the maximum air volume flow and the reference air volume flow.