

Energy Management System Application Program
Interface (EMS-API) – Part 457: Dynamics profile

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61970-457:2021 sisaldab Euroopa standardi EN IEC 61970-457:2021 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61970-457:2021 consists of the English text of the European standard EN IEC 61970-457:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.04.2021.	Date of Availability of the European standard is 30.04.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.200

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 33.200

English Version

**Energy Management system application program interface
(EMS-API) - Part 457: Dynamics profile
(IEC 61970-457:2021)**

Interface de programmation d'application pour système de
gestion d'énergie (EMS-API) - Partie 457: Profil de régime
dynamique
(IEC 61970-457:2021)

Schnittstelle für Anwendungsprogramme für
Netzführungssysteme - Teil 457: Profile zu Dynamiken
(IEC 61970-457:2021)

This European Standard was approved by CENELEC on 2021-04-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 57/2331/FDIS, future edition 1 of IEC 61970-457, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61970-457:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-01-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-04-20

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61970-457:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | | |
|---------------------|------|---|
| IEC 61400-27-1:2020 | NOTE | Harmonized as EN IEC 61400-27-1:2020 (not modified) |
| IEC 61970-552:2016 | NOTE | Harmonized as EN 61970-552:2016 (not modified) |
| IEC 61970-501:2006 | NOTE | Harmonized as EN 61970-501:2006 (not modified) |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61970-301	2020	Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base	EN IEC 61970-301	2020
IEC 61970-302	2018	Energy management system application program interface (EMS-API) - Part 302: Common information model (CIM) dynamics	EN IEC 61970-302	2018
IEC 61970-452	2017	Energy management system application program interface (EMS-API) - Part 452: CIM static transmission network model profiles	EN 61970-452	2017
IEC 61970-456	2018	Energy management system application program interface (EMS-API) - Part 456: Solved power system state profiles	EN IEC 61970-456	2018

INTERNATIONAL STANDARD



**Energy management system application program interface (EMS-API) –
Part 457: Dynamics profile**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS



IEC 61970-457

Edition 1.0 2021-03

INTERNATIONAL STANDARD



**Energy management system application program interface (EMS-API) –
Part 457: Dynamics profile**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-9421-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	22
INTRODUCTION.....	24
1 Scope.....	25
2 Normative references	25
3 Terms and definitions	26
4 Profile specification	26
4.1 General.....	26
4.2 Requirements and constraints.....	26
5 Overview	29
6 Use cases	30
6.1 General.....	30
6.2 Dynamic assessment studies	30
7 Architecture.....	31
7.1 General.....	31
7.2 Profile architecture.....	32
8 Detailed profile specification.....	34
8.1 General.....	34
8.2 Package DynamicsProfile	35
8.2.1 General	35
8.2.2 (abstract) DynamicsProfileVersion root class	35
8.2.3 Package Base	35
8.2.4 Package Dynamics	64
Annex A (normative) Implementation clarifications related to the models inherited from RotatingMachineDynamics class.....	444
Annex B (informative) Examples using IEC 61970-552 serialisation	446
B.1 Overview.....	446
B.2 Standard models.....	446
B.3 User-defined models	450
Bibliography.....	457
Figure 1 – SynchronousMachineDynamics association	32
Figure 2 – Interconnection diagram for a synchronous machine	32
Figure 3 – Standard connections for a synchronous machine	33
Figure 4 – Profile relationships	34
Figure 5 – Class diagram Domain::Primitives	36
Figure 6 – Class diagram Domain::DataTypes	36
Figure 7 – Class diagram Domain::Enumerations	37
Figure 8 – Class diagram Core::Core	55
Figure 9 – Class diagram Wires::Wires	59
Figure 10 – StandardInterconnectionSynchronousMachine	65
Figure 11 – StandardInterconnectionSynchronousGeneratorCrossCompound	66
Figure 12 – StandardInterconnectionAsynchronousMachine	67
Figure 13 – StandardInterconnectionWindTurbineType1Aand1B	68
Figure 14 – StandardInterconnectionWindTurbineType2	69

Figure 15 – StandardInterconnectionWindTurbineType3	70
Figure 16 – StandardInterconnectionWindTurbineType4Aand4B	71
Figure 17 – StandardInterconnectionSingleLoad	72
Figure 18 – Class diagram StandardInterconnections:: StandardSynchronousMachineInterconnection	73
Figure 19 – Class diagram StandardInterconnections:: StandardAsynchronousMachineInterconnection	74
Figure 20 – Class diagram StandardInterconnections:: StandardWindType1and2Interconnection	75
Figure 21 – Class diagram StandardInterconnections:: StandardWindType3and4Interconnection	76
Figure 22 – Class diagram StandardInterconnections::StandardLoadInterconnection	77
Figure 23 – Class diagram StandardInterconnections::StandardHVDCInterconnection	78
Figure 24 – Class diagram StandardInterconnections:: StandardStaticVarCompensatorInterconnection	78
Figure 25 – SynchronousGeneratorInterconnectionAndVariables	81
Figure 26 – SynchronousMotorInterconnectionAndVariables	82
Figure 27 – Class diagram SynchronousMachineDynamics:: SynchronousMachineDynamics	83
Figure 28 – SynchronousMachineSaturationParameters	84
Figure 29 – SynchronousGeneratorMechanicalEquation	85
Figure 30 – SynchronousMotorMechanicalEquation	86
Figure 31 – SynchronousGeneratorPhasor	87
Figure 32 – SynchronousMotorPhasor	88
Figure 33 – Simplified	89
Figure 34 – SubtransientRoundRotor	93
Figure 35 – SubtransientSalientPole	94
Figure 36 – SubtransientTypeF	95
Figure 37 – SubtransientTypeJ	96
Figure 38 – SubtransientRoundRotorSimplified	97
Figure 39 – SubtransientSalientPoleSimplified	99
Figure 40 – SubtransientRoundRotorSimplifiedDirectAxis	101
Figure 41 – SubtransientSalientPoleSimplifiedDirectAxis	103
Figure 42 – SynchronousEquivalentCircuit	107
Figure 43 – AsynchronousGeneratorInterconnectionAndVariables	109
Figure 44 – AsynchronousMotorInterconnectionAndVariables	110
Figure 45 – Class diagram AsynchronousMachineDynamics:: AsynchronousMachineDynamics	111
Figure 46 – AsynchronousGeneratorMechanicalEquation	112
Figure 47 – AsynchronousMotorMechanicalEquation	112
Figure 48 – AsynchronousEquivalentCircuit	116
Figure 49 – TurbineGovernorInterconnectionAndVariables	118
Figure 50 – Class diagram TurbineGovernorDynamics::TurbineGovernorDynamics	119
Figure 51 – GovHydroIIEEE0	121
Figure 52 – GovHydroIIEEE2	123

Figure 53 – GovSteamIEEE1	125
Figure 54 – GovCT1	128
Figure 55 – GovCT2	132
Figure 56 – GovGAST	136
Figure 57 – GovGAST1	137
Figure 58 – GovGAST2	140
Figure 59 – GovGAST3	142
Figure 60 – GovGAST3ExhaustTemperature.....	143
Figure 61 – GovGAST4	145
Figure 62 – GovGASTWD	147
Figure 63 – GovHydro1	149
Figure 64 – GovHydro2	151
Figure 65 – GovHydro3	154
Figure 66 – GovHydro4	157
Figure 67 – GovHydro4SimpleHydroTurbine	158
Figure 68 – GovHydro4FrancisPeltonTurbine	159
Figure 69 – GovHydro4KaplanTurbine	160
Figure 70 – GovHydroDD	163
Figure 71 – GovHydroFrancis	166
Figure 72 – GovHydroFrancisNonLinearGainAndEfficiency	167
Figure 73 – DetailedHydroModelHydraulicSystem	168
Figure 74 – GovHydroPelton	170
Figure 75 – GovHydroPeltonNonLinearGainAndEfficiency.....	171
Figure 76 – GovHydroPID	174
Figure 77 – GovHydroPID2	177
Figure 78 – GovHydroR	179
Figure 79 – GovHydroWEH.....	183
Figure 80 – GovHydroWPID	187
Figure 81 – GovSteam0	189
Figure 82 – GovSteam1	191
Figure 83 – GovSteam1BacklashHysteresis	192
Figure 84 – GovSteam1InputSpeedDeadband.....	193
Figure 85 – GovSteam2	196
Figure 86 – GovSteamBB	197
Figure 87 – GovSteamCC	199
Figure 88 – GovSteamEU	201
Figure 89 – GovSteamFV2.....	204
Figure 90 – GovSteamFV3.....	205
Figure 91 – GovSteamFV4.....	208
Figure 92 – GovSteamSGO.....	211
Figure 93 – Class diagram TurbineLoadControllerDynamics::TurbineLoadControllerDynamics	213
Figure 94 – TurbLCFB1	214

Figure 95 – MechanicalLoadInterconnectionAndVariables	216
Figure 96 – MechanicalLoadEquations	217
Figure 97 – Class diagram MechanicalLoadDynamics::MechanicalLoadDynamics	218
Figure 98 – ExcitationSystemInterconnectionAndVariables	220
Figure 99 – Class diagram ExcitationSystemDynamics::ExcitationSystemDynamics	221
Figure 100 – ExcAC1A	247
Figure 101 – ExcAC2A	249
Figure 102 – ExcAC3A	252
Figure 103 – ExcAC4A	254
Figure 104 – ExcAC5A	255
Figure 105 – ExcAC6A	257
Figure 106 – ExcAC8B	259
Figure 107 – ExcANS	262
Figure 108 – ExcAVR1	263
Figure 109 – ExcAVR2	265
Figure 110 – ExcAVR3	266
Figure 111 – ExcAVR4	267
Figure 112 – ExcAVR5	269
Figure 113 – ExcAVR7	270
Figure 114 – ExcBBC	272
Figure 115 – ExcCZ	274
Figure 116 – ExcDC1A	275
Figure 117 – ExcDC2A	277
Figure 118 – ExcDC3A	279
Figure 119 – ExcDC3A1	281
Figure 120 – ExcELIN1	283
Figure 121 – ExcELIN2	285
Figure 122 – ExcHU	287
Figure 123 – ExcNI	288
Figure 124 – ExcOEX3T	290
Figure 125 – ExcPIC	292
Figure 126 – ExcREXS	294
Figure 127 – ExcRQB	297
Figure 128 – ExcSCRX	299
Figure 129 – ExcSEXS	300
Figure 130 – ExcSK	302
Figure 131 – ExcST1A	304
Figure 132 – ExcST2A	306
Figure 133 – ExcST3A	308
Figure 134 – ExcST4B	310
Figure 135 – ExcST6B	312
Figure 136 – ExcST7B	314

Figure 137 – Class diagram OverexcitationLimiterDynamics:: OverexcitationLimiterDynamics	316
Figure 138 – OverexcLim2	318
Figure 139 – OverexcLimX1	319
Figure 140 – OverexcLimX1TimeCharacteristic	320
Figure 141 – OverexcLimX2	321
Figure 142 – OverexcLimX2TimeCharacteristic	322
Figure 143 – Class diagram UnderexcitationLimiterDynamics::UnderexcitationLimiterDynamics	324
Figure 144 – UnderexcLim2Simplified	328
Figure 145 – UnderexcLimX1	330
Figure 146 – UnderexcLimX2	331
Figure 147 – PowerSystemStabilizerInterconnectionAndVariables	332
Figure 148 – Class diagram PowerSystemStabilizerDynamics:: PowerSystemStabilizerDynamics	333
Figure 149 – Pss1	341
Figure 150 – Pss1A	343
Figure 151 – Pss2B	344
Figure 152 – Pss2ST	346
Figure 153 – Pss5	348
Figure 154 – PssELIN2	350
Figure 155 – PssPTIST1	351
Figure 156 – PssPTIST3	352
Figure 157 – PssRQB	355
Figure 158 – PssSB4	356
Figure 159 – PssSH	357
Figure 160 – PssSK	359
Figure 161 – PssSTAB2A	360
Figure 162 – PssWECC	361
Figure 163 – DiscontinuousExcitationControlInterconnectionAndVariables	363
Figure 164 – Class diagram DiscontinuousExcitationControlDynamics:: DiscontinuousExcitationControlDynamics	364
Figure 165 – Class diagram PFVArControllerType1Dynamics:: PFVArControllerType1Dynamics	368
Figure 166 – Class diagram VoltageAdjusterDynamics::VoltageAdjusterDynamics	371
Figure 167 – Class diagram PFVArControllerType2Dynamics:: PFVArControllerType2Dynamics	373
Figure 168 – PFVArType2Common1	376
Figure 169 – VoltageCompensatorInterconnectionAndVariables	377
Figure 170 – Class diagram VoltageCompensatorDynamics:: VoltageCompensatorDynamics	378
Figure 171 – Class diagram WindDynamics::WindDynamicsType1or2	382
Figure 172 – Class diagram WindDynamics::WindDynamicsType3	383
Figure 173 – Class diagram WindDynamics::WindDynamicsType4	384
Figure 174 – Class diagram WindDynamics::WindDynamicsPlant	385

Figure 175 – LoadInterconnectionAndVariables	411
Figure 176 – Class diagram LoadDynamics::LoadDynamics	412
Figure 177 – LoadCompositeEquations	413
Figure 178 – LoadGenericNonLinearTypeEquations	414
Figure 179 – LoadStaticTypeEquations	417
Figure 180 – LoadMotor	420
Figure 181 – Class diagram HVDCDynamics::HVDCDynamics	422
Figure 182 – Class diagram StaticVarCompensatorDynamics:: StaticVarCompensatorDynamics	425
Figure 183 – Class diagram UserDefinedModels::ProprietaryUserDefinedModels	427
Figure B.1 – Dynamics model header	446
Figure B.2 – SynchronousMachineDynamics model	447
Figure B.3 – TurbineGovernorDynamics model	448
Figure B.4 – ExcitationSystemDynamics model	448
Figure B.5 – PowerSystemStabilizerDynamics model	449
Figure B.6 – Link between the dynamics model and static model	451
Figure B.7 – User-defined model class for excitation systems	451
Figure B.8 – User-defined model for turbine governor	452
Figure B.9 – Block diagram of the ExcSEXs model	453
Figure B.10 – Example of a simplified excitation model instance described using the ExcSEXs class	453
Figure B.11 – Example of a simplified excitation model instance expressed using proprietary user-defined classes	456
Table 1 – Attributes of DynamicsProfile::DynamicsProfileVersion	35
Table 2 – Attributes of Domain::ActivePower	37
Table 3 – Attributes of Domain::AngleDegrees	38
Table 4 – Attributes of Domain::ApparentPower	38
Table 5 – Attributes of Domain::Area	38
Table 6 – Attributes of Domain::Frequency	39
Table 7 – Attributes of Domain::Length	39
Table 8 – Attributes of Domain::PU	39
Table 9 – Attributes of Domain::Seconds	39
Table 10 – Attributes of Domain::Temperature	40
Table 11 – Attributes of Domain::VolumeFlowRate	40
Table 12 – Literals of Domain::DroopSignalFeedbackKind	41
Table 13 – Literals of Domain::ExcIEEEST1AUeLselectorKind	41
Table 14 – Literals of Domain::ExcREXSFeedbackSignalKind	41
Table 15 – Literals of Domain::ExcST6BOELselectorKind	42
Table 16 – Literals of Domain::ExcST7BOELselectorKind	42
Table 17 – Literals of Domain::ExcST7BUeLselectorKind	42
Table 18 – Literals of Domain::FrancisGovernorControlKind	43
Table 19 – Literals of Domain::GenericNonLinearLoadModelKind	43
Table 20 – Literals of Domain::GovHydro4ModelKind	43

Table 21 – Literals of Domain::IfdBaseKind.....	44
Table 22 – Literals of Domain::InputSignalKind.....	44
Table 23 – Literals of Domain::RemoteSignalKind.....	45
Table 24 – Literals of Domain::RotorKind.....	45
Table 25 – Literals of Domain::StaticLoadModelKind.....	45
Table 26 – Literals of Domain::SynchronousMachineModelKind.....	46
Table 27 – Literals of Domain::UnitMultiplier.....	47
Table 28 – Literals of Domain::UnitSymbol.....	48
Table 29 – Literals of Domain::WindLookupTableFunctionKind.....	53
Table 30 – Literals of Domain::WindPlantQcontrolModeKind.....	54
Table 31 – Literals of Domain::WindQcontrolModeKind.....	54
Table 32 – Literals of Domain::WindUVRTQcontrolModeKind.....	54
Table 33 – Attributes of Core::ACDCTerminal.....	56
Table 34 – Attributes of Core::ConductingEquipment.....	56
Table 35 – Attributes of Core::Equipment.....	56
Table 36 – Attributes of Core::IdentifiedObject.....	57
Table 37 – Attributes of Core::PowerSystemResource.....	57
Table 38 – Attributes of Core::Terminal.....	57
Table 39 – Association ends of Core::Terminal with other classes.....	58
Table 40 – Attributes of Wires::AsynchronousMachine.....	60
Table 41 – Attributes of Wires::EnergyConnection.....	60
Table 42 – Attributes of Wires::EnergyConsumer.....	60
Table 43 – Association ends of Wires::EnergyConsumer with other classes.....	60
Table 44 – Attributes of Wires::PowerElectronicsConnection.....	61
Table 45 – Attributes of Wires::RegulatingCondEq.....	61
Table 46 – Attributes of Wires::RotatingMachine.....	61
Table 47 – Attributes of Wires::StaticVarCompensator.....	62
Table 48 – Attributes of Wires::SynchronousMachine.....	62
Table 49 – Attributes of DC::ACDCCConverter.....	62
Table 50 – Attributes of DC::CsConverter.....	63
Table 51 – Attributes of DC::VsConverter.....	63
Table 52 – Attributes of StandardInterconnections::RemoteInputSignal.....	79
Table 53 – Association ends of StandardInterconnections:: RemoteInputSignal with other classes.....	79
Table 54 – Attributes of StandardModels::DynamicsFunctionBlock.....	80
Table 55 – Attributes of StandardModels::RotatingMachineDynamics.....	80
Table 56 – Attributes of SynchronousMachineDynamics:: SynchronousMachineSimplified.....	89
Table 57 – Association ends of SynchronousMachineDynamics:: SynchronousMachineSimplified with other classes.....	90
Table 58 – Attributes of SynchronousMachineDynamics:: SynchronousMachineDynamics.....	90
Table 59 – Association ends of SynchronousMachineDynamics:: SynchronousMachineDynamics with other classes.....	91
Table 60 – Attributes of SynchronousMachineDynamics::SynchronousMachineDetailed.....	91

Table 61 – Association ends of SynchronousMachineDynamics::SynchronousMachineDetailed with other classes	92
Table 62 – Attributes of SynchronousMachineDynamics::SynchronousMachineTimeConstantReactance	104
Table 63 – Association ends of SynchronousMachineDynamics::SynchronousMachineTimeConstantReactance with other classes	105
Table 64 – Attributes of SynchronousMachineDynamics::SynchronousMachineEquivalentCircuit	107
Table 65 – Association ends of SynchronousMachineDynamics::SynchronousMachineEquivalentCircuit with other classes	108
Table 66 – Attributes of AsynchronousMachineDynamics::AsynchronousMachineDynamics	113
Table 67 – Association ends of AsynchronousMachineDynamics::AsynchronousMachineDynamics with other classes	113
Table 68 – Attributes of AsynchronousMachineDynamics::AsynchronousMachineTimeConstantReactance	114
Table 69 – Association ends of AsynchronousMachineDynamics::AsynchronousMachineTimeConstantReactance with other classes	115
Table 70 – Attributes of AsynchronousMachineDynamics::AsynchronousMachineEquivalentCircuit	116
Table 71 – Association ends of AsynchronousMachineDynamics::AsynchronousMachineEquivalentCircuit with other classes	117
Table 72 – Attributes of TurbineGovernorDynamics::CrossCompoundTurbineGovernorDynamics	120
Table 73 – Association ends of TurbineGovernorDynamics::CrossCompoundTurbineGovernorDynamics with other classes	120
Table 74 – Attributes of TurbineGovernorDynamics::TurbineGovernorDynamics	120
Table 75 – Association ends of TurbineGovernorDynamics::TurbineGovernorDynamics with other classes	121
Table 76 – Attributes of TurbineGovernorDynamics::GovHydroIEEE0	122
Table 77 – Association ends of TurbineGovernorDynamics::GovHydroIEEE0 with other classes	122
Table 78 – Attributes of TurbineGovernorDynamics::GovHydroIEEE2	123
Table 79 – Association ends of TurbineGovernorDynamics::GovHydroIEEE2 with other classes	125
Table 80 – Attributes of TurbineGovernorDynamics::GovSteamIEEE1	126
Table 81 – Association ends of TurbineGovernorDynamics::GovSteamIEEE1 with other classes	127
Table 82 – Attributes of TurbineGovernorDynamics::GovCT1	129
Table 83 – Association ends of TurbineGovernorDynamics::GovCT1 with other classes	131
Table 84 – Attributes of TurbineGovernorDynamics::GovCT2	133
Table 85 – Association ends of TurbineGovernorDynamics::GovCT2 with other classes	135
Table 86 – Attributes of TurbineGovernorDynamics::GovGAST	136
Table 87 – Association ends of TurbineGovernorDynamics::GovGAST with other classes	137
Table 88 – Attributes of TurbineGovernorDynamics::GovGAST1	138
Table 89 – Association ends of TurbineGovernorDynamics::GovGAST1 with other classes	139
Table 90 – Attributes of TurbineGovernorDynamics::GovGAST2	140

Table 91 – Association ends of TurbineGovernorDynamics:: GovGAST2 with other classes	142
Table 92 – Attributes of TurbineGovernorDynamics::GovGAST3	143
Table 93 – Association ends of TurbineGovernorDynamics::GovGAST3 with other classes	144
Table 94 – Attributes of TurbineGovernorDynamics::GovGAST4	145
Table 95 – Association ends of TurbineGovernorDynamics:: GovGAST4 with other classes	146
Table 96 – Attributes of TurbineGovernorDynamics::GovGASTWD	147
Table 97 – Association ends of TurbineGovernorDynamics:: GovGASTWD with other classes	148
Table 98 – Attributes of TurbineGovernorDynamics::GovHydro1	150
Table 99 – Association ends of TurbineGovernorDynamics:: GovHydro1 with other classes	150
Table 100 – Attributes of TurbineGovernorDynamics::GovHydro2	151
Table 101 – Association ends of TurbineGovernorDynamics:: GovHydro2 with other classes	153
Table 102 – Attributes of TurbineGovernorDynamics::GovHydro3	155
Table 103 – Association ends of TurbineGovernorDynamics:: GovHydro3 with other classes	156
Table 104 – Attributes of TurbineGovernorDynamics::GovHydro4	161
Table 105 – Association ends of TurbineGovernorDynamics:: GovHydro4 with other classes	163
Table 106 – Attributes of TurbineGovernorDynamics::GovHydroDD	164
Table 107 – Association ends of TurbineGovernorDynamics:: GovHydroDD with other classes	165
Table 108 – Attributes of TurbineGovernorDynamics::GovHydroFrancis.....	168
Table 109 – Association ends of TurbineGovernorDynamics:: GovHydroFrancis with other classes	170
Table 110 – Attributes of TurbineGovernorDynamics::GovHydroPelton	172
Table 111 – Association ends of TurbineGovernorDynamics:: GovHydroPelton with other classes	173
Table 112 – Attributes of TurbineGovernorDynamics::GovHydroPID	175
Table 113 – Association ends of TurbineGovernorDynamics:: GovHydroPID with other classes	176
Table 114 – Attributes of TurbineGovernorDynamics::GovHydroPID2	178
Table 115 – Association ends of TurbineGovernorDynamics:: GovHydroPID2 with other classes	179
Table 116 – Attributes of TurbineGovernorDynamics::GovHydroR.....	180
Table 117 – Association ends of TurbineGovernorDynamics:: GovHydroR with other classes	182
Table 118 – Attributes of TurbineGovernorDynamics::GovHydroWEH	184
Table 119 – Association ends of TurbineGovernorDynamics:: GovHydroWEH with other classes	187
Table 120 – Attributes of TurbineGovernorDynamics::GovHydroWPID	188
Table 121 – Association ends of TurbineGovernorDynamics:: GovHydroWPID with other classes	189
Table 122 – Attributes of TurbineGovernorDynamics::GovSteam0	190

Table 123 – Association ends of TurbineGovernorDynamics:: GovSteam0 with other classes	190
Table 124 – Attributes of TurbineGovernorDynamics::GovSteam1	193
Table 125 – Association ends of TurbineGovernorDynamics:: GovSteam1 with other classes	195
Table 126 – Attributes of TurbineGovernorDynamics::GovSteam2	196
Table 127 – Association ends of TurbineGovernorDynamics:: GovSteam2 with other classes	197
Table 128 – Attributes of TurbineGovernorDynamics::GovSteamBB	197
Table 129 – Association ends of TurbineGovernorDynamics:: GovSteamBB with other classes	198
Table 130 – Attributes of TurbineGovernorDynamics::GovSteamCC	200
Table 131 – Association ends of TurbineGovernorDynamics:: GovSteamCC with other classes	200
Table 132 – Attributes of TurbineGovernorDynamics::GovSteamEU	202
Table 133 – Association ends of TurbineGovernorDynamics:: GovSteamEU with other classes	203
Table 134 – Attributes of TurbineGovernorDynamics::GovSteamFV2	204
Table 135 – Association ends of TurbineGovernorDynamics:: GovSteamFV2 with other classes	205
Table 136 – Attributes of TurbineGovernorDynamics::GovSteamFV3	206
Table 137 – Association ends of TurbineGovernorDynamics:: GovSteamFV3 with other classes	207
Table 138 – Attributes of TurbineGovernorDynamics::GovSteamFV4	209
Table 139 – Association ends of TurbineGovernorDynamics:: GovSteamFV4 with other classes	211
Table 140 – Attributes of TurbineGovernorDynamics::GovSteamSGO	211
Table 141 – Association ends of TurbineGovernorDynamics:: GovSteamSGO with other classes	212
Table 142 – Attributes of TurbineLoadControllerDynamics:: TurbineLoadControllerDynamics	213
Table 143 – Association ends of TurbineLoadControllerDynamics:: TurbineLoadControllerDynamics with other classes	214
Table 144 – Attributes of TurbineLoadControllerDynamics::TurbLCFB1	215
Table 145 – Association ends of TurbineLoadControllerDynamics:: TurbLCFB1 with other classes	216
Table 146 – Attributes of MechanicalLoadDynamics::MechanicalLoadDynamics	218
Table 147 – Association ends of MechanicalLoadDynamics:: MechanicalLoadDynamics with other classes	219
Table 148 – Attributes of MechanicalLoadDynamics::MechLoad1	219
Table 149 – Association ends of MechanicalLoadDynamics:: MechLoad1 with other classes	219
Table 150 – Attributes of ExcitationSystemDynamics::ExcitationSystemDynamics	222
Table 151 – Association ends of ExcitationSystemDynamics:: ExcitationSystemDynamics with other classes	222
Table 152 – Attributes of ExcitationSystemDynamics::ExcIEEEAC1A	222
Table 153 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC1A with other classes	223

Table 154 – Attributes of ExcitationSystemDynamics::ExcIEEEAC2A	224
Table 155 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC2A with other classes	225
Table 156 – Attributes of ExcitationSystemDynamics::ExcIEEEAC3A	225
Table 157 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC3A with other classes	226
Table 158 – Attributes of ExcitationSystemDynamics::ExcIEEEAC4A	227
Table 159 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC4A with other classes	227
Table 160 – Attributes of ExcitationSystemDynamics::ExcIEEEAC5A	228
Table 161 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC5A with other classes	228
Table 162 – Attributes of ExcitationSystemDynamics::ExcIEEEAC6A	229
Table 163 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC6A with other classes	230
Table 164 – Attributes of ExcitationSystemDynamics::ExcIEEEAC7B	230
Table 165 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC7B with other classes	231
Table 166 – Attributes of ExcitationSystemDynamics::ExcIEEEAC8B	232
Table 167 – Association ends of ExcitationSystemDynamics:: ExcIEEEAC8B with other classes	233
Table 168 – Attributes of ExcitationSystemDynamics::ExcIEEEDC1A	233
Table 169 – Association ends of ExcitationSystemDynamics:: ExcIEEEDC1A with other classes	234
Table 170 – Attributes of ExcitationSystemDynamics::ExcIEEEDC2A	235
Table 171 – Association ends of ExcitationSystemDynamics:: ExcIEEEDC2A with other classes	236
Table 172 – Attributes of ExcitationSystemDynamics::ExcIEEEDC3A	236
Table 173 – Association ends of ExcitationSystemDynamics:: ExcIEEEDC3A with other classes	237
Table 174 – Attributes of ExcitationSystemDynamics::ExcIEEEDC4B	237
Table 175 – Association ends of ExcitationSystemDynamics:: ExcIEEEDC4B with other classes	238
Table 176 – Attributes of ExcitationSystemDynamics::ExcIEEEST1A.....	239
Table 177 – Association ends of ExcitationSystemDynamics:: ExcIEEEST1A with other classes	240
Table 178 – Attributes of ExcitationSystemDynamics::ExcIEEEST2A.....	240
Table 179 – Association ends of ExcitationSystemDynamics:: ExcIEEEST2A with other classes	241
Table 180 – Attributes of ExcitationSystemDynamics::ExcIEEEST3A.....	241
Table 181 – Association ends of ExcitationSystemDynamics:: ExcIEEEST3A with other classes	242
Table 182 – Attributes of ExcitationSystemDynamics::ExcIEEEST4B.....	243
Table 183 – Association ends of ExcitationSystemDynamics:: ExcIEEEST4B with other classes	243
Table 184 – Attributes of ExcitationSystemDynamics::ExcIEEEST5B.....	244
Table 185 – Association ends of ExcitationSystemDynamics:: ExcIEEEST5B with other classes	245

Table 186 – Attributes of ExcitationSystemDynamics::ExcIEEEST6B	245
Table 187 – Association ends of ExcitationSystemDynamics:: ExcIEEEST6B with other classes	246
Table 188 – Attributes of ExcitationSystemDynamics::ExcIEEEST7B	246
Table 189 – Association ends of ExcitationSystemDynamics:: ExcIEEEST7B with other classes	247
Table 190 – Attributes of ExcitationSystemDynamics::ExcAC1A	248
Table 191 – Association ends of ExcitationSystemDynamics:: ExcAC1A with other classes	249
Table 192 – Attributes of ExcitationSystemDynamics::ExcAC2A	250
Table 193 – Association ends of ExcitationSystemDynamics:: ExcAC2A with other classes	251
Table 194 – Attributes of ExcitationSystemDynamics::ExcAC3A	252
Table 195 – Association ends of ExcitationSystemDynamics:: ExcAC3A with other classes	254
Table 196 – Attributes of ExcitationSystemDynamics::ExcAC4A	254
Table 197 – Association ends of ExcitationSystemDynamics:: ExcAC4A with other classes	255
Table 198 – Attributes of ExcitationSystemDynamics::ExcAC5A	256
Table 199 – Association ends of ExcitationSystemDynamics:: ExcAC5A with other classes	257
Table 200 – Attributes of ExcitationSystemDynamics::ExcAC6A	258
Table 201 – Association ends of ExcitationSystemDynamics:: ExcAC6A with other classes	259
Table 202 – Attributes of ExcitationSystemDynamics::ExcAC8B	260
Table 203 – Association ends of ExcitationSystemDynamics:: ExcAC8B with other classes	261
Table 204 – Attributes of ExcitationSystemDynamics::ExcANS	262
Table 205 – Association ends of ExcitationSystemDynamics::ExcANS with other classes	263
Table 206 – Attributes of ExcitationSystemDynamics::ExcAVR1	264
Table 207 – Association ends of ExcitationSystemDynamics:: ExcAVR1 with other classes	264
Table 208 – Attributes of ExcitationSystemDynamics::ExcAVR2	265
Table 209 – Association ends of ExcitationSystemDynamics:: ExcAVR2 with other classes	266
Table 210 – Attributes of ExcitationSystemDynamics::ExcAVR3	266
Table 211 – Association ends of ExcitationSystemDynamics:: ExcAVR3 with other classes	267
Table 212 – Attributes of ExcitationSystemDynamics::ExcAVR4	268
Table 213 – Association ends of ExcitationSystemDynamics:: ExcAVR4 with other classes	268
Table 214 – Attributes of ExcitationSystemDynamics::ExcAVR5	269
Table 215 – Association ends of ExcitationSystemDynamics:: ExcAVR5 with other classes	270
Table 216 – Attributes of ExcitationSystemDynamics::ExcAVR7	270
Table 217 – Association ends of ExcitationSystemDynamics:: ExcAVR7 with other classes	271

Table 218 – Attributes of ExcitationSystemDynamics::ExcBBC	272
Table 219 – Association ends of ExcitationSystemDynamics:: ExcBBC with other classes	273
Table 220 – Attributes of ExcitationSystemDynamics::ExcCZ.....	274
Table 221 – Association ends of ExcitationSystemDynamics::ExcCZ with other classes	275
Table 222 – Attributes of ExcitationSystemDynamics::ExcDC1A	276
Table 223 – Association ends of ExcitationSystemDynamics:: ExcDC1A with other classes	277
Table 224 – Attributes of ExcitationSystemDynamics::ExcDC2A	278
Table 225 – Association ends of ExcitationSystemDynamics:: ExcDC2A with other classes	279
Table 226 – Attributes of ExcitationSystemDynamics::ExcDC3A	280
Table 227 – Association ends of ExcitationSystemDynamics:: ExcDC3A with other classes	281
Table 228 – Attributes of ExcitationSystemDynamics::ExcDC3A1	282
Table 229 – Association ends of ExcitationSystemDynamics:: ExcDC3A1 with other classes	282
Table 230 – Attributes of ExcitationSystemDynamics::ExcELIN1	283
Table 231 – Association ends of ExcitationSystemDynamics:: ExcELIN1 with other classes	284
Table 232 – Attributes of ExcitationSystemDynamics::ExcELIN2.....	285
Table 233 – Association ends of ExcitationSystemDynamics:: ExcELIN2 with other classes	286
Table 234 – Attributes of ExcitationSystemDynamics::ExcHU	287
Table 235 – Association ends of ExcitationSystemDynamics::ExcHU with other classes	288
Table 236 – Attributes of ExcitationSystemDynamics::ExcNI.....	289
Table 237 – Association ends of ExcitationSystemDynamics::ExcNI with other classes	289
Table 238 – Attributes of ExcitationSystemDynamics::ExcOEX3T	290
Table 239 – Association ends of ExcitationSystemDynamics:: ExcOEX3T with other classes	291
Table 240 – Attributes of ExcitationSystemDynamics::ExcPIC	292
Table 241 – Association ends of ExcitationSystemDynamics::ExcPIC with other classes	293
Table 242 – Attributes of ExcitationSystemDynamics::ExcREXS	295
Table 243 – Association ends of ExcitationSystemDynamics:: ExcREXS with other classes	297
Table 244 – Attributes of ExcitationSystemDynamics::ExcRQB	297
Table 245 – Association ends of ExcitationSystemDynamics:: ExcRQB with other classes	298
Table 246 – Attributes of ExcitationSystemDynamics::ExcSCRX.....	299
Table 247 – Association ends of ExcitationSystemDynamics:: ExcSCRX with other classes	300
Table 248 – Attributes of ExcitationSystemDynamics::ExcSEXS	301
Table 249 – Association ends of ExcitationSystemDynamics:: ExcSEXS with other classes	301
Table 250 – Attributes of ExcitationSystemDynamics::ExcSK.....	302
Table 251 – Association ends of ExcitationSystemDynamics::ExcSK with other classes	304

Table 252 – Attributes of ExcitationSystemDynamics::ExcST1A.....	305
Table 253 – Association ends of ExcitationSystemDynamics:: ExcST1A with other classes	306
Table 254 – Attributes of ExcitationSystemDynamics::ExcST2A.....	307
Table 255 – Association ends of ExcitationSystemDynamics:: ExcST2A with other classes	307
Table 256 – Attributes of ExcitationSystemDynamics::ExcST3A.....	308
Table 257 – Association ends of ExcitationSystemDynamics:: ExcST3A with other classes	309
Table 258 – Attributes of ExcitationSystemDynamics::ExcST4B.....	310
Table 259 – Association ends of ExcitationSystemDynamics:: ExcST4B with other classes	311
Table 260 – Attributes of ExcitationSystemDynamics::ExcST6B.....	312
Table 261 – Association ends of ExcitationSystemDynamics:: ExcST6B with other classes	313
Table 262 – Attributes of ExcitationSystemDynamics::ExcST7B.....	314
Table 263 – Association ends of ExcitationSystemDynamics:: ExcST7B with other classes	315
Table 264 – Attributes of OverexcitationLimiterDynamics:: OverexcitationLimiterDynamics	316
Table 265 – Association ends of OverexcitationLimiterDynamics:: OverexcitationLimiterDynamics with other classes	317
Table 266 – Attributes of OverexcitationLimiterDynamics::OverexcLimIEEE.....	317
Table 267 – Association ends of OverexcitationLimiterDynamics:: OverexcLimIEEE with other classes	317
Table 268 – Attributes of OverexcitationLimiterDynamics::OverexcLim2	318
Table 269 – Association ends of OverexcitationLimiterDynamics:: OverexcLim2 with other classes	319
Table 270 – Attributes of OverexcitationLimiterDynamics::OverexcLimX1	320
Table 271 – Association ends of OverexcitationLimiterDynamics:: OverexcLimX1 with other classes	321
Table 272 – Attributes of OverexcitationLimiterDynamics::OverexcLimX2	322
Table 273 – Association ends of OverexcitationLimiterDynamics:: OverexcLimX2 with other classes	323
Table 274 – Attributes of UnderexcitationLimiterDynamics:: UnderexcitationLimiterDynamics	324
Table 275 – Association ends of UnderexcitationLimiterDynamics:: UnderexcitationLimiterDynamics with other classes	325
Table 276 – Attributes of UnderexcitationLimiterDynamics::UnderexcLimIEEE1.....	325
Table 277 – Association ends of UnderexcitationLimiterDynamics:: UnderexcLimIEEE1 with other classes	326
Table 278 – Attributes of UnderexcitationLimiterDynamics::UnderexcLimIEEE2.....	326
Table 279 – Association ends of UnderexcitationLimiterDynamics:: UnderexcLimIEEE2 with other classes	327
Table 280 – Attributes of UnderexcitationLimiterDynamics::UnderexcLim2Simplified	329
Table 281 – Association ends of UnderexcitationLimiterDynamics:: UnderexcLim2Simplified with other classes.....	329
Table 282 – Attributes of UnderexcitationLimiterDynamics::UnderexcLimX1	330

Table 283 – Association ends of UnderexcitationLimiterDynamics:: UnderexcLimX1 with other classes	331
Table 284 – Attributes of UnderexcitationLimiterDynamics::UnderexcLimX2	331
Table 285 – Association ends of UnderexcitationLimiterDynamics:: UnderexcLimX2 with other classes	332
Table 286 – Attributes of PowerSystemStabilizerDynamics:: PowerSystemStabilizerDynamics	334
Table 287 – Association ends of PowerSystemStabilizerDynamics:: PowerSystemStabilizerDynamics with other classes	334
Table 288 – Attributes of PowerSystemStabilizerDynamics::PssIEEE1A	334
Table 289 – Association ends of PowerSystemStabilizerDynamics:: PssIEEE1A with other classes	335
Table 290 – Attributes of PowerSystemStabilizerDynamics::PssIEEE2B	335
Table 291 – Association ends of PowerSystemStabilizerDynamics:: PssIEEE2B with other classes	336
Table 292 – Attributes of PowerSystemStabilizerDynamics::PssIEEE3B	337
Table 293 – Association ends of PowerSystemStabilizerDynamics:: PssIEEE3B with other classes	338
Table 294 – Attributes of PowerSystemStabilizerDynamics::PssIEEE4B	338
Table 295 – Association ends of PowerSystemStabilizerDynamics:: PssIEEE4B with other classes	341
Table 296 – Attributes of PowerSystemStabilizerDynamics::Pss1	342
Table 297 – Association ends of PowerSystemStabilizerDynamics:: Pss1 with other classes	342
Table 298 – Attributes of PowerSystemStabilizerDynamics::Pss1A	343
Table 299 – Association ends of PowerSystemStabilizerDynamics:: Pss1A with other classes	344
Table 300 – Attributes of PowerSystemStabilizerDynamics::Pss2B	345
Table 301 – Association ends of PowerSystemStabilizerDynamics:: Pss2B with other classes	346
Table 302 – Attributes of PowerSystemStabilizerDynamics::Pss2ST	347
Table 303 – Association ends of PowerSystemStabilizerDynamics:: Pss2ST with other classes	347
Table 304 – Attributes of PowerSystemStabilizerDynamics::Pss5	348
Table 305 – Association ends of PowerSystemStabilizerDynamics:: Pss5 with other classes	349
Table 306 – Attributes of PowerSystemStabilizerDynamics::PssELIN2.....	350
Table 307 – Association ends of PowerSystemStabilizerDynamics:: PssELIN2 with other classes	351
Table 308 – Attributes of PowerSystemStabilizerDynamics::PssPTIST1.....	351
Table 309 – Association ends of PowerSystemStabilizerDynamics:: PssPTIST1 with other classes	352
Table 310 – Attributes of PowerSystemStabilizerDynamics::PssPTIST3.....	353
Table 311 – Association ends of PowerSystemStabilizerDynamics:: PssPTIST3 with other classes	354
Table 312 – Attributes of PowerSystemStabilizerDynamics::PssRQB.....	355
Table 313 – Association ends of PowerSystemStabilizerDynamics:: PssRQB with other classes	356

Table 314 – Attributes of PowerSystemStabilizerDynamics::PssSB4	356
Table 315 – Association ends of PowerSystemStabilizerDynamics:: PssSB4 with other classes	357
Table 316 – Attributes of PowerSystemStabilizerDynamics::PssSH	358
Table 317 – Association ends of PowerSystemStabilizerDynamics:: PssSH with other classes	358
Table 318 – Attributes of PowerSystemStabilizerDynamics::PssSK.....	359
Table 319 – Association ends of PowerSystemStabilizerDynamics:: PssSK with other classes	360
Table 320 – Attributes of PowerSystemStabilizerDynamics::PssSTAB2A	361
Table 321 – Association ends of PowerSystemStabilizerDynamics:: PssSTAB2A with other classes	361
Table 322 – Attributes of PowerSystemStabilizerDynamics::PssWECC	362
Table 323 – Association ends of PowerSystemStabilizerDynamics:: PssWECC with other classes	363
Table 324 – Attributes of DiscontinuousExcitationControlDynamics:: DiscontinuousExcitationControlDynamics.....	364
Table 325 – Association ends of DiscontinuousExcitationControlDynamics:: DiscontinuousExcitationControlDynamics with other classes	365
Table 326 – Attributes of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC1A	365
Table 327 – Association ends of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC1A with other classes	366
Table 328 – Attributes of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC2A	366
Table 329 – Association ends of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC2A with other classes	367
Table 330 – Attributes of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC3A	367
Table 331 – Association ends of DiscontinuousExcitationControlDynamics:: DiscExcContIEEEDEC3A with other classes	367
Table 332 – Attributes of PFVArControllerType1Dynamics:: PFVArControllerType1Dynamics	368
Table 333 – Association ends of PFVArControllerType1Dynamics:: PFVArControllerType1Dynamics with other classes	368
Table 334 – Attributes of PFVArControllerType1Dynamics:: PFVArType1IEEEPFController.....	369
Table 335 – Association ends of PFVArControllerType1Dynamics:: PFVArType1IEEEPFController with other classes	369
Table 336 – Attributes of PFVArControllerType1Dynamics:: PFVArType1IEEEVArController	370
Table 337 – Association ends of PFVArControllerType1Dynamics:: PFVArType1IEEEVArController with other classes.....	370
Table 338 – Attributes of VoltageAdjusterDynamics::VoltageAdjusterDynamics	371
Table 339 – Association ends of VoltageAdjusterDynamics:: VoltageAdjusterDynamics with other classes	372
Table 340 – Attributes of VoltageAdjusterDynamics::VAdjIEEE	372
Table 341 – Association ends of VoltageAdjusterDynamics:: VAdjIEEE with other classes	372

Table 342 – Attributes of PFVArControllerType2Dynamics:: PFVArControllerType2Dynamics	373
Table 343 – Association ends of PFVArControllerType2Dynamics:: PFVArControllerType2Dynamics with other classes	374
Table 344 – Attributes of PFVArControllerType2Dynamics:: PFVArType2IEEEPFController	374
Table 345 – Association ends of PFVArControllerType2Dynamics:: PFVArType2IEEEPFController with other classes	374
Table 346 – Attributes of PFVArControllerType2Dynamics:: PFVArType2IEEEVArController	375
Table 347 – Association ends of PFVArControllerType2Dynamics:: PFVArType2IEEEVArController with other classes	375
Table 348 – Attributes of PFVArControllerType2Dynamics::PFVArType2Common1	376
Table 349 – Association ends of PFVArControllerType2Dynamics:: PFVArType2Common1 with other classes	377
Table 350 – Attributes of VoltageCompensatorDynamics::VoltageCompensatorDynamics	378
Table 351 – Association ends of VoltageCompensatorDynamics:: VoltageCompensatorDynamics with other classes	379
Table 352 – Attributes of VoltageCompensatorDynamics::VCompIEEEType1	379
Table 353 – Association ends of VoltageCompensatorDynamics:: VCompIEEEType1 with other classes	379
Table 354 – Attributes of VoltageCompensatorDynamics::VCompIEEEType2	380
Table 355 – Association ends of VoltageCompensatorDynamics:: VCompIEEEType2 with other classes	380
Table 356 – Attributes of VoltageCompensatorDynamics::GenICompensationForGenJ	380
Table 357 – Association ends of VoltageCompensatorDynamics:: GenICompensationForGenJ with other classes	381
Table 358 – Attributes of WindDynamics::WindAeroConstIEC	386
Table 359 – Attributes of WindDynamics::WindAeroOneDimIEC	386
Table 360 – Attributes of WindDynamics::WindAeroTwoDimIEC	386
Table 361 – Attributes of WindDynamics::WindContCurrLimIEC	387
Table 362 – Attributes of WindDynamics::WindContPitchAngleIEC	388
Table 363 – Attributes of WindDynamics::WindContPType3IEC	388
Table 364 – Attributes of WindDynamics::WindContPType4aIEC	390
Table 365 – Attributes of WindDynamics::WindContPType4bIEC	390
Table 366 – Attributes of WindDynamics::WindContQIEC	391
Table 367 – Attributes of WindDynamics::WindContQLimIEC	392
Table 368 – Attributes of WindDynamics::WindContQPQULimIEC	392
Table 369 – Attributes of WindDynamics::WindContRotorRIEC	393
Table 370 – Attributes of WindDynamics::WindDynamicsLookupTable	393
Table 371 – Association ends of WindDynamics:: WindDynamicsLookupTable with other classes	394
Table 372 – Attributes of WindDynamics::WindGenTurbineType1aIEC	394
Table 373 – Association ends of WindDynamics:: WindGenTurbineType1aIEC with other classes	395
Table 374 – Attributes of WindDynamics::WindGenTurbineType1bIEC	395

Table 375 – Association ends of WindDynamics:: WindGenTurbineType1bIEC with other classes	395
Table 376 – Attributes of WindDynamics::WindGenTurbineType2IEC	396
Table 377 – Association ends of WindDynamics:: WindGenTurbineType2IEC with other classes	396
Table 378 – Attributes of WindDynamics::WindGenType3aIEC	396
Table 379 – Attributes of WindDynamics::WindGenType3bIEC	397
Table 380 – Attributes of WindDynamics::WindGenType3IEC	397
Table 381 – Attributes of WindDynamics::WindGenType4IEC	398
Table 382 – Attributes of WindDynamics::WindMechIEC	398
Table 383 – Attributes of WindDynamics::WindPitchContPowerIEC	399
Table 384 – Attributes of WindDynamics::WindPlantDynamics	399
Table 385 – Association ends of WindDynamics::WindPlantDynamics with other classes	399
Table 386 – Attributes of WindDynamics::WindPlantFreqPcontrolIEC	400
Table 387 – Attributes of WindDynamics::WindPlantIEC	401
Table 388 – Association ends of WindDynamics::WindPlantIEC with other classes	401
Table 389 – Attributes of WindDynamics::WindPlantReactiveControlIEC.....	401
Table 390 – Attributes of WindDynamics::WindProtectionIEC	403
Table 391 – Attributes of WindDynamics::WindRefFrameRotIEC.....	403
Table 392 – Attributes of WindDynamics::WindTurbineType1or2Dynamics	404
Table 393 – Association ends of WindDynamics:: WindTurbineType1or2Dynamics with other classes	404
Table 394 – Attributes of WindDynamics::WindTurbineType1or2IEC	404
Table 395 – Association ends of WindDynamics:: WindTurbineType1or2IEC with other classes	405
Table 396 – Attributes of WindDynamics::WindTurbineType3IEC	405
Table 397 – Association ends of WindDynamics:: WindTurbineType3IEC with other classes	405
Table 398 – Attributes of WindDynamics::WindTurbineType3or4Dynamics	406
Table 399 – Association ends of WindDynamics:: WindTurbineType3or4Dynamics with other classes	406
Table 400 – Attributes of WindDynamics::WindTurbineType3or4IEC	407
Table 401 – Association ends of WindDynamics:: WindTurbineType3or4IEC with other classes	407
Table 402 – Attributes of WindDynamics::WindTurbineType4aIEC	408
Table 403 – Association ends of WindDynamics:: WindTurbineType4aIEC with other classes	408
Table 404 – Attributes of WindDynamics::WindTurbineType4bIEC	408
Table 405 – Association ends of WindDynamics:: WindTurbineType4bIEC with other classes	409
Table 406 – Attributes of WindDynamics::WindTurbineType4IEC	409
Table 407 – Association ends of WindDynamics:: WindTurbineType4IEC with other classes	410
Table 408 – Attributes of LoadDynamics::LoadComposite	413
Table 409 – Attributes of LoadDynamics::LoadGenericNonLinear	415

Table 410 – Attributes of LoadDynamics::LoadDynamics	415
Table 411 – Attributes of LoadDynamics::LoadAggregate	416
Table 412 – Attributes of LoadDynamics::LoadStatic	418
Table 413 – Association ends of LoadDynamics::LoadStatic with other classes	419
Table 414 – Attributes of LoadDynamics::LoadMotor	421
Table 415 – Association ends of LoadDynamics::LoadMotor with other classes	421
Table 416 – Attributes of HVDCDynamics::CSCDynamics	423
Table 417 – Association ends of HVDCDynamics::CSCDynamics with other classes	423
Table 418 – Attributes of HVDCDynamics::HVDCDynamics	423
Table 419 – Attributes of HVDCDynamics::VSCDynamics	424
Table 420 – Association ends of HVDCDynamics::VSCDynamics with other classes	424
Table 421 – Attributes of StaticVarCompensatorDynamics:: StaticVarCompensatorDynamics	426
Table 422 – Association ends of StaticVarCompensatorDynamics:: StaticVarCompensatorDynamics with other classes	426
Table 423 – Attributes of UserDefinedModels::CSCUserDefined	428
Table 424 – Association ends of UserDefinedModels:: CSCUserDefined with other classes	428
Table 425 – Attributes of UserDefinedModels::SVCUserDefined	428
Table 426 – Association ends of UserDefinedModels:: SVCUserDefined with other classes	429
Table 427 – Attributes of UserDefinedModels::VSCUserDefined	429
Table 428 – Association ends of UserDefinedModels:: VSCUserDefined with other classes	429
Table 429 – Attributes of UserDefinedModels::WindPlantUserDefined	430
Table 430 – Association ends of UserDefinedModels:: WindPlantUserDefined with other classes	430
Table 431 – Attributes of UserDefinedModels::WindType1or2UserDefined	430
Table 432 – Association ends of UserDefinedModels:: WindType1or2UserDefined with other classes	431
Table 433 – Attributes of UserDefinedModels::WindType3or4UserDefined	431
Table 434 – Association ends of UserDefinedModels:: WindType3or4UserDefined with other classes	431
Table 435 – Attributes of UserDefinedModels::SynchronousMachineUserDefined	432
Table 436 – Association ends of UserDefinedModels:: SynchronousMachineUserDefined with other classes	432
Table 437 – Attributes of UserDefinedModels::AsynchronousMachineUserDefined	432
Table 438 – Association ends of UserDefinedModels:: AsynchronousMachineUserDefined with other classes	433
Table 439 – Attributes of UserDefinedModels::TurbineGovernorUserDefined	433
Table 440 – Association ends of UserDefinedModels:: TurbineGovernorUserDefined with other classes	434
Table 441 – Attributes of UserDefinedModels::TurbineLoadControllerUserDefined	434
Table 442 – Association ends of UserDefinedModels:: TurbineLoadControllerUserDefined with other classes	434
Table 443 – Attributes of UserDefinedModels::MechanicalLoadUserDefined	435

Table 444 – Association ends of UserDefinedModels:: MechanicalLoadUserDefined with other classes	435
Table 445 – Attributes of UserDefinedModels::ExcitationSystemUserDefined	435
Table 446 – Association ends of UserDefinedModels:: ExcitationSystemUserDefined with other classes	436
Table 447 – Attributes of UserDefinedModels::OverexcitationLimiterUserDefined	436
Table 448 – Association ends of UserDefinedModels:: OverexcitationLimiterUserDefined with other classes	436
Table 449 – Attributes of UserDefinedModels::UnderexcitationLimiterUserDefined	437
Table 450 – Association ends of UserDefinedModels:: UnderexcitationLimiterUserDefined with other classes	437
Table 451 – Attributes of UserDefinedModels::PowerSystemStabilizerUserDefined	437
Table 452 – Association ends of UserDefinedModels:: PowerSystemStabilizerUserDefined with other classes	438
Table 453 – Attributes of UserDefinedModels:: DiscontinuousExcitationControlUserDefined	438
Table 454 – Association ends of UserDefinedModels:: DiscontinuousExcitationControlUserDefined with other classes	438
Table 455 – Attributes of UserDefinedModels::PFVArControllerType1UserDefined	439
Table 456 – Association ends of UserDefinedModels:: PFVArControllerType1UserDefined with other classes	439
Table 457 – Attributes of UserDefinedModels::VoltageAdjusterUserDefined	439
Table 458 – Association ends of UserDefinedModels:: VoltageAdjusterUserDefined with other classes	440
Table 459 – Attributes of UserDefinedModels::PFVArControllerType2UserDefined	440
Table 460 – Association ends of UserDefinedModels:: PFVArControllerType2UserDefined with other classes	440
Table 461 – Attributes of UserDefinedModels::VoltageCompensatorUserDefined	441
Table 462 – Association ends of UserDefinedModels:: VoltageCompensatorUserDefined with other classes	441
Table 463 – Attributes of UserDefinedModels::LoadUserDefined	441
Table 464 – Attributes of UserDefinedModels::ProprietaryParameterDynamics	442
Table 465 – Association ends of UserDefinedModels:: ProprietaryParameterDynamics with other classes	442
Table A.1 – Models, their identification and specific details	445

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

Part 457: Dynamics profile

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61970-457 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/2331/FDIS	57/2344/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

It is based on the IEC 61970 UML version 'IEC61970CIM17v40', dated '2020-08-24'.

A list of all parts of the IEC 61970 series, under the general title: *Energy management system application program interface (EMS-API)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61970-300 series of documents specify the common information model (CIM). The CIM is an abstract model that represents the objects in an electric utility enterprise typically needed to model the operational aspects of a utility.

This document is one of the IEC 61970-400 series of component interface standards that specify the semantic structure of data exchanged between components (or applications) and/or made publicly available data by a component. This document describes the payload that would be carried if applications are communicating via a messaging system, but the document does not include the method of exchange, and therefore is applicable to a variety of exchange implementations. All examples provided in this document are serialised according to in the IEC 61970-552:2016.

This document specifies the profile (or subset) of the CIM required to describe the exchanged dynamic model information needed to support the analysis of the steady state stability (small-signal stability) and/or transient stability of a power system or parts of it. The information is described with reference to a power system model that conforms to IEC 61970-452 and IEC 61970-456 in this series of related standards. Thus, equipment and other related power flow model data is not repeated in the information exchanged with this document. The schema(s) for expressing the dynamic model information are derived directly from the CIM, more specifically from IEC 61970-302.

ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

Part 457: Dynamics profile

1 Scope

This part of IEC 61970 specifies a standard interface for exchanging dynamic model information needed to support the analysis of the steady state stability (small-signal stability) and/or transient stability of a power system or parts of it. The schema(s) for expressing the dynamic model information are derived directly from the CIM, more specifically from IEC 61970-302.

The scope of this document includes only the dynamic model information that needs to be exchanged as part of a dynamic study, namely the type, description and parameters of each control equipment associated with a piece of power system equipment included in the steady state solution of a complete power system network model. Therefore, this profile is dependent upon other standard profiles for the equipment as specified in IEC 61970-452, CIM static transmission network model profiles, the topology, the steady state hypothesis and the steady-state solution (as specified in IEC 61970-456, *Solved power system state profiles*) of the power system, which bounds the scope of the exchange. The profile information described by this document needs to be exchanged in conjunction with IEC 61970-452 and IEC 61970-456 profiles' information to support the data requirements of transient analysis tools. IEC 61970-456 provides a detailed description of how different profile standards can be combined to form various types of power system network model exchanges.

This document supports the exchange of the following types of dynamic models:

- standard models: a simplified approach to exchange, where models are contained in predefined libraries of classes interconnected in a standard manner that represent dynamic behaviour of elements of the power system. The exchange only indicates the name of the model along with the attributes needed to describe its behaviour.
- proprietary user-defined models: an exchange that would provide users the ability to exchange the parameters of a model representing a vendor or user proprietary device where an explicit description of the model is not described in this document. The connections between the proprietary models and standard models are the same as described for the standard models exchange. Recipient of the data exchange will need to contact the sender for the behavioural details of the model.

This document builds on IEC 61970-302, CIM for dynamics which defines the descriptions of the standard dynamic models, their function block diagrams, and how they are interconnected and associated with the static network model. This type of model information is assumed to be pre-stored by all software applications hence it is not necessary to be exchanged in real-time or as part of a dynamics model exchange.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61970-301:2020, *Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base*