Lamps and light sources for road vehicles -Dimensional, electrical and luminous requirements



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60809:2021 sisaldab Euroopa standardi EN IEC 60809:2021 ingliskeelset teksti.

This Estonian standard EVS-EN IEC 60809:2021 consists of the English text of the European standard EN IEC 60809:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.05.2021.

Date of Availability of the European standard is 21.05.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 29.140.20, 43.040.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

 $If you have any questions about copyright, please contact \ Estonian \ Centre for \ Standard is at ion \ and \ Accreditation:$

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60809

May 2021

ICS 43.040.20; 29.140.20

Supersedes EN 60809:2015 and all of its amendments and corrigenda (if any)

English Version

Lamps and light sources for road vehicles - Dimensional, electrical and luminous requirements (IEC 60809:2021)

Lampes et sources lumineuses pour véhicules routiers -Exigences dimensionnelles, électriques et lumineuses (IEC 60809:2021) Lampen und Lichtquellen für Straßenfahrzeuge - Maße, elektrische und lichttechnische Anforderungen (IEC 60809:2021)

This European Standard was approved by CENELEC on 2021-05-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 34A/2232/FDIS, future edition 4 of IEC 60809, prepared by SC 34A "Electric light sources" of IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60809:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2022-02-12 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-05-12 document have to be withdrawn

This document supersedes EN 60809:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60809:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60983 NOTE Harmonized as EN 60983
IEC 62504 NOTE Harmonized as EN 62504

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-845	-	International Electrotechnical Vocabulary. Lighting	-	-
IEC 60051-1	-	Direct acting indicating analogue electrical measuring instruments and their accessories - Part 1: Definitions and general requirements common to all parts		-
IEC 60061-1	-	Lamp caps and holders together with gauges for the control ofinterchangeability and safety. Part 1: Lamp caps		-
IEC 60810	2017	Lamps, light sources and LED packages for road vehicles - Performance requirements		2018
+ A1	2019	0	+ A1	2019
CIE 015	-	Colorimetry	_	_





Edition 4.0 2021-04

INTERNATIONAL STANDARD



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 4.0 2021-04

INTERNATIONAL STANDARD



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.140.20; 43.040.20

ISBN 978-2-8322-9634-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	RD	8
1	Scop	e	10
2	Norm	native references	10
3	Term	s and definitions	12
4		Interpolate and test conditions for filament lamps	
•	4.1	General requirements	
	4.1	Lamp marking	
	4.3	Bulbs	
	4.4	Colour	
	4.4.1		
	4.4.2		
	4.4.3		
	4.5	Lamp dimensions	
	4.6	Caps and bases	
	4.7	Initial electrical and luminous requirements	
	4.8	Check on optical quality	
	4.8.1		
	4.8.2		
	4.8.3		
	4.8.4		
	4.9	UV radiation	
	4.10	Standard (étalon) filament lamps	
	4.11	Non-replaceable filament lamps	
	4.11.		
	4.11.		
	4.11.		
	4.11.	A ()	
	4.11.		
	4.11.		
5	Requ	irements and test conditions for discharge lamps	
		General requirements	
	5.2	Lamp marking	22
	5.3	Bulbs	
	5.4	Caps	
	5.5	Position and dimensions of electrodes, arc and black stripes	
	5.5.1	Measurements	
	5.5.2		
	5.5.3	Arc	23
	5.5.4		
	5.6	Starting, run-up and hot-restrike characteristics	24
	5.6.1	Starting	24
	5.6.2		
	5.6.3	Hot-restrike	24
	5.6.4	Compliance	24
	5.7	Electrical and photometric characteristics	25
	5.7.1	Voltage and wattage	25
	5.7.2	Luminous flux	25

5	7.3 Compliance	25
5.8	Colour	25
5.9	UV radiation	26
5.1	Standard (étalon) discharge lamps	27
6 R	equirements and test conditions for LED light sources	27
6.1	General requirements	27
6.2		
6.3	Optical surfaces	
6.4	Colour of light	
6.5	Lamp dimensions	
6.6	Caps and bases	28
6.7	Initial electrical and photometrical requirements	28
6.8	Red content	
6.9	UV radiation	29
6.1	O Standard (étalon) light sources	29
7 S	ampling and conditions of compliance	
8 L	amp data sheets	29
8.1	General	
8.2	List of specific lamp types	
8.3	Data sheets not transferred to UN R.E.5	
	A (normative) Filament shape, length and position	
A.1		
A. 1		
A.2		5.4
A.3		
A.4 A.5		
A.6		
	.6.1 General	
	.6.2 Axial filaments	
	.6.3 Transverse filaments	
A.7		
A.8		
A.9		
A.3		
	B (normative) Measurement method of the colour of filament lamps	
B.1	General	
B.1		
		50
B.3	.3.1 General	
_	.3.2 Filament lamps used in headlamps	
	3.3 Filament lamps used in light signalling devices	
C.1	•	
_	.1.1 Ageing	
_	.1.2 Test conditions	
	.1.3 Electrical instrumentation	
	.1.4 Photometry	60 60
	LEGIDOU SOUCES	nu

C.2.1	Test conditions	60
C.2.2	Luminous flux	60
C.2.3	Normalized luminous intensity	61
C.2.4	Colour	61
C.2.5	Power consumption	61
C.2.6	Luminous flux and colour at elevated temperature	62
Annex D (nor	mative) Measurement method of internal elements of R2 lamps	65
D.1 Ge	neral test conditions	65
D.1.1	Measurement position	65
D.1.2	Ageing	65
D.1.3	Test conditions	65
D.2 Re	ference axis, reference plane and planes for measurements	65
D.2.1	Reference axis	65
D.2.2	Reference plane	65
D.2.3	Plane V-V	65
D.2.4	Plane H-H	65
D.2.5	Plane X-X	65
D.2.6	Plane Y1-Y1	65
D.2.7	Plane Y2-Y2	65
D.3 Vie	ewing directions (see Figure D.1)	66
D.3.1	Viewing direction ①	
D.3.2	Viewing direction ②	
D.3.3	Viewing direction (3)	
	easuring points (MP)	
	mensions to be measured	
	mative) Measurement method of internal elements of H4 and HS1 lamps	
	neral test conditions	
E.1.1	Measurement position	
E.1.2	Ageing	
E.1.3	Test conditions	
	ference axis, reference plane and planes for measurement	
E.2.1	Reference axis	70
E.2.2	Reference plane	70
E.2.3	Plane V-V	
E.2.4	Plane H-H	
E.2.5	Plane X-X	
E.2.6	Plane Y1-Y1	
E.2.7	Plane Y2-Y2	
E.2.8	Plane Y3-Y3	
E.2.9	Plane Y4-Y4	
E.2.10	Plane Y5-Y5	
	ewing directions (see Figure E.1)	
E.3.1	Viewing direction ①	
E.3.2	Viewing direction (2)	
E.3.3	Viewing direction (3)	
E.3.4	Viewing direction (4)	
	easuring points (MP)	
E.4.1	General	
□.4.I	Oeneral	/ 1

E.4.2	Shield and filaments (see Figure E.2)	72
E.4.3	Top obscuration (see Figure E.3)	72
E.5	Dimensions to be measured	72
Annex F (r	normative) Measurement method of internal elements of HB1 lamps	77
F.1	General test conditions	77
F.1.1		
F.1.2	·	
F.1.3		
	Dipped-beam filament location	
F.2.1	Horizontal location	
F.2.2		
F.2.3	Axial location	
_	Main-beam filament location	
F.3.1	Horizontal location	
F.3.1		
_	Axial location	
F.3.3		<i>1</i> C
	informative) Optical set-up for the measurement of the position and form of d of the position of the electrodes of discharge lamps	79
	normative) Measurement method of electrical and photometric	0.0
	stics of discharge lamps	
	General	
	Ballast	
	Burning position	
	Ageing	
	Supply voltage	
	Starting test	
H.7	Run-up test	80
	Hot restrike test	
H.9	Electrical and photometric test	81
H.10	Colour	81
Annex I (ir	nformative) Overview of lamp types and their applications	82
Annex J (r	normative) Test conditions for colour endurance measurements	85
J.1	General	85
J.2	Calibration and ageing	85
	Test voltage	
	Operating position	
	Test rack	
	Operating cycles	
	Closure	
Annex K (i	nformative) Method(s) to determine the value of the light centre length for	
LX3A, LX3	B, LX4A, LX4B, LX5A, LX5B, L1A/6 and L1B/6	
	Measurement and calculation method based on ray tracing	
	Alternative method	91
	nformative) Method to determine the maximum luminance gradient of LED	J'
J	es	
L.1	Measuring the luminance	92
L.2	Calculating the maximum luminance gradient	92
Bibliograp	hv	94

Figure A.1 – Determination of apexes, filament length and filament offsets (A and B)	56
Figure A.2 – Determination of filament centre	56
Figure A.3 – Determination of lateral deviations (A and B) and tolerance on the light centre length (C)	57
Figure B.1 – Positions of the colorimetric receiver when measuring lamps used in headlamps	59
Figure B.2 – Positions of the colorimetric receiver when measuring lamps used in light signalling devices	59
Figure C.1 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	63
Figure C.2 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	64
Figure D.1 – Viewing directions, seen from the top of the lamp	68
Figure D.2 – Position of measuring points of R2 lamps	69
Figure E.1 – Viewing directions, seen from the top of the lamp	74
Figure E.2 – Position of measuring points of H4, H17, H19 and HS1 lamps	75
Figure E.3 – Top obscuration	76
Figure F.1 – Side view, view from ③ab	
Figure F.2 – Plan view, view from ④ ^a	
Figure G.1 – Optical system	79
Figure J.1 – Side view of box	86
Figure J.2 – Front view of box	86
Figure J.3 – Temperature in the climate chamber during one operating cycle	87
Figure J.4 – Relative humidity in the climate chamber during one operating cycle	87
Figure J.5 – Switching modes of filament lamps for intermittent operation during one operating cycle	88
Figure J.6 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	88
Figure J.7 – Switching modes of filament lamps for continuous operation during one operating cycle	89
Figure J.8 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	89
Figure K.1 – Set-up to measure the luminance distribution of the A versions of the LED light sources	90
Figure K.2 – Set-up to measure the luminance distribution of the B versions of the LED light sources	91
Figure L.1 – Example of a luminance image and the calculated average luminance values $L(x)$	93
Figure L.2 – Example for 1 µm-interpolation and position of maximum luminance gradient	93
Table 1 – Lifetime of non-replaceable light sources used in devices (luminaires)	21
Table 2 – Spectral weighting function	
Table 3 – List of specific lamp types	
Table C.1 – Luminous flux tolerance limits	
Table D.1 – Dimensions to be measured for R2 lamps	
Table E.1 – Dimensions to be measured for H4, H17, H19 and HS1 lamps	

able I.1 – Overview of lamp types and their applications	82
able J.1 – Applicable switching modes	85
able J.2 – Applicable boxes of the test racks	85
able J.3 – Dimensions of the applicable boxes and the relative position of the centre	06
the filamentable J.4 Timing during one operating cycle	
able J.5 – Switching modes of the filament lamps	
Ocument is a preview senerated by K	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60809 has been prepared by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014, Amendment 1:2017, Amendment 2:2017 and Amendment 3:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of a light technical measurement on LED light sources intended for use in front-lighting applications.
- b) As the original data sheets and some figures from previous editions were not available in an editable format, they have been reproduced from their old format, following the current drafting rules and are now in single language format. Some reproductions constitute minor (obvious) editorial changes of the original text sections and original figures; no technical changes were introduced.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34A/2232/FDIS	34A/2235/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

1 Scope

This document is applicable to electric light sources (see Note 1) for use in automotive applications, for example in road illumination devices and/or light signalling devices for road vehicles.

It is especially applicable to light sources listed in UN Resolution R.E.5 and light sources subject to other legislations.

This document specifies the technical requirements for interchangeability for example dimensional, electrical and photometrical characteristics, and includes test methods.

For the light sources listed in this document, the data sheets are contained either in this document or are included by reference to UN Resolution R.E.5.

Performance requirements are specified in IEC 60810, for example life, torsion strength, resistance to vibration and shock.

The requirements for miniature light sources for supplementary purposes, not subject to legislation, are specified in IEC 60983.

NOTE 1 The terms "lamp" and "light source" are both used in this document to mean the same product, so the two terms are interchangeable throughout this document.

NOTE 2 In various vocabularies and standards, different terms are used for "incandescent lamp" (IEC 60050-845:1987, 845-07-04), "discharge lamp" (IEC 60050-845:1987, 845-07-17) and "LED lamp". In this document "filament lamp", "discharge lamp" and "LED light source" are used, however, where only "lamp" or "light source" is written, all light sources, independent of the technology used, are meant, unless the context clearly shows that it applies to one kind of technology only. In the UN Regulations, the word "light source" is used for the products specified in this document.

NOTE 3 Wherever the term "device" is used, it is meant to designate equipment which is used as a luminaire. It can for instance take the form and purpose of a headlight or signal light.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, International Electrotechnical Vocabulary – Part 845: Lighting (available at http://www.electropedia.org/)

IEC 60051-1, Direct acting indicating analogue electrical measuring instruments and their accessories – Part 1: Definitions and general requirements common to all parts

IEC 60061-1, Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps (available at http://std.iec.ch/iec60061)

IEC 60810:2017, Lamps, light sources and LED packages for road vehicles – Performance requirements

IEC 60810:2017/AMD1:2019

CIE 015:2018, Colorimetry

United Nations, Vehicle Regulations – 1958 Agreement, Agreement concerning the Adoption of Harmonized Technical United Nations Regulations for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these United Nations Regulations (Revision 3)¹

Available at: www.unece.org/trans/main/wp29/wp29regs.html (website checked 2021-01-18)

Addendum 3: Regulation No. 4, *Uniform provisions concerning the approval of devices for the illumination of rear registration plates of power-driven vehicles and their trailers*

Addendum 5: Regulation No. 6, Uniform provisions concerning the approval of direction indicators for power-driven vehicles and their trailers

Addendum 6: Regulation No. 7, Uniform provisions concerning the approval of front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers

Addendum 22: Regulation No. 23, *Uniform provisions concerning the approval of reversing and manoeuvring lamps for power-driven vehicles and their trailers*

Addendum 36: Regulation No. 37, *Uniform provisions concerning the approval of filament lamps for use in approved lamp units of power-driven vehicles and of their trailers*

Addendum 37: Regulation No. 38, *Uniform provisions concerning the approval of rear fog lamps for power-driven vehicles and their trailers*

Addendum 47: Regulation No. 48, *Uniform provisions concerning the approval of vehicles with regard to the installation of lighting and light-signalling devices*

Addendum 49: Regulation No. 50, Uniform provisions concerning the approval of front position lamps, rear position lamps, stop lamps, direction indicators and rear-registration-plate illuminating devices for vehicles of category L

Addendum 76: Regulation No. 77, Uniform provisions concerning the approval of parking lamps for power-driven vehicles

Addendum 86: Regulation No. 87, *Uniform provisions concerning the approval of daytime running lamps for power-driven vehicles*

Addendum 90: Regulation No. 91, Uniform provisions concerning the approval of sidemarker lamps for motor vehicles and their trailers

Addendum 98: Regulation No. 99, Uniform provisions concerning the approval of gasdischarge light sources for use in approved gas-discharge lamp units of power-driven vehicles

Addendum 100: Regulation No. 101, Uniform provisions concerning the approval of passenger cars powered by an internal combustion engine only, or powered by a hybrid electric power train with regard to the measurement of the emission of carbon dioxide and fuel consumption and/or the measurement of electric energy consumption and electric range, and of categories M_1 and N_1 vehicles powered by an electric power train only with regard to the measurement of electric energy consumption and electric range

Addendum 118: Regulation No. 119, Uniform provisions concerning the approval of cornering lamps for power-driven vehicles

Addendum 127: Regulation No. 128, Uniform provisions concerning the approval of light emitting diode (LED) light sources for use in approved lamp units on power-driven vehicles and their trailers

Addendum 147: Regulation No. 148, Uniform provisions concerning the approval of light-signalling devices (lamps) for power-driven vehicles and their trailers

¹ Also known as *The 1958 Agreement*. In the text of this document the regulations under this agreement are referred to as, for example, UN Regulation 37 or R 37.