

INTERNATIONAL STANDARD

**Fuel cell technologies –
Part 7-2: Test methods – Single cell and stack performance tests for solid oxide
fuel cells (SOFCs)**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS

INTERNATIONAL STANDARD

**Fuel cell technologies –
Part 7-2: Test methods – Single cell and stack performance tests for solid oxide
fuel cells (SOFCs)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.070

ISBN 978-2-8322-9805-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and symbols.....	8
3.1 Terms and definitions.....	8
3.2 Symbols.....	10
4 General safety conditions	11
5 Cell/stack assembly unit	11
6 Testing system	12
6.1 Subsystems in testing system	12
6.2 Maximum variation in control items of testing system	13
7 Instruments and measurement methods	14
7.1 General.....	14
7.2 Instrument uncertainty	14
7.3 Anode gas	14
7.4 Cathode gas	17
7.5 Output voltage	18
7.6 Output current.....	18
7.7 Cell/stack assembly unit temperature.....	18
7.8 Mechanical load.....	18
7.9 Total impedance	18
7.10 Ambient conditions.....	19
8 Test preparation	19
8.1 General.....	19
8.2 Standard test conditions and test range	19
8.3 Components and impurities of anode gas and cathode gas	20
8.4 Basis of the test procedure	20
8.5 Confirmation of aging conditions of unit	20
8.6 Confirmation of criteria of stable state.....	20
8.7 Data acquisition method.....	20
9 Test procedure	20
9.1 Set-up.....	20
9.2 Initial conditioning.....	21
9.3 Shut-down	21
10 Performance test	21
10.1 Rated power test.....	21
10.2 Current-voltage characteristics test.....	22
10.3 Effective fuel utilization dependency test	23
10.4 Long term durability test	24
10.5 Thermal cycling durability test.....	25
10.6 Internal reforming performance test	26
10.7 Resistance components identification test.....	27
11 Test report.....	28
11.1 General.....	28

11.2	Report items	28
11.3	Test unit data description	29
11.4	Test conditions description	29
11.5	Test data description	29
11.6	Uncertainty evaluation	29
Annex A (informative)	Example of cell assembly unit	30
Annex B (informative)	Calculation of effective fuel utilization	31
B.1	General	31
B.2	Calculation method	31
B.3	Calculation examples	32
Annex C (informative)	Calculation of effective oxygen utilization	34
C.1	General	34
C.2	Calculation method	34
C.3	Calculation example	35
Annex D (informative)	Maximum width of the voltage hysteresis in I - V characteristics test ...	36
Annex E (informative)	Current-voltage characteristics test under constant effective fuel utilization	37
Annex F (informative)	Test report (template)	38
F.1	Overview	38
F.2	General information	38
F.3	Test unit data description	38
F.4	Test conditions	39
F.5	Rated power test	39
F.6	Current-voltage characteristics test	39
F.7	Effective fuel utilization dependency test	40
F.8	Long-term durability test	41
F.9	Thermal cycling durability test	42
F.10	Internal reforming performance test	42
F.11	Resistance components identification test	43
Annex G (informative)	Method for determining instrument uncertainty	44
Bibliography	45
Figure 1	– Testing system	12
Figure 2	– Typical diagram of complex impedance plot for SOFC	28
Figure A.1	– Example of cell assembly unit	30
Figure D.1	– Voltage hysteresis at a given sweep rate in I - V characteristics test	36
Figure E.1	– Example of the record in current-voltage characteristics test under constant effective fuel utilization	37
Table 1	– Symbols	10
Table B.1	– n_j for representative fuels	32
Table B.2	– Anode gas composition, flow rate of each fuel component q_j , and $n_j q_j$	32
Table C.1	– Cathode gas composition, q_{O_2} , and I_{theory}	35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –**Part 7-2: Test methods – Single cell and stack performance tests for solid oxide fuel cells (SOFCs)****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62282-7-2 has been prepared by IEC technical committee 105: Fuel cell technologies. It is an International Standard.

This first edition cancels and replaces IEC TS 62282-7-2 published in 2014.

This edition includes the following significant technical changes with respect to IEC TS 62282-7-2:2014:

- a) users can substitute selected test methods of this document with equivalent test methods of IEC 62282-8-101 for solid oxide cell (SOC) operation for energy storage purposes, operated in reverse or reversible mode;
- b) terms and definitions are aligned with the corresponding terms and definitions in IEC 62282-8-101;
- c) symbols are aligned with the corresponding symbols in IEC 62282-8-101.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
105/847/FDIS	105/851/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 62282 specifies test methods for a single cell and stack (denoted as "cell/stack" hereafter) that is required in power generation systems using solid oxide fuel cells (SOFCs).

SOFCs have a broad range of geometry and size. As such, in general, peripherals like current collectors and gas manifolds are unique to each cell or stack and are often incorporated into a cell or stack to form one integrated unit. In addition, they tend to have a significant effect on the power generation characteristics of the cell or stack. This document therefore introduces as its subject "cell/stack assembly units", which are defined as those units containing not only a cell or stack but also peripherals.

FUEL CELL TECHNOLOGIES –

Part 7-2: Test methods – Single cell and stack performance tests for solid oxide fuel cells (SOFCs)

1 Scope

This part of IEC 62282 applies to SOFC cell/stack assembly units, testing systems, instruments and measuring methods, and specifies test methods to test the performance of SOFC cells and stacks.

This document is not applicable to small button cells that are designed for SOFC material testing and provide no practical means of fuel utilization measurement.

This document is used based on the recommendation of the entity that provides the cell performance specification or for acquiring data on a cell or stack in order to estimate the performance of a system based on it. Users of this document can selectively execute test items suitable for their purposes from those described in this document.

Users can substitute selected test methods of this document with equivalent test methods of IEC 62282-8-101 for solid oxide cell (SOC) operation for energy storage purposes, operated in reverse or reversible mode.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-485, *International Electrotechnical Vocabulary (IEV) – Part 485: Fuel cell technologies* (available at <http://www.electropedia.org>)

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

IEC 60584-3, *Thermocouples – Part 3: Extension and compensating cables – Tolerances and identification system*

IEC 61515, *Mineral insulated metal-sheathed thermocouple cables and thermocouples*

ISO 5168, *Measurement of fluid flow – Procedures for the evaluation of uncertainties*

ISO 6141, *Gas analysis – Contents of certificates for calibration gas mixtures*

ISO 6142-1, *Gas analysis – Preparation of calibration gas mixtures – Gravimetric method for Class I mixtures*

ISO 6143, *Gas analysis – Comparison methods for determining and checking the composition of calibration gas mixtures*

ISO 6145-7, *Gas analysis – Preparation of calibration gas mixtures using dynamic methods – Part 7: Thermal mass-flow controllers*

ISO 6974 (all parts), *Natural gas – Determination of composition with defined uncertainty by gas chromatography*

ISO 7066-2, *Assessment of uncertainty in the calibration and use of flow measurement devices – Part 2: Non-linear calibration relationships*

ISO 8573-1, *Compressed air – Part 1: Contaminants and purity classes*

ISO 8756, *Air quality – Handling of temperature, pressure and humidity data*

ISO 12185, *Crude petroleum and petroleum products – Determination of density – Oscillating U-tube method*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-485 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

cell/stack assembly unit

unit including a single cell or stack, as well as gas supply parts, current collector parts, and any other peripherals as required for power generation tests

3.1.2

active electrode area

geometric electrode area upon which an electrochemical reaction occurs

Note 1 to entry: Usually this is the smaller of the anode and cathode areas.

3.1.3

current density

current divided by the active electrode area

3.1.4

average repeating unit voltage

cell/stack assembly unit voltage divided by the number of the cells in a series connection in the unit

3.1.5

standard temperature and pressure

STP

temperature of 0 °C and an absolute pressure of 101,325 kPa, respectively

3.1.6

anode gas

gas that is supplied to the inlet of the anode of a single cell/stack assembly unit

Note 1 to entry: Such a gas belongs to one of the following categories:

- a) pure hydrogen or mixture that contains hydrogen as a principal component with water vapour or nitrogen;