

Copper and copper alloys - Plumbing fittings - Part 20:
Definitions, thread dimensions, test methods, reference
data and supporting information

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 1254-20:2021 sisaldab Euroopa standardi EN 1254-20:2021 ingliskeelset teksti.	This Estonian standard EVS-EN 1254-20:2021 consists of the English text of the European standard EN 1254-20:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.05.2021.	Date of Availability of the European standard is 26.05.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 23.040.40

English Version

Copper and copper alloys - Plumbing fittings - Part 20: Definitions, thread dimensions, test methods, reference data and supporting information

Cuivre et alliages de cuivre - Raccords - Partie 20 :
Définitions, dimensions de filetage, méthodes d'essai,
données de référence et informations complémentaires

Kupfer und Kupferlegierungen - Fittings - Teil 20:
Definitionen, Gewindeabmessungen, Prüfverfahren,
Referenzdaten und ergänzende Informationen

This European Standard was approved by CEN on 23 November 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	7
4 Thread dimensions.....	10
4.1 Wall thickness at threaded portions of fittings.....	10
4.2 Dimensions of tail pipe ends for swivel fittings.....	11
4.3 Dimensions of gas union connectors.....	14
4.4 Threaded end dimensions.....	16
4.5 Minimum bore and cross-sectional area of fittings.....	22
5 Test method for leak tightness under internal hydrostatic pressure.....	26
5.1 Introduction.....	26
5.2 Principle.....	27
5.3 Apparatus.....	27
5.4 Test piece.....	27
5.5 Procedure.....	28
6 Test method for leak tightness under internal pneumatic pressure.....	28
6.1 Introduction.....	28
6.2 Principle.....	28
6.3 Apparatus.....	29
6.4 Test piece.....	29
6.5 Procedure.....	30
7 Integrity of fabricated fitting bodies or having an 'as cast' microstructure.....	31
7.1 Introduction.....	31
7.2 Principle.....	31
7.3 Apparatus.....	31
7.4 Test piece.....	31
7.5 Procedure.....	32
8 Test method for resistance to pull out of joints to metallic tubes.....	32
8.1 Introduction.....	32
8.2 Principle.....	32
8.3 Apparatus.....	32
8.4 Test assembly.....	33
8.5 Procedure.....	33
9 Test method for the resistance of joints with metallic tube to vibration.....	33
9.1 Introduction.....	33
9.2 Principle.....	33
9.3 Apparatus.....	34
9.4 Test assembly.....	34
9.5 Procedure.....	35
10 Test method for the resistance of joints to static flexural force.....	35
10.1 Introduction.....	35
10.2 Principle.....	35

10.3	Apparatus	35
10.4	Test piece	35
10.5	Procedure	36
11	Test method for leak tightness of joints under vacuum	37
11.1	Introduction	37
11.2	Principle	37
11.3	Apparatus	37
11.4	Test piece	38
11.5	Procedure	38
12	Test method for the resistance of joints to temperature cycling (liquid applications)	39
12.1	Introduction	39
12.2	Principle	39
12.3	Apparatus	39
12.4	Test assembly	39
12.5	Procedure	41
13	Test method for the resistance of joints to temperature cycling (fuel gas applications)	41
13.1	Introduction	41
13.2	Principle	42
13.3	Apparatus	42
13.4	Test assembly	42
13.5	Procedure	42
14	Method for detecting non-pressed fitting ends	43
14.1	Introduction	43
14.2	Principle	43
14.3	Apparatus	43
14.4	Test piece	44
14.5	Procedure	44
14.6	Results	44
15	Determination of resistance to stress corrosion	45
15.1	Introduction	45
15.2	Test piece	45
15.3	Procedure	45
15.4	Test report	45
16	Test method for detection of a carbon film on the surface of copper fittings	45
16.1	Preparation of the test piece	45
16.2	Procedure	45
16.3	Detection and assessment of films	46
17	Determination of mean depth of dezincification	46
17.1	Introduction	46
17.2	Procedure	46
17.3	Expression of results	46
18	Test method for the resistance of joints to pressure cycling	47
18.1	Introduction	47
18.2	Principle	47
18.3	Apparatus	47
18.4	Test pieces	49
18.5	Procedure	49
19	Test method for disconnection and re-use	50

19.1	Introduction	50
19.2	Principle	50
19.3	Apparatus.....	50
19.4	Test assembly	50
19.5	Procedure.....	50
20	Method for determining if the diameter and/or the length of engagement of a capillary end is/are within the specified tolerance.....	50
20.1	Principle	50
20.2	Apparatus.....	51
20.3	Test piece	55
20.4	Procedure.....	55
20.5	Results.....	55
21	Method for determining the minimum length of engagement of an integral solder or brazing ring socket having a formed groove.....	55
21.1	Introduction	55
21.2	Principle	55
21.3	Apparatus.....	56
21.4	Test piece	56
21.5	Procedure.....	56
21.6	Results.....	56
	Annex A (informative) Assembling instructions.....	57
	Bibliography.....	65

European foreword

This document (EN 1254-20:2021) has been prepared by Technical Committee CEN/TC 133 “Copper and copper alloys”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2021, and conflicting national standards shall be withdrawn at the latest by November 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is a supporting standard describing the test methods used by the other parts of the EN 1254 series.

EN 1254 comprises the following parts under the general title “Copper and copper alloys — Plumbing fittings”:

- *Part 1: Capillary fittings for soldering or brazing to copper tubes*
- *Part 2: Compression fittings for use with copper tubes*
- *Part 3: Compression fittings for use with plastics and multilayer pipes*
- *Part 4: Threaded fittings*
- *Part 5: Capillary fittings with short ends for brazing to copper tubes*
- *Part 6: Push-fit fittings for use with metallic tubes, plastics and multilayer pipes*
- *Part 7: Press fittings for use with metallic tubes*
- *Part 8: Press fittings for use with plastics and multilayer pipes*
- *Part 20: Definitions, thread dimensions, test methods, reference data and supporting information*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document contains definitions, thread dimension, reference data (minimum bore), supporting information (assembling instructions) and describes the test methods referenced by other parts of the EN 1254 series.

Thread dimensions comprise: wall thickness at threaded portions of fittings, dimensions of tail pipe ends for swivel fittings, dimensions of gas union connectors, thread dimensions and thread profile.

Test methods comprise: leak tightness under internal hydrostatic pressure, leak tightness under internal pneumatic pressure, integrity of fabricated fitting bodies or having an 'as cast' microstructure, resistance to pull out of joints to metallic tubes, resistance of joints with metallic tube to vibration, resistance of joints to static flexural force, leak tightness of joints under vacuum, the resistance of joints to temperature cycling, detecting non-pressed fitting ends, resistance to stress corrosion, detection of a carbon film on the surface of copper fittings, determination of mean depth of dezincification, resistance of joints to pressure cycling, disconnection and re-use, determining if the diameter and/or the length of engagement of a capillary end is/are within the specified tolerance, determining the minimum length of engagement of an integral solder or brazing ring socket having a formed groove.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 723, *Copper and copper alloys - Combustion method for determination of the carbon content on the inner surface of copper tubes or fittings*

EN 1057, *Copper and copper alloys - Seamless, round copper tubes for water and gas in sanitary and heating applications*

EN 1333:2006, *Flanges and their joints - Pipework components - Definition and selection of PN*

EN 10226-1, *Pipe threads where pressure tight joints are made on the threads - Part 1: Taper external threads and parallel internal threads - Dimensions, tolerances and designation*

EN ISO 228-1, *Pipe threads where pressure-tight joints are not made on the threads - Part 1: Dimensions, tolerances and designation (ISO 228-1)*

EN ISO 6509-1:2014, *Corrosion of metals and alloys - Determination of dezincification resistance of copper alloys with zinc - Part 1: Test method (ISO 6509-1:2014)*

EN ISO 6708:1995, *Pipework components - Definition and selection of DN (nominal size) (ISO 6708:1995)*

EN ISO 21003-1:2008, *Multilayer piping systems for hot and cold water installations inside buildings - Part 1: General (ISO 21003-1:2008)*

ISO 7-1:1994, *Pipe threads where pressure-tight joints are made on the threads - Part 1: Dimensions, tolerances and designation*

ISO 7-2, *Pipe threads where pressure-tight joints are made on the threads - Part 2: Verification by means of limit gauges*

ISO 2859-1:1999, *Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 6957:1988, *Copper alloys - Ammonia test for stress corrosion resistance*