



IEC 61588

Edition 3.0 2021-06

INTERNATIONAL STANDARD IEEE Std 1588™

Precision Clock Synchronization Protocol for Networked Measurement and Control Systems





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEEE

All rights reserved. IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Inc. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the IEC Central Office. Any questions about IEEE copyright should be addressed to the IEEE. Enquiries about obtaining additional rights to this publication and other information requests should be addressed to the IEC or your local IEC member National Committee.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue
New York, NY 10016-5997
United States of America
stds.info@ieee.org
www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 61588

Edition 3.0 2021-06

INTERNATIONAL STANDARD IEEE Std 1588™

Precision Clock Synchronization Protocol for Networked Measurement and Control Systems

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.110; 35.240.50

ISBN 978-2-8322-9811-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Contents

1. Scope.....	14
2. Normative references	15
3. Definitions, acronyms, and abbreviations.....	16
3.1 Definitions	16
3.2 Acronyms and abbreviations.....	24
4. Conventions.....	26
4.1 Descriptive lexical form syntax.....	26
4.2 Word usage	27
4.3 Behavioral specification notation	28
5. Data types and on-the-wire formats	30
5.1 General	30
5.2 Primitive data type specifications.....	30
5.3 Derived data type specifications.....	31
5.4 On-the-wire formats	35
6. Clock synchronization model	36
6.1 General requirements on implementations.....	36
6.2 Principal assumptions about the network and implementation recommendations	39
6.3 PTP Networks	39
6.4 PTP message classes.....	40
6.5 PTP device types.....	41
6.6 Synchronization overview.....	53
6.7 PTP communications overview.....	65
7. Characterization of PTP entities	69
7.1 Domains.....	69
7.2 Timescales used in PTP	72
7.3 PTP communications.....	74
7.4 PTP communication media	81
7.5 PTP Ports	84
7.6 PTP Instance characterization	89
7.7 PTP timing characterization.....	103
8. PTP data sets.....	105
8.1 General specifications for data set members	105
8.2 Data sets for PTP Instances.....	113
8.3 Data sets for Transparent Clocks.....	141
8.4 commonMeanLinkDelayService data sets	144
9. PTP for Ordinary Clocks and Boundary Clocks	144
9.1 General protocol requirements for PTP Ordinary Clocks and Boundary Clocks	144
9.2 State protocol	145
9.3 Best master clock algorithms	154
9.4 Grandmaster PTP Instance timePropertiesDS updates	164
9.5 PTP message processing semantics	166
9.6 Changes in the PTP Instance.....	182
10. PTP for Transparent Clocks.....	182
10.1 Requirements for both end-to-end and peer-to-peer Transparent Clocks.....	182
10.2 End-to-end Transparent Clock requirements.....	182
10.3 Peer-to-peer Transparent Clock requirements	191
11. Clock offset, path delay, residence time, and asymmetry corrections	195

11.1 General specifications.....	195
11.2 Computation of <offsetFromMaster> in Ordinary Clocks and Boundary Clocks	196
11.3 Delay request-response mechanism for Ordinary Clocks and Boundary Clocks.....	197
11.4 Peer-to-peer delay mechanism	199
11.5 MDMI interface and Special Ports	204
12. Synchronization and syntonization of clocks.....	214
12.1 Clock adjustments	214
12.2 Syntonization	214
12.3 Synchronization.....	215
13. PTP message formats	216
13.1 General.....	216
13.2 General PTP message format requirements.....	216
13.3 Header.....	216
13.4 Suffix	222
13.5 Announce message	222
13.6 Sync and Delay_Req messages	224
13.7 Follow_Up message	224
13.8 Delay_Resp message	225
13.9 Pdelay_Req message	225
13.10 Pdelay_Resp message	226
13.11 Pdelay_Resp_Follow_Up message.....	226
13.12 Signaling message	227
13.13 PTP management message.....	228
14. TLV entity specifications	228
14.1 General requirements.....	228
14.2 Propagation of TLVs through Boundary Clocks	230
14.3 Vendor and standard organization extension TLVs.....	231
14.4 PAD TLV (optional).....	233
15. PTP management messages (optional).....	234
15.1 General.....	234
15.2 PTP management mechanism	234
15.3 Processing of PTP management messages.....	234
15.4 PTP management message format.....	235
15.5 Management TLVs	238
16. General optional features.....	272
16.1 Unicast message negotiation (optional)	272
16.2 Path trace (optional).....	280
16.3 Alternate timescale offsets (optional)	282
16.4 Holdover upgrade (optional)	289
16.5 Isolation of PTP Instances running under profiles specified by different standards organizations (optional)	290
16.6 Common Mean Link Delay Service (optional).....	291
16.7 Configurable correction of timestamps (optional)	298
16.8 Calculation of the <delayAsymmetry> for certain media (optional)	299
16.9 Mixed multicast/unicast operation (optional).....	301
16.10 Cumulative frequency transfer method for synchronizing clocks (optional).....	304
16.11 Slave Event Monitoring (optional)	308
16.12 Enhanced synchronization accuracy metrics (optional)	317
16.13 Message Length Extension (optional).....	323
16.14 PTP integrated security mechanism (optional).....	324
17. State configuration options.....	338
17.1 General.....	338
17.2 Grandmaster clusters (optional).....	338

17.3 Alternate master (optional).....	340
17.4 Unicast discovery (optional)	343
17.5 Acceptable master table (optional)	345
17.6 Mechanism for external configuration of a PTP Instance's PTP Port state (optional).....	347
17.7 Reduced state sets and use of the <foreignMasterList> feature (optional).....	353
18. Interactions between PTP Instances in different PTP domains	354
18.1 General specifications.....	354
18.2 Interfaces enabling interdomain interactions.....	355
19. Compatibility of this edition with earlier and future editions	355
19.1 General.....	355
19.2 Compatibility between version 2 and future versions	356
19.3 Compatibility with IEEE Std 1588-2002	356
19.4 Compatibility between the PTP Instance conformant to this edition and the implementations conformant to IEEE Std 1588-2008	356
20. Conformance	361
20.1 Conformance objective	361
20.2 PTP conformance requirements.....	361
20.3 PTP Profiles	362
Annex A (informative) Using the Precision Time Protocol (PTP).....	365
A.1 Overview.....	365
A.2 Physical layout	366
A.3 Logical layout.....	366
A.4 Component issues.....	367
A.5 Local implementation issues	368
A.6 System implementation issues.....	370
A.7 Guidelines to achieve optimal performance	371
A.8 Recommendations to aid in conformance testing	371
A.9 Recommendation for implementations in unicast networks or networks with non-PTP bridges and routers	372
Annex B (informative) Timescales and epochs in PTP.....	375
B.1 General considerations	375
B.2 UTC, TAI and the PTP epoch and timescale updates	375
B.3 Standard time sources	378
B.4 Meaning and uses of the attributes of the timePropertiesDS data set.....	379
Annex C (normative) Transport of PTP over User Datagram Protocol over Internet Protocol Version 4.	382
C.1 General.....	382
C.2 UDP port numbers	382
C.3 IPv4 multicast addresses	382
C.4 sdoId field values.....	383
C.5 Optional values.....	384
C.6 IPv4 Options.....	384
C.7 Protocol addresses	384
Annex D (normative) Transport of PTP over User Datagram Protocol over Internet Protocol Version 6	385
D.1 General.....	385
D.2 UDP port numbers	385
D.3 IPv6 multicast addresses	386
D.4 Optional values.....	386
D.5 Protocol addresses	386
Annex E (normative) Transport of PTP over IEEE 802.3 transports	387
E.1 General.....	387
E.2 Ethertype	387
E.3 Multicast media access control (MAC) addresses.....	387

E.4 majorSdoId field values.....	388
E.5 Optional values.....	388
E.6 Protocol addresses.....	388
Annex F (normative) Transport of PTP over DeviceNET.....	389
F.1 Protocol	389
F.2 message timestamp point.....	389
F.3 clockIdentity	389
F.4 PTP message formats	389
F.5 DeviceNet addressing for PTP.....	390
Annex G (normative) Transport of PTP over ControlNET	391
G.1 Protocol.....	391
G.2 clockIdentity.....	391
G.3 PTP message formats.....	391
G.4 ControlNet addressing for PTP.....	391
Annex H (normative) Transport of PTP over IEC 61158 Type 10	392
H.1 Background.....	392
H.2 Message specification.....	393
H.3 DLPDU of the IEC 61158 TYPE10.....	394
H.4 Encoding specifications	395
Annex I (normative) Default PTP Profiles	398
I.1 General	398
I.2 General requirements	398
I.3 Delay Request-Response Default PTP Profile.....	398
I.4 Peer-to-Peer Default PTP Profile	400
I.5 High-Accuracy Delay Request-Response Default PTP Profile.....	401
Annex J (normative) Performance monitoring options (optional)	407
J.1 General.....	407
J.2 Timestamp monitoring.....	407
J.3 Additional parameters	410
J.4 Record data types.....	412
J.5 Data sets for performance monitoring.....	414
Annex K (informative) Suppression of rogue Announce messages.....	419
K.1 Example—Star topology.....	420
K.2 Example—PTP Network with a single loop with an odd number of PTP Instances in the loop	422
K.3 Example—More complex single loop PTP Network.....	423
K.4 Example—Linear chain	423
Annex L (normative) Layer-1 based synchronization performance enhancement (optional)	425
L.1 General.....	425
L.2 Basic terms	426
L.3 Link Reference Model.....	427
L.4 L1Sync port characteristics.....	429
L.5 L1Sync data sets	431
L.6 L1Sync message exchange	434
L.7 L1Sync port operation specification.....	437
L.8 Optional parameters (option within this option)	439
L.9 Link verification using Signaling messages (informative)	444
Annex M (informative) Sub-nanosecond synchronization using the High Accuracy Default PTP Profile	445
M.1 General.....	445
M.2 Frequency loopback	445
M.3 Timestamping precision	447
M.4 Timestamping accuracy.....	448

M.5 Medium and its asymmetry	449
M.6 Timing characteristics	450
Annex N (informative) Calibration procedures	452
N.1 General.....	452
N.2 Theoretical background.....	455
N.3 Assumptions and requirements.....	457
N.4 Calibration procedures.....	459
Annex O (informative) Example inter-domain interactions	466
O.1 General.....	466
O.2 Sourcing timing to multiple domains.....	466
O.3 Providing timing to users (sinks) from multiple independent domains.....	467
O.4 Transferring time from PTP domain A to PTP domain B	468
O.5 Example use for external configuration of port state	473
Annex P (informative) Security	474
P.1 Overview, assumptions, and approach	474
P.2 Multipronged approach—detailed definition	474
Annex Q (informative) Bibliography	495
Annex R (informative) IEEE List of participants	498

PRECISION CLOCK SYNCHRONIZATION PROTOCOL FOR NETWORKED MEASUREMENT AND CONTROL SYSTEMS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC document(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. *IEEE documents are made available for use subject to important notices and legal disclaimers (see <http://standards.ieee.org/ipr/disclaimers.html> for more information).*

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

IEC 61588/IEEE Std 1588 was processed through IEC technical committee 65C: Industrial networks, under the IEC/IEEE Dual Logo Agreement. It is an International Standard.

The text of this International Standard is based on the following documents:

IEEE Std	FDIS	Report on voting
1588 (2019)	65C/1084/FDIS	65C/1091/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Abstract: In this standard, a protocol is defined that provides precise synchronization of clocks in packet-based networked systems. Synchronization of clocks can be achieved in heterogeneous systems that include clocks of different inherent precision, resolution, and stability. The protocol supports synchronization accuracy and precision in the sub-microsecond range with minimal network and local computing resources. Customization is supported by means of profiles. The protocol includes default profiles that permit simple systems to be installed and operated without the need for user management. Sub-nanosecond time transfer accuracy can be achieved in a properly designed network.

Keywords: Boundary Clock, clock, Grandmaster Clock, IEEE 1588TM, management, Ordinary Clock, security, synchronization, Transparent Clock

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/ipr/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit IEEE Xplore at <https://ieeexplore.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for IEEE standards can be accessed via <https://standards.ieee.org/standard/index.html>. Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in IEEE Xplore: <https://ieeexplore.ieee.org/browse/standards/collection/ieee/>. Users are encouraged to periodically check for errata.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Introduction

This introduction is not part of IEEE Std 1588-2019, IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems.

This standard defines a protocol that provides precise synchronization of clocks in packet-based networked systems. The Precision Time Protocol (PTP) generates a master-slave relationship among the PTP Instances in the system. The clocks in all PTP Instances ultimately derive their time from a clock known as the “Grandmaster Clock.” In its basic form, this protocol is intended to be administration free.

IEEE Std 1588-2019 includes content that was not present in IEEE Std 1588-2008. Similarly some content that was present in the IEEE Std 1588-2008 is not in IEEE Std 1588-2019. The following Annexes in 1588-2008 are not present in IEEE Std 1588-2019:

- Annex C (informative) Examples of residence and asymmetry corrections
- Annex K (informative) Security protocol (experimental)
- Annex L (informative) Transport of cumulative frequency scale factor offset (experimental)

Acknowledgments

The working group would like to acknowledge Dieter Sibold and Steffen Fries for their contributions to the integrated security mechanism.

IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems

1. Scope

This standard defines a network protocol, the Precision Time Protocol (PTP), enabling accurate and precise synchronization of the real-time clocks of devices in networked distributed systems. The protocol is applicable to systems where devices communicate via networks, including Ethernet. The standard allows multicast communication, unicast communication or both. The standard specifies requirements for mapping the protocol to specific network implementations and defines such mappings, including User Datagram Protocol (UDP)/Internet Protocol (IP versions 4 and 6), and layer-2 IEEE 802.3 Ethernet.

The protocol enables heterogeneous systems that include clocks of various inherent precision, resolution, and stability to synchronize to a grandmaster clock. The protocol supports synchronization in the sub-microsecond range with minimal network bandwidth and local clock computing resources. The protocol enhances support for synchronization to better than 1 nanosecond. The protocol specifies how corrections for path asymmetry are made, if the asymmetry values are known. The grandmaster can be synchronized to a source of time external to the system, if time traceable to international standards or other source of time is required. The protocol provides information for devices to compute Coordinated Universal Time (UTC) from the protocol distributed time, if the grandmaster is traceable to international standards and is able to access pending leap-second changes. Options are also provided to allow end devices to compute other time scales from the protocol distributed time scale.

The protocol defines timing domains in which system timing is consistent. The protocol establishes the timing topology. The default behavior of the protocol allows simple systems to be installed and operated without requiring the administrative attention of users to determine the system timing topology.

The standard defines all needed data types, message formats, required computations, internal states, the behavior of devices with respect to transmitting, receiving, and processing protocol communications. The standard provides for the management of protocol artifacts in devices. The standard defines formal mechanisms for message extensions and the requirements for profiles that allow customization for specific application domains.

The standard defines conformance requirements. Optional specifications are provided for protocol security. This standard documents conditions under which this standard is backward compatible with IEEE 1588-2008.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

FIPS PUB 180-4:2015, Secure Hash Standard.¹

FIPS PUB 198-1:2008, The Keyed-Hash Message Authentication Code (HMAC).

IEC 61158-5-10:2007, Industrial communication networks—Fieldbus specifications—Part 5-10: Application layer service definition—Type 10 elements.²

IEC 61158-6-10:2007, Industrial communication networks—Fieldbus specifications—Part 6-10: Application layer protocol specification—Type 10 elements.

IEC 61784-1:2007, Industrial communication networks—Profiles—Part 1: Fieldbus profiles.

IEC 61784-2:2007, Industrial communications networks—Profiles—Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3.

IEC 62026-3:2008, Low-voltage switchgear and controlgear—Controller-device interfaces (CDIs)—Part 3: DeviceNet.

IEEE Std 754™, IEEE Standard for Binary Floating-Point Arithmetic.^{3, 4}

IEEE Std 802®, IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture.

IEEE Std 802.1AS™-2011, IEEE Standard for Local and Metropolitan Area Networks—Timing and Synchronization for Time-Sensitive Applications in Bridged Local Area Networks.

IEEE Std. 802c™, Standard for Local and Metropolitan Area Networks—Overview and Architecture Amendment: Local Medium Access Control (MAC) Address Usage.

IEEE Std 802.1Q™ -2014, IEEE Standard for Local and Metropolitan Area Networks—Bridges and Bridged Networks.

IEEE Std 802.3™, IEEE Standard for Ethernet.

IEEE Std. 802.11™, IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications.

IERS Bulletin C.⁵

IETF RFC 768 (1980), User Datagram Protocol, Postel, J., ed.⁶

IETF RFC 791 (1981), Internet Protocol, Postel, J., ed.

¹ FIPS publications are available from the National Technical Information Service, U. S. Department of Commerce (<http://www.ntis.org/>).

² IEC publications are available from the International Electrotechnical Commission (<http://www.iec.ch>) and the American National Standards Institute (<http://www.ansi.org>).

³ IEEE publications are available from The Institute of Electrical and Electronics Engineers (<http://standards.ieee.org>).

⁴The IEEE standards or products referred to in Clause 2 are trademarks owned by The Institute of Electrical and Electronics Engineers, Incorporated.

⁵ IERS publications are available from the International Earth Rotation and Reference Systems Services (<https://www.iers.org>).

⁶ IETF publications are available from the Internet Engineering Task Force (<https://www.ietf.org>).