
**Plastics pipes and fittings for
industrial applications — Collection of
data on combined chemical-resistance**

*Tubes et raccords en matières plastiques pour applications
industrielles — Collecte de données sur la résistance chimique
combinée*



This document is a preview generated by EKO



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Pages

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols used to describe the fluids	2
5 Chemical resistance classification	3
5.1 General.....	3
5.2 Procedure.....	4
5.3 Performances.....	4
Bibliography	215

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 3, *Plastics pipes and fittings for industrial applications*.

This second edition cancels and replaces the first edition (ISO/TR 10358:1993), which has been technically revised.

The main changes compared to the previous edition are as follows:

- Due to the rare use of PE-LD inside industrial applications and the comparability of its chemical behaviour to PE-HD, the reference to PE only has been indicated.
- Considering the ever more frequent use in industrial fields, the following materials have been introduced:
 - ECTFE
 - PA-U
 - PFA
 - PPS
 - PSU
 - PTFE

- Due to the different behaviours of the materials considered in this document, they have been gathered in two separate tables with different temperature ranges.
- A column with CAS (Chemical Abstracts Service) number, where available, has been introduced for the listed substances.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The tables in this document provide a preliminary informative collection of the chemical resistance of thermoplastic materials used to manufacture piping components which are not subjected to pressure or other stresses. They take into account the working conditions used, in particular the temperatures and concentrations of the chemical fluids to which a material may be exposed. To evaluate the behaviour of the different materials against the chemicals, data coming from published literature and industry experience were considered. To obtain numerical values for changes in mass or for mechanical properties, tests can be carried out in accordance with ISO 175, ISO 4433 (all parts) and ISO 22088 (all parts).

Careful consideration is paid by the end user when the fluid being transported is a combination of two or more chemicals. The resulting combination can have the potential to negatively affect the material from which the pipeline is made^[12].

Careful consideration is paid by the end user to composite structures. The following data, collected from literature, only address the effect on an individual material. Aspects for composite structure such as layers, reinforcements and/or fillers that are added above a negligible amount, are outside of the scope of this document^[12].

Plastics pipes and fittings for industrial applications — Collection of data on combined chemical-resistance

1 Scope

This document collects available data on combined chemical resistance of thermoplastic materials typically used to manufacture piping components for industrial applications, against fluids over a range of temperatures.

The base thermoplastic materials covered by this classification are:

Polyethylene

PE

NOTE 1 The PE considered in this document corresponds to PE-HD, with a minimum density value of 0,935 g/cm³ (e.g.: PE63, PE80, PE100, PE100-RC, PE-RT).

Polypropylene

PP (PP-R and PP-RCT, PP-H, PP-B)

Polyvinyl chloride, unplasticized

PVC-U

Polyvinyl chloride, chlorinated

PVC-C

Polybutylene

PB

Acrylonitrile/butadiene/styrene

ABS

Polyvinylidene fluoride

PVDF

NOTE 2 This document considers homopolymer PVDF.

Cross-linked polyethylene

PE-X (PE-Xa, PE-Xb, PE-Xc)

Ethylene chloro trifluoro ethylene

ECTFE

Polyamide, unplasticized

PA-U (PA-U11, PA-U12)

NOTE 3 This document focuses on PA-U11 and PA-U12 only, as these long chained PA-U are standardized according to ISO 16486-1; short chained (e.g. PA 66) and plasticized PAs are not used for monolithic plastic piping components.

Polysulfone

PSU

Perfluoralkoxy

PFA

NOTE 4 Temperatures higher than 200°C can be applied after an evaluation with the raw material manufacturer.

Polytetrafluoroethylene

PTFE

NOTE 5 Temperatures higher than 200°C can be applied after an evaluation with the raw material manufacturer.

Polyphenylene sulphide

PPS

NOTE 6 PPS is new with regards to industrial application and chemical resistance issues; for this reason, manufacturers and end-users are advised to assess the chemical suitability of the material.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Symbols used to describe the fluids

Column 1:

Identification number of the fluid.

Column 2:

The fluids are listed by their most common names, including trivial and trade names, in English alphabetical order.

With some of the chemicals, synonyms are listed, also in alphabetical order, with a reference to the first or the most widely used name.

NOTE In some cases, further information is given:

- Subl. sublimes
- Dec. decomposes

Column 3:

CAS nr. or internationally recognized code for the fluid listed in column 2.

Column 4:

Melting points (m.p.) are given where appropriate, the values referring to fluids of technical-grade purity.

Column 5:

Boiling points (b.p.) are given where appropriate, the values referring to fluids of technical-grade purity at standard atmospheric pressure, unless otherwise stated in brackets below. In that case a different pressure in mm Hg height is indicated.