
**Agricultural tractors and
machinery — General purpose quick-
action hydraulic couplers**

*Tracteurs et matériels agricoles — Coupleurs hydrauliques à usage
général*



This document is a preview generated by EKO



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	1
4.1 General	1
4.2 Dimensional requirements	1
4.3 Operating requirements	2
5 Location on tractor	3
Bibliography	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 4, *Tractors*.

This fourth edition cancels and replaces the third edition (ISO 5675:2008), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the normative references have been updated;
- the coupler mounting zone for side couplers has been increased to match industry practice;
- a zone for rear couplers has been added when more than three sets of couplers are used on the rear.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Agricultural tractors and machinery — General purpose quick-action hydraulic couplers

1 Scope

This document specifies the essential interface dimensions and the operating requirements for hydraulic couplers employed to transmit hydraulic power from agricultural tractors to agricultural machinery. It is applicable to couplers used in hydraulic lines other than those used for braking circuits.

NOTE All hydraulic couplers are intended to be connected and disconnected frequently to allow the transfer of machinery from one tractor to another without the use of tools or special devices.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7241:2014, *Hydraulic fluid power — Dimensions and requirements of quick-action couplings*

ISO 18869:2017, *Hydraulic fluid power — Test methods for couplings actuated with or without tools*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

coupler female part

female part

part that has a cavity to receive the male part

3.2

coupler male part

male part

probe that fits and locks into the cavity of the female part

4 Requirements

4.1 General

The requirements of this document are applicable if conical style and ball style couplers are coupled together. Care should be taken to ensure that these requirements are fulfilled.

4.2 Dimensional requirements

The dimensions of the coupler male part shall be in accordance with ISO 7241:2014, Table 1 and Figure 1, “Series A”, for sizes 12,5 and 20. The coupler male part dimension shall also be in accordance with