
**Fluid power systems and
components — Cylinder-rod wiper-
ring housings in reciprocating
applications — Dimensions and
tolerances**

*Transmissions hydrauliques et pneumatiques — Logements de joints
racleurs pour tiges de piston à mouvement linéaire de vérins —
Dimensions et tolérances*



This document is a preview generated by EKO



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	1
5 General	2
6 Requirements for housings	2
6.1 Type A housing	2
6.2 Type B housing	5
6.3 Type C housing	7
6.4 Type D housing	9
6.5 Type E housing	11
7 Other requirements regarding dimensions	14
8 Surface roughness	14
9 Identification statement	15
Bibliography	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Sub-committee SC 7, *Sealing devices*.

This fourth edition cancels and replaces the third edition (ISO 6915:2013), which has been technically revised.

The main changes compared to the previous edition are as follows:

- wiper housing sizes for 400 mm and 450 mm rod diameters have been added to [Tables 1, 2, 3, 4 and 5](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In fluid power systems, power is transmitted and controlled through a fluid (liquid or gas) under pressure within an enclosed circuit. Wiper-rings are used to prevent ingress of contaminants and to thereby protect the seals and bearings within the equipment.

This document is one of a family of standards covering dimensions and tolerances of reciprocating seal housings.

This document is applicable to the following five housing designs:

- Type A: recessed housings with undercut or separate cover to retain elastomeric wipers.
- Type B: open recessed housings for wipers with integral rigid enforcement that are press-fit in the housing.
- Type C: recessed housings with undercut to retain elastomeric wipers (these are the preferred housings for double lip wipers without integral rigid enforcement).
- Type D: recessed housings with undercut to retain elastomer-energized, plastic-faced wipers.
- Type E: recessed housings with undercut or separate cover to retain elastomeric wipers (these are the preferred housings to Type A).

These housing designs are intended for use with the wiper-rings according to [Figure 1](#).




Figure 1 — Types of wiper-rings

This document does not otherwise specify the style, configurations, materials, or performance ratings for the wiper-ring.

Fluid power systems and components — Cylinder-rod wiper-ring housings in reciprocating applications — Dimensions and tolerances

1 Scope

This document specifies dimensions and tolerances of housings for wiper-rings used in reciprocating rod applications for fluid power cylinders. The range of rod diameters is from 4 mm to 450 mm.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4287:1997, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*

ISO 5598, *Fluid power systems and components — Vocabulary*

3 Terms and definitions

For the purposes of this document, the definitions given in ISO 5598 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Symbols

The symbols used in this document are as follows:

<i>a</i>	roughness of the side surface of the wiper housing
<i>b</i>	roughness of the surface of the wiper housing bore
<i>C</i>	axial length of the lead-in chamfer
<i>C</i> ₀	reference material ratio level (see ISO 4287:1997, 4.5.4)
<i>d</i>	rod diameter
<i>D</i> ₁	outside diameter of wiper housing
<i>D</i> ₂	retainer diameter
<i>e</i>	roughness of the rod
<i>f</i>	roughness of the leading chamfer
<i>L</i> ₁	axial length of the wiper housing