
**Information technology — Abstract
Syntax Notation One (ASN.1) —**

**Part 1:
Specification of basic notation**

*Technologies de l'information — Notation de syntaxe abstraite
numéro un (ASN.1) —*

Partie 1: Spécification de la notation de base

This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.680 (02/2021).

This sixth edition cancels and replaces the fifth edition (ISO/IEC 8824-1:2015), which has been technically revised. It also incorporates ISO/IEC 8824-1:2015/Amd 1:2019, ISO/IEC 8824-1:2015/Cor 1:2017, ISO/IEC 8824-1:2015/Cor 2:2018, ISO/IEC 8824-1:2015/Cor 3:2018.

A list of all parts in the ISO/IEC 8824 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

	<i>Page</i>
Introduction	viii
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	2
3 Definitions	2
3.1 International Object Identifier tree specification.....	2
3.2 Information object specification.....	2
3.3 Constraint specification.....	3
3.4 Parameterization of ASN.1 specification	3
3.5 Structure for identification of organizations.....	3
3.6 Universal Multiple-Octet Coded Character Set (UCS)	3
3.7 Representation of dates and times	3
3.8 Additional definitions.....	4
4 Abbreviations	9
5 Notation	9
5.1 General.....	9
5.2 Productions.....	10
5.3 The alternative collections	10
5.4 Non-spacing indicator	10
5.5 Example of a production	10
5.6 Layout	10
5.7 Recursion	11
5.8 References to permitted sequences of lexical items	11
5.9 References to a lexical item	11
5.10 Short-hand notations	11
5.11 Value references and the typing of values.....	12
6 The ASN.1 model of type extension	12
7 Extensibility requirements on encoding rules.....	12
8 Tags.....	13
9 Encoding instructions	14
10 Use of the ASN.1 notation.....	15
11 The ASN.1 character set.....	15
12 ASN.1 lexical items.....	16
12.1 General rules	16
12.2 Type references	17
12.3 Identifiers	17
12.4 Value references.....	17
12.5 Module references.....	17
12.6 Comments	17
12.7 Empty lexical item	18
12.8 Numbers	18
12.9 Real numbers.....	18
12.10 Binary strings	18
12.11 XML binary string item	18
12.12 Hexadecimal strings	18
12.13 XML hexadecimal string item.....	19
12.14 Character strings.....	19
12.15 XML character string item	20
12.16 The simple character string lexical item.....	22

12.17	Time value character strings	22
12.18	XML time value character string item	22
12.19	The property and setting names lexical item.....	22
12.20	Assignment lexical item.....	22
12.21	Range separator	22
12.22	Ellipsis.....	22
12.23	Left version brackets	23
12.24	Right version brackets.....	23
12.25	Encoding references	23
12.26	Integer-valued Unicode labels.....	23
12.27	Non-integer Unicode labels.....	23
12.28	XML end tag start item	23
12.29	XML single tag end item.....	23
12.30	XML boolean true item	23
12.31	XML boolean extended-true item	24
12.32	XML boolean false item.....	24
12.33	XML boolean extended-false item	24
12.34	XML real not-a-number item	24
12.35	XML real infinity item.....	24
12.36	XML tag names for ASN.1 types.....	25
12.37	Single character lexical items.....	26
12.38	Reserved words	26
13	Module definition.....	27
14	Referencing type and value definitions	31
15	Notation to support references to ASN.1 components	32
16	Assigning types and values	33
17	Definition of types and values.....	35
18	Notation for the boolean type	38
19	Notation for the integer type.....	38
20	Notation for the enumerated type	39
21	Notation for the real type.....	41
22	Notation for the bitstring type	42
23	Notation for the octetstring type.....	44
24	Notation for the null type	44
25	Notation for sequence types	45
26	Notation for sequence-of types.....	48
27	Notation for set types	50
28	Notation for set-of types.....	51
29	Notation for choice types.....	52
30	Notation for selection types.....	54
31	Notation for prefixed types.....	54
31.1	General.....	54
31.2	The tagged type	55
31.3	The encoding prefixed type.....	55
32	Notation for the object identifier type	56
33	Notation for the relative object identifier type	58
34	Notation for the OID internationalized resource identifier type.....	59
35	Notation for the relative OID internationalized resource identifier type.....	60
36	Notation for the embedded-pdv type	60
37	Notation for the external type.....	62

38	The time type.....	63
38.1	General.....	63
38.2	Time properties and settings of time abstract values.....	63
38.3	Basic value notation and XML value notation for time abstract values with specified property settings	67
38.4	Useful time types.....	71
39	The character string types.....	72
40	Notation for character string types	73
41	Definition of restricted character string types	73
42	Naming characters, collections and property category sets	77
43	Canonical order of characters	81
44	Definition of unrestricted character string types	82
45	Notation for types defined in clauses 46 to 48	83
46	Generalized time.....	83
47	Universal time	84
48	The object descriptor type	85
49	Constrained types	86
50	Element set specification.....	87
51	Subtype elements.....	89
51.1	General.....	89
51.2	Single value.....	90
51.3	Contained subtype.....	90
51.4	Value range	90
51.5	Size constraint.....	91
51.6	Type constraint.....	91
51.7	Permitted alphabet.....	91
51.8	Inner subtyping.....	92
51.9	Pattern constraint.....	93
51.10	Property settings.....	93
51.11	Duration range.....	94
51.12	Time point range	95
51.13	Recurrence range.....	95
52	The extension marker	95
53	The exception identifier.....	97
54	Encoding control sections.....	98
A.1	Definition	99
A.2	Metacharacters	99
B.1	General.....	103
B.2	The ASN.1 defined time types module	103
C.1	The need for the value mapping concept (tutorial introduction)	108
C.2	Value mappings.....	110
C.3	Identical type definitions.....	111
C.4	Specification of value mappings	113
C.5	Additional value mappings defined for the character string types	113
C.6	Specific type and value compatibility requirements.....	114
C.7	Examples.....	115
C.7.2	Example 1	115
C.7.3	Example 2	115
C.7.4	Example 3	115
C.7.5	Example 4	115
C.7.6	Example 5	115
C.7.7	Example 6	116

D.1	Values assigned in this Recommendation International Standard	117
D.2	Object identifiers in the ASN.1 and encoding rules standards	117
F.1	General	120
F.2	Use of the International Object Identifier tree by the object identifier (OBJECT IDENTIFIER) type	120
F.3	Use of the International Object Identifier tree by the OID internationalized resource identifier (OID-IRI) type	120
G.1	Example of a personnel record	121
G.1.1	Informal description of Personnel Record	121
G.1.2	ASN.1 description of the record structure	121
G.1.3	ASN.1 description of a record value	122
G.2	Guidelines for use of the notation	122
G.2.1	Boolean	123
G.2.2	Integer	123
G.2.3	Enumerated	123
G.2.4	Real	124
G.2.5	Bit string	124
G.2.6	Octet string	126
G.2.7	UniversalString, BMPString and UTF8String	126
G.2.8	CHARACTER STRING	127
G.2.9	Null	128
G.2.10	Sequence and sequence-of	128
G.2.11	Set and set-of	130
G.2.12	Tagged	132
G.2.13	Choice	133
G.2.14	Selection type	135
G.2.16	Embedded-pdv	136
G.2.17	External	136
G.2.18	Instance-of	136
G.2.19	Object identifier	137
G.2.20	OID internationalized resource identifier	137
G.2.21	Relative object identifier	137
G.3	Value notation and property settings (TIME type and useful time types)	137
G.3.1	Date	137
G.3.2	Time of day	138
G.3.3	Date and time of day	138
G.3.4	Time interval	139
G.3.5	Recurring interval	140
G.4	Identifying abstract syntaxes	140
G.5	Subtypes	141
H.1	Character string support in ASN.1	145
H.2	The UniversalString, UTF8String and BMPString types	145
H.3	On ISO/IEC 10646 conformance requirements	146
H.4	Recommendations for ASN.1 users on ISO/IEC 10646 conformance	146
H.5	Adopted subsets as parameters of the abstract syntax	147
H.6	The CHARACTER STRING type	147
I.1	Overview	148
I.2	Meaning of version numbers	149
I.3	Requirements on encoding rules	150
I.4	Combination of (possibly extensible) constraints	150
I.4.1	Model	150
I.4.2	Serial application of constraints	150
I.4.3	Use of set arithmetic	151
I.4.4	Use of the Contained Subtype notation	152
J.1	The collections of ASN.1 types for times and dates	153
J.2	ISO 8601 key concepts	153
J.3	Abstract values of the TIME type	154
J.4	Time properties of the time abstract values	155
J.5	Value notation	155

J.6	Use of the ASN.1 subtype notation	156
J.7	The property settings subtype notation	156
K.1	General	158
K.2	Analyzing the full string.....	158
K.3	Analysis of a string containing an interval	159
K.4	Analysis of a string containing a date	159
K.5	Analysis of a string containing a year	160
K.6	Analysis of a string containing a century	160
K.7	Analysis of a string containing a time	160
K.8	Analysis of a string containing a simple time	161

Introduction

This Recommendation | International Standard presents a standard notation for the definition of data types and values. A *data type* (or *type* for short) is a category of information (for example, numeric, textual, still image or video information). A *data value* (or *value* for short) is an instance of such a type. This Recommendation | International Standard defines several basic types and their corresponding values, and rules for combining them into more complex types and values.

In some protocol architectures, each message is specified as the binary value of a sequence of octets. However, standards-writers need to define quite complex data types to carry their messages, without concern for their binary representation. In order to specify these data types, they require a notation that does not necessarily determine the representation of each value. ASN.1 is such a notation. This notation is supplemented by the specification of one or more algorithms called *encoding rules* that determine the value of the octets that carry the application semantics (called the *transfer syntax*). Rec. ITU-T X.690 | ISO/IEC 8825-1, Rec. ITU-T X.691 | ISO/IEC 8825-2 and Rec. ITU-T X.693 | ISO/IEC 8825-4 specify three families of standardized encoding rules, called *Basic Encoding Rules (BER)*, *Packed Encoding Rules (PER)*, and *XML Encoding Rules (XER)*.

Some users wish to redefine their legacy protocols using ASN.1, but cannot use standardized encoding rules because they need to retain their existing binary representations. Other users wish to have more complete control over the exact layout of the bits on the wire (the *transfer syntax*). These requirements are addressed by Rec. ITU-T X.692 | ISO/IEC 8825-3 which specifies an *Encoding Control Notation (ECN)* for ASN.1. ECN enables designers to formally specify the abstract syntax of a protocol using ASN.1, but to then (if they so wish) take complete or partial control of the bits on the wire by writing an accompanying ECN specification (which may reference standardized Encoding Rules for some parts of the encoding).

A very general technique for defining a complicated type at the abstract level is to define a small number of *simple types* by defining all possible values of the simple types, then combining these simple types in various ways. Some of the ways of defining new types are as follows:

- a) given an (ordered) list of existing types, a value can be formed as an (ordered) sequence of values, one from each of the existing types; the collection of all possible values obtained in this way is a new type (if the existing types in the list are all distinct, this mechanism can be extended to allow omission of some values from the list);
- b) given an unordered set of (distinct) existing types, a value can be formed as an (unordered) set of values, one from each of the existing types; the collection of all possible unordered sets of values obtained in this way is a new type (the mechanism can again be extended to allow omission of some values);
- c) given a single existing type, a value can be formed as an (ordered) list or (unordered) set of zero, one or more values of the existing type; the collection of all possible lists or sets of values obtained in this way is a new type;
- d) given a list of (distinct) types, a value can be chosen from any one of them; the set of all possible values obtained in this way is a new type;
- e) given a type, a new type can be formed as a subset of it by using some structure or order relationship among the values.

An important aspect of combining types in this way is that encoding rules should recognize the combining constructs, providing unambiguous encodings of the collection of values of the basic types. Thus, every basic type defined using the notation specified in this Recommendation | International Standard is assigned a *tag* to aid in the unambiguous encoding of values.

Tags are mainly intended for machine use, and are not essential for the human notation defined in this Recommendation | International Standard. Where, however, it is necessary to require that certain types be distinct, this is expressed by requiring that they have distinct tags. The allocation of tags is therefore an important part of the use of this notation, but (since 1994) it is possible to specify the automatic allocation of tags.

NOTE 1 – Within this Recommendation | International Standard, tag values are assigned to all simple types and construction mechanisms. The restrictions placed on the use of the notation ensure that tags can be used in transfer for unambiguous identification of values.

It is also possible to assign encoding instructions to a type in order to affect the encoding of that type. This can be done either by a type prefix placed before a type definition or use of a type reference, or by an encoding control section placed at the end of an ASN.1 module. The generic syntax of type prefixes and encoding control sections is specified in this Recommendation | International Standard, and includes an encoding reference to identify the encoding rules that are modified by the encoding instruction. The semantics and detailed syntax of encoding instructions are specified in the encoding rules Recommendation | International Standard identified by the encoding reference.

An ASN.1 specification will initially be produced with a set of fully defined ASN.1 types. At a later stage, however, it may be necessary to change those types (usually by the addition of extra components in a sequence or set type). If this is to be possible in such a way that implementations using the old type definitions can interwork with implementations using the new type definitions in a defined way, encoding rules need to provide appropriate support. The ASN.1 notation supports the inclusion of an *extension marker* on a number of types. This signals to encoding rules the intention of the designer that this type is one of a series of related types (i.e., versions of the same initial type) called an *extension series*, and that the encoding rules are required to enable information transfer between implementations using different types that are related by being part of the same extension series.

Clauses 11 to 33 (inclusive) define the simple types supported by ASN.1, and specify the notation to be used for referencing simple types and for defining new types using them. Clauses 11 to 33 also specify notations to be used for specifying values of types defined using ASN.1. Two value notations are provided. The first is called the basic ASN.1 value notation, and has been part of the ASN.1 notation since its first introduction. The second is called the XML ASN.1 Value Notation, and provides a value notation using Extensible Markup Language (XML).

NOTE 2 – The XML Value Notation provides a means of representing ASN.1 values using XML. Thus, an ASN.1 type definition also specifies the structure and content of an XML element. This makes ASN.1 a simple schema language for XML.

Clauses 36 to 37 (inclusive) define the types supported by ASN.1 for carrying within them the complete encoding of ASN.1 types.

Clause 38 and Annex B define the types that provide support for ISO 8601.

Clauses 39 to 44 (inclusive) define the character string types.

Clauses 45 to 48 (inclusive) define certain types which are considered to be of general utility, but which require no additional encoding rules.

Clauses 49 to 51 (inclusive) define a notation which enables subtypes to be defined from the values of a parent type.

Clause 52 defines a notation which allows ASN.1 types specified in a "version 1" specification to be identified as likely to be extended in "version 2", and for additions made in subsequent versions to be separately listed and identified with their version number.

Clause 53 defines a notation which allows ASN.1 type definitions to contain an indication of the intended error handling if encodings are received for values which lie outside those specified in the current standardized definition.

Annex A forms an integral part of this Recommendation | International Standard, and specifies ASN.1 regular expressions.

Annex B forms an integral part of this Recommendation | International Standard, and defines an ASN.1 module containing the definition of a set of time types providing the full functionality of ISO 8601. These types can be imported from this ASN.1 module by an application designer if the useful time types specified in clause 38 are not adequate for the application.

Annex C forms an integral part of this Recommendation | International Standard, and specifies rules for type and value compatibility.

Annex D forms an integral part of this Recommendation | International Standard, and records object identifier and object descriptor values assigned in the ASN.1 series of Recommendations | International Standards.

Annex E forms an integral part of this Recommendation | International Standard and specifies the currently defined encoding references and the Recommendation | International Standard that defines the semantics and detailed syntax of encoding instructions with those encoding references.

Annex F does not form an integral part of this Recommendation | International Standard, and references the specification of the top-level arcs of the International Object Identifier tree and the use of that tree to form an OID internationalized resource identifier which can be used as an IRI or URI registered as the "oid" scheme with IANA.

Annex G does not form an integral part of this Recommendation | International Standard, and provides examples and hints on the use of the ASN.1 notation.

Annex H does not form an integral part of this Recommendation | International Standard, and provides a tutorial on ASN.1 character strings.

Annex I does not form an integral part of this Recommendation | International Standard, and provides a tutorial on the ASN.1 model of type extension.

Annex J does not form an integral part of this Recommendation | International Standard and provides a tutorial introduction to ISO 8601 and to the **TIME** type. It is recommended that this be read before the normative text.

ISO/IEC 8824-1:2021(E)

Annex K does not form an integral part of this Recommendation | International Standard and provides information on how to identify the time properties of an abstract value from an instance of value notation.

Annex L does not form an integral part of this Recommendation | International Standard, and provides a summary of ASN.1 using the notation of clause 5.

This document is a preview generated by EVS

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology –
Abstract Syntax Notation One (ASN.1):
Specification of basic notation**

1 Scope

This Recommendation | International Standard provides a standard notation called Abstract Syntax Notation One (ASN.1) that is used for the definition of data types, values, and constraints on data types.

This Recommendation | International Standard:

- defines a number of simple types, with their tags, and specifies a notation for referencing these types and for specifying values of these types;
- defines mechanisms for constructing new types from more basic types, and specifies a notation for defining such types and assigning them tags, and for specifying values of these types;
- defines character sets (by reference to other Recommendations and/or International Standards) for use within ASN.1.

The ASN.1 notation can be applied whenever it is necessary to define the abstract syntax of information.

The ASN.1 notation is referenced by other standards which define encoding rules for the ASN.1 types.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003 and the Unicode standard version 3.2.0:2002. It cannot be applied using later versions of these two standards.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.660 (2011) | ISO/IEC 9834-1:2012, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the ASN.1 International Object Identifier tree.*
- Recommendation ITU-T X.681 (2021) | ISO/IEC 8824-2:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2021) | ISO/IEC 8824-3:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2021) | ISO/IEC 8824-4:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2021) | ISO/IEC 8825-1:2021, *Information technology – ASN.1 encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*
- Recommendation ITU-T X.691 (2021) | ISO/IEC 8825-2:2021, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER).*
- Recommendation ITU-T X.692 (2021) | ISO/IEC 8825-3:2021, *Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN).*
- Recommendation ITU-T X.693 (2021) | ISO/IEC 8825-4:2021, *Information technology – ASN.1 encoding rules: XML Encoding Rules (XER).*

- Recommendation ITU-T X.695 (2021) | ISO/IEC 8825-6:2021, *Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions*.

NOTE – The references above shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

2.2 Additional references

- Recommendation ITU-R TF.460-6 (2002), *Standard-frequency and time-signal emissions*.
- CCITT Recommendation T.100 (1988), *International information exchange for interactive Videotex*.
- Recommendation ITU-T T.101 (1994), *International interworking for Videotex services*.
- ISO *International Register of Coded Character Sets to be used with Escape Sequences*.
- ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*.
- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques*.
- ISO/IEC 6523:1998, *Data interchange – Structures for the identification of organizations and organization parts*.
- ISO/IEC 7350:1991, *Information technology – Registration of repertoires of graphic characters from ISO/IEC 10367*.
- ISO 8601:2019, *Date and time – Representations for information interchange*.
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.
- The Unicode Standard, Version 3.2.0:2002. The Unicode Consortium. (Reading, MA, Addison-Wesley)
NOTE 1 – The above reference is included because it provides names for control characters and specifies categories of characters.
- W3C XML 1.0:2008, *Extensible Markup Language (XML) 1.0 (Fifth Edition)*, W3C Recommendation, Copyright ©2008 W3C, (MIT, ERCIM, Keio), <http://www.w3.org/TR/2008/REC-xml-20081126/>.

NOTE – The reference to a document within this Recommendation | International Standard does not give it, as a stand-alone document, the status of a Recommendation or International Standard.

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 International Object Identifier tree specification

This Recommendation | International Standard uses the following terms defined in Rec. ITU-T X.660 | ISO/IEC 9834-1:

- integer-valued Unicode label;
- international object identifier tree;
- OID internationalized resource identifier;
- long arc;
- object identifier;
- primary integer value;
- secondary identifier;
- Unicode label.

3.2 Information object specification

This Recommendation | International Standard uses the following terms defined in Rec. ITU-T X.681 | ISO/IEC 8824-2:

- information object;
- information object class;
- information object set;
- instance-of type;
- object class field type.