



IEC 60747-5-6

Edition 2.0 2021-07

INTERNATIONAL STANDARD

Semiconductor devices –
Part 5-6: Optoelectronic devices – Light emitting diodes





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 60747-5-6

Edition 2.0 2021-07

INTERNATIONAL STANDARD

Semiconductor devices –
Part 5-6: Optoelectronic devices – Light emitting diodes

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.080.99

ISBN 978-2-8322-9853-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	8
1 Scope	10
2 Normative references	10
3 Terms, definitions and abbreviations	11
3.1 General terms and definitions	11
3.2 Terms and definitions relating to the measurement of the quantity of radiation	14
3.3 Terms and definitions relating to the measurement of the photometric quantity	17
3.4 Terms and definitions relating to the measurement of the thermal quantity	21
3.5 Abbreviations	22
4 Absolute maximum ratings	22
5 Electrical and optical characteristics	23
6 Measuring method	24
6.1 Basic requirements	24
6.1.1 Measuring conditions	24
6.1.2 Measuring instruments and equipment	25
6.1.3 Essential requirements	26
6.1.4 General precautions	27
6.2 Forward voltage (V_F) measurement	27
6.2.1 Purpose	27
6.2.2 Circuit diagram	27
6.2.3 Requirements	27
6.2.4 Measurement procedure	29
6.2.5 Precautions to be observed	29
6.2.6 Specified conditions	29
6.3 Reverse voltage (V_R) measurement	29
6.3.1 Purpose	29
6.3.2 Circuit diagram	29
6.3.3 Measurement procedure	29
6.3.4 Precautions to be observed	30
6.3.5 Specified conditions	30
6.4 Differential resistance (r_f) measurement	30
6.4.1 Purpose	30
6.4.2 Circuit diagram	30
6.4.3 Requirements	30
6.4.4 Measurement procedure	30
6.4.5 Precautions to be observed	31
6.4.6 Specified conditions	31
6.5 Reverse current (I_R) measurement	31
6.5.1 Purpose	31
6.5.2 Circuit diagram	31
6.5.3 Provisions	32
6.5.4 Measurement procedure	32
6.5.5 Precautions to be observed	32

6.5.6	Specified conditions.....	32
6.6	Measurement of capacitance between terminals (C_t).....	32
6.6.1	General	32
6.6.2	Measurement using LCR meter.....	33
6.6.3	Measurement using AC bridge.....	33
6.7	Measurement of junction temperature (T_j) and thermal resistance ($R_{th(j-X)el}$, $R_{th(j-X)real}$)	35
6.7.1	Purpose	35
6.7.2	Measurement principle.....	35
6.7.3	Measurement procedure	37
6.7.4	Precautions to be observed	42
6.7.5	Specified conditions.....	42
6.8	Response time measurement.....	42
6.8.1	Purpose	42
6.8.2	Circuit diagram	42
6.8.3	Provisions.....	43
6.8.4	Measurement procedure	43
6.8.5	Precautions to be observed	43
6.8.6	Specified conditions.....	44
6.9	Frequency response and cut-off frequency (f_c) measurement	44
6.9.1	Purpose	44
6.9.2	Circuit diagram	44
6.9.3	Provisions.....	45
6.9.4	Measurement procedure	45
6.9.5	Precautions to be observed	46
6.9.6	Specified conditions.....	46
6.10	Luminous flux (Φ_V) measurement.....	46
6.10.1	Purpose	46
6.10.2	Measurement principle.....	46
6.10.3	Measuring circuit	46
6.10.4	Measurement procedure	47
6.10.5	Precautions to be observed	47
6.10.6	Measurement conditions to be defined.....	48
6.11	Radiant flux (Φ_e) measurement.....	48
6.11.1	Purpose	48
6.11.2	Measurement principle.....	48
6.11.3	Measuring circuit	49
6.11.4	Measurement procedure	49
6.11.5	Precautions to be observed	49
6.11.6	Measurement conditions to be defined.....	50
6.12	Luminous intensity (I_V) measurement	50
6.12.1	Purpose	50
6.12.2	Measurement principle.....	50
6.12.3	Measuring circuit	51
6.12.4	Measurement procedure	52
6.12.5	Precautions to be observed	52
6.12.6	Measurement conditions to be defined.....	52
6.13	Radiant intensity (I_e) measurement	52

6.13.1	Purpose	52
6.13.2	Measurement principle	52
6.13.3	Measuring circuit	53
6.13.4	Measurement procedure	53
6.13.5	Measurement conditions to be defined	53
6.14	Luminance (L_V) measurement	53
6.14.1	Purpose	53
6.14.2	Measuring circuit	54
6.14.3	Measurement procedure	54
6.14.4	Measurement conditions to be defined	54
6.15	Emission spectrum distribution, peak emission wavelength (λ_p), and spectral half bandwidth ($\Delta\lambda$) measurement	55
6.15.1	Purpose	55
6.15.2	Measuring circuit	55
6.15.3	Measurement procedure	56
6.15.4	Measurement conditions to be defined	57
6.16	Chromaticity measurement	57
6.16.1	Purpose	57
6.16.2	Measurement principle	57
6.16.3	Measuring circuit	60
6.16.4	Measurement procedure	60
6.16.5	Measuring conditions to be defined	60
6.17	Directional characteristics and full width half maximum of an intensity measurement	60
6.17.1	Purpose	60
6.17.2	Measuring circuit	61
6.17.3	Measurement procedure	61
6.17.4	Measuring conditions to be defined	62
6.18	Illuminance (E_V) measurement	63
6.18.1	Purpose	63
6.18.2	Measuring circuit	63
6.18.3	Measurement procedure	63
6.18.4	Measuring conditions to be defined	63
7	Items to be indicated on the package	63
8	Quality evaluation	64
8.1	General	64
8.2	Classification of quality evaluations	64
8.2.1	General	64
8.2.2	Classification I	64
8.2.3	Classification II	64
8.2.4	Classification III	64
8.2.5	Precautions to be observed	64
8.3	Quality evaluation test	70
8.3.1	General	70
8.3.2	Specimens	71
8.4	Lot quality inspection	71
8.4.1	General	71
8.4.2	Specimens	71

8.5 Periodical quality inspection	71
8.5.1 General	71
8.5.2 Specimens	71
8.5.3 Inspection period	71
8.6 Easing of the lot quality inspection standards	71
8.7 Periodical evaluation maintenance tests	72
8.7.1 Test items and specimens	72
8.7.2 Test period	72
8.8 Long-term storage products	72
8.9 Continuous current test	72
8.9.1 General	72
8.9.2 Initial measurement	72
8.9.3 Test circuits	72
8.9.4 Test conditions	73
8.9.5 Post-treatment	73
8.9.6 Final measurement	73
Annex A (normative) Standard luminous efficiency	74
Annex B (normative) How to obtain the self-absorption correction factor	77
B.1 Purpose	77
B.2 LED light sources for self-absorption measurement	77
B.3 Method	77
Annex C (normative) How to obtain the colour correction factor	79
C.1 Purpose	79
C.2 Method	79
C.2.1 Luminous flux and luminous intensity measurement	79
C.2.2 Radiant flux and radiant intensity measurement	80
Annex D (normative) Calibration of the luminance meter	81
D.1 Purpose	81
D.2 How to perform the calibration	81
Annex E (normative) Colour-matching function of the <i>XYZ</i> colour system	83
Annex F (normative) Spectral chromaticity coordinates	88
Annex G (normative) Illuminance meter calibration	93
G.1 Purpose	93
G.2 How to perform the calibration	93
Bibliography	94
Figure 1 – Radiant intensity	15
Figure 2 – Radiance	16
Figure 3 – Radiant exitance	16
Figure 4 – Irradiance	17
Figure 5 – Spectral luminous efficiency	18
Figure 6 – Circuit diagram for V_F measurement	27
Figure 7 – Circuit diagram for V_F measurement with a constant voltage source and a current-limiting resistor	28
Figure 8 – Circuit diagram for V_F measurement using an SMU	28
Figure 9 – Circuit diagram for V_R measurement	29

Figure 10 – Circuit diagram for r_f measurement	30
Figure 11 – Circuit diagram for I_R measurement	32
Figure 12 – Circuit diagram for C_t measurement	33
Figure 13 – Circuit diagram for C_t measurement	34
Figure 14 – An example of the temperature dependence of η_{PE}	35
Figure 15 – Heating time duration dependence of the measured thermal resistance	36
Figure 16 – Cumulative thermal capacitance versus cumulative thermal resistance characteristics (structural function)	37
Figure 17 – Circuit diagram for measurement of change in V_F	38
Figure 18 – Change in V_F during the measurement.....	39
Figure 19 – Example of the time variation in V_F	40
Figure 20 – Transient vibration waveform immediately after the heating is off	40
Figure 21 – Circuit diagram for response time measurement.....	42
Figure 22 – Waveform of response time measurement.....	44
Figure 23 – Circuit diagram for f_C measurement.....	45
Figure 24 – Circuit diagram for ϕ_V measurement.....	47
Figure 25 – Circuit diagram for ϕ_e measurement	49
Figure 26 – Schematic diagram for I_V measurement.....	51
Figure 27 – Circuit diagram for I_V measurement	51
Figure 28 – Circuit diagram for I_e measurement	53
Figure 29 – Circuit diagram for L_V measurement	54
Figure 30 – Circuit diagram for λ_p measurement.....	55
Figure 31 – Circuit diagram for λ_p measurement.....	56
Figure 32 – Schematic diagram of $\Delta\lambda$ measurement.....	57
Figure 33 – Chromaticity	59
Figure 34 – Circuit diagram for chromaticity measurement	61
Figure 35 – Directional characteristics (example 1).....	62
Figure 36 – Directional characteristics (example 2).....	62
Figure 37 – Circuit diagram for E_V measurement.....	63
Figure 38 – Circuit diagram for continuous current test	73
Figure B.1 – Schematic diagram for self-absorption measurement	77
Figure D.1 – Schematic diagrams for calibration	82
Figure G.1 – Schematic diagram for calibration.....	93
Table 1 – Absolute maximum ratings	22
Table 2 – Electrical and optical characteristics.....	23
Table 3 – CIE averaged LED intensity measurements	51
Table 4 – Items for the screening test and their conditions(reference).....	64
Table 5 – Quality evaluation tests	65
Table 6 – Lot quality inspection.....	67

Table 7 – Periodical quality inspection	70
Table A.1 – Definitive values of the spectral luminous efficiency function for photopic vision $V(\lambda)$	74
Table E.1 – Colour-matching function of the XYZ colour system	83
Table F.1 – Spectral chromaticity coordinates.....	88

INTERNATIONAL ELECTROTECHNICAL COMMISSION**SEMICONDUCTOR DEVICES –****Part 5-6: Optoelectronic devices – Light emitting diodes****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60747-5-6 has been prepared by subcommittee 47E: Discrete semiconductor devices, of IEC technical committee 47: Semiconductor devices. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) ultraviolet-emitting diodes (UV LED) and their related technical contents were added;
- b) power efficiency (η_{PE}) as part of electrical and optical characteristics were added;
- c) new measuring methods related to thermal resistance were added;
- d) hydrogen sulphide corrosion test was added to quality evaluation;
- e) some standards were added to the bibliography.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
47E/745/FDIS	47E/752/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60747 series, published under the general title *Semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

SEMICONDUCTOR DEVICES –

Part 5-6: Optoelectronic devices – Light emitting diodes

1 Scope

This part of IEC 60747 specifies the terminology, the essential ratings and characteristics, the measuring methods and the quality evaluations of light emitting diodes (LEDs) for general industrial applications such as signals, controllers, sensors, etc.

LEDs for lighting applications are out of the scope of this part of IEC 60747.

LEDs are classified as follows:

- a) LED package;
- b) LED flat illuminator;
- c) LED numeric display and alpha-numeric display;
- d) LED dot-matrix display;
- e) infrared-emitting diode (IR LED);
- f) ultraviolet-emitting diode (UV LED).

LEDs with a heat spreader or having a terminal geometry that performs the function of a heat spreader are within the scope of this part of IEC 60747.

An integration of LEDs and controlgears, integrated LED modules, semi-integrated LED modules, integrated LED lamps or semi-integrated LED lamps, are out of the scope of this part of IEC 60747.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60051 (all parts), *Direct acting indicating analogue electrical measuring instruments and their accessories*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60747-5-13, *Semiconductor devices – Part 5-13: Optoelectronic devices – Hydrogen sulphide corrosion test for LED packages*

IEC 60749-6, *Semiconductor devices – Mechanical and climatic test methods – Part 6: Storage at high temperature*

IEC 60749-10, *Semiconductor devices – Mechanical and climatic test methods – Part 10: Mechanical shock*

IEC 60749-12, *Semiconductor devices – Mechanical and climatic test methods – Part 12: Vibration, variable frequency*

IEC 60749-14, *Semiconductor devices – Mechanical and climatic test methods – Part 14: Robustness of terminations (lead integrity)*

IEC 60749-15, *Semiconductor devices – Mechanical and climatic test methods – Part 15: Resistance to soldering temperature for through-hole mounted devices*

IEC 60749-20, *Semiconductor devices – Mechanical and climatic test methods – Part 20: Resistance of plastic encapsulated SMDs to the combined effect of moisture and soldering heat*

IEC 60749-21, *Semiconductor devices – Mechanical and climatic test methods – Part 21: Solderability*

IEC 60749-24, *Semiconductor devices – Mechanical and climatic test methods – Part 24: Accelerated moisture resistance – Unbiased HAST*

IEC 60749-25, *Semiconductor devices – Mechanical and climatic test methods – Part 25: Temperature cycling*

IEC 60749-36, *Semiconductor devices – Mechanical and climatic test methods – Part 36: Acceleration, steady state*

ISO 2859-1, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms, definitions and abbreviations

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 General terms and definitions

3.1.1

integrating sphere

hollow sphere, the interior of which is formed from, or coated with, a diffusely-reflecting material that is as spectrally neutral and as spatially uniform as possible

Note 1 to entry: Owing to the internal reflections within the sphere, the illuminance on any part of the inside surface of the sphere for which the direct flux is hidden is theoretically proportional to the luminous flux entering the sphere or produced inside the sphere. The illuminance of the internal sphere wall can be measured via a small window.

Note 2 to entry: The window of an integrating sphere is often used in radiometric measurement systems to provide a source with good spatial uniformity and with an angular distribution of radiance or luminance that is close to Lambert's cosine law.

[SOURCE: IEC 60050-845:2020, 845-25-028]

3.1.2

diffuse reflector

reflector composed of a surface with diffuse reflection