# TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER BERICHT

## CEN/CLC/TR 17603-31-16

August 2021

ICS 49.140

#### **English version**

### Space Engineering - Thermal design handbook - Part 16: Thermal Protection System

Ingénierie spatiale - Manuel de conception thermique -Partie 16: Protection Thermique des véhicules spatiaux

Raumfahrttechnik - Handbuch für thermisches Design -Teil 16: Thermalschutzsysteme

This Technical Report was approved by CEN on 28 June 2021. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





**CEN-CENELEC Management Centre:** Rue de la Science 23, B-1040 Brussels

## **Table of contents**

3.1 Terms and definitions       8         3.2 Abbreviated terms       8         4 Introduction       9         4.1 General       9         4.2 Classification of thermal protection systems       10         5 Ablative systems       10         5.1 General       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figures          Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit.       9	Europ	ean Foreword	5
3 Terms, definitions and symbols       8         3.1 Terms and definitions       8         3.2 Abbreviated terms       8         4 Introduction       9         4.1 General       9         4.2 Classification of thermal protection systems       10         5 Ablative systems       14         5.1 General       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54	1 Sco <sub>l</sub>	pe	6
3.1 Terms and definitions       8         3.2 Abbreviated terms       8         4 Introduction       9         4.1 General       9         4.2 Classification of thermal protection systems       10         5 Ablative systems       14         5.1 General       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit.       9	2 Refe	erences	7
3.2 Abbreviated terms.       8         4 Introduction.       9         4.1 General.       9         4.2 Classification of thermal protection systems       10         5 Ablative systems       14         5.1 General.       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General.       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit.       9	3 Tern	ns, definitions and symbols	8
4 Introduction.       9         4.1 General.       9         4.2 Classification of thermal protection systems       10         5 Ablative systems       14         5.1 General.       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography         Figures         Figures	3.1	Terms and definitions	8
4.1 General	3.2	Abbreviated terms	8
4.2 Classification of thermal protection systems       10         5 Ablative systems       14         5.1 General       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	4 Intro	oduction	9
5 Ablative systems       14         5.1 General       14         5.2 Ablative materials       14         5.3 Basic analysis       15         5.3.1 Surface equilibrium       16         5.4 Existing systems       19         5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	4.1	General	9
5.3       Basic analysis       15         5.3.1       Surface equilibrium       16         5.4       Existing systems       19         5.4.1       Galileo probe       19         6 Radiative systems       23         6.1       General       23         6.2       Radiative materials       23         6.3       Existing systems       24         6.3.1       Space shuttle       24         6.4       Other developments       35         6.4.1       X-38       35         Bibliography         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9			
5.3       Basic analysis       15         5.3.1       Surface equilibrium       16         5.4       Existing systems       19         5.4.1       Galileo probe       19         6 Radiative systems       23         6.1       General       23         6.2       Radiative materials       23         6.3       Existing systems       24         6.3.1       Space shuttle       24         6.4       Other developments       35         6.4.1       X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	5 Abla	ative systems	14
5.3       Basic analysis       15         5.3.1       Surface equilibrium       16         5.4       Existing systems       19         5.4.1       Galileo probe       19         6 Radiative systems       23         6.1       General       23         6.2       Radiative materials       23         6.3       Existing systems       24         6.3.1       Space shuttle       24         6.4       Other developments       35         6.4.1       X-38       35         Bibliography         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	5.1	General	14
5.3       Basic analysis       15         5.3.1       Surface equilibrium       16         5.4       Existing systems       19         5.4.1       Galileo probe       19         6 Radiative systems       23         6.1       General       23         6.2       Radiative materials       23         6.3       Existing systems       24         6.3.1       Space shuttle       24         6.4       Other developments       35         6.4.1       X-38       35         Bibliography         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	5.2	Ablative materials	14
5.3.1       Surface equilibrium       16         5.4       Existing systems       19         5.4.1       Galileo probe       19         6 Radiative systems       23         6.1       General       23         6.2       Radiative materials       23         6.3       Existing systems       24         6.3.1       Space shuttle       24         6.4       Other developments       35         6.4.1       X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       .9		Basic analysis	15
5.4.1 Galileo probe       19         6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography       54         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9		5.3.1 Surface equilibrium	16
6 Radiative systems       23         6.1 General       23         6.2 Radiative materials       23         6.3 Existing systems       24         6.3.1 Space shuttle       24         6.4 Other developments       35         6.4.1 X-38       35         Bibliography         Figures         Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit       9	5.4	Existing systems	19
6.1 General			
6.1 General	6 Radi	iative systems	23
6.3 Existing systems		General	23
6.3.1 Space shuttle	6.2	Radiative materials	23
6.3.1 Space shuttle	6.3	Existing systems	24
6.4.1 X-38		6.3.1 Space shuttle	24
Bibliography54  Figures  Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit9	6.4	Other developments	35
Figures Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit9			
Figures Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit9	Biblio	graphy	54
Figure 4-1: Velocity-altitude map for the Space Shuttle. Lifting re-entry from orbit9			10
	•		orbit9

#### CEN/CLC/TR 17603-31-16:2021 (E)

Figure 4-3: Sketch of an ablative thermal protection system	11
Figure 4-4: Sketch of a radiative thermal protection system	11
Figure 4-5: Sketch of a transpiration thermal protection system.	12
Figure 4-6: Typical transpiration cooling system	13
Figure 5-1: Surface energy balance	17
Figure 5-2: Galileo entry probe.	20
Figure 5-3: Physical model and phenomena considered in material response analysis	20
Figure 5-4: Temperature history at interfaces.	22
Figure 5-5: Comparison of mass loss fluxes.	22
Figure 6-1: Worst case peak predicted surface temperatures. [K] for STS-1. From Dotts et al. (1983) [5]	
Figure 6-2: Worst case peak predicted structure temperatures. [K] for STS-1. From Dotts et al. (1983) [5]	25
Figure 6-3: Thermal protection subsystems. From Dotts et al. (1983) [5]	26
Figure 6-4: RCC system components. From Curry et al. (1983) [3].	27
Figure 6-5: Nose cap system components. From Curry et al. (1983) [3]	27
Figure 6-6: Wing leading-edge system components. From Curry et al. (1983) [3]	28
Figure 6-7: Tile attachment and gap filler configuration. From Dotts et al. (1983) [5]	29
Figure 6-8: Nose cap RCC surface comparison between prediction and flight data.  From Curry et al. (1983) [3]	30
Figure 6-9: Nose cap access door tile surface comparison between prediction and flight data. From Curry et al. (1983) [3]	
Figure 6-10: Wing leading-edge panel (stagnation area). Comparison between prediction and flight data. From Curry et al. (1983) [3]	31
Figure 6-11: STS-1 flight data analysis comparison for lower mid-fuselage location.  From Dotts et al. (1983) [3]	31
Figure 6-12: STS-1 flight data analysis comparison for lower wing location. From Dotts et al. (1983) [3]	32
Figure 6-13: STS-1 flight data analysis comparison for lower inboard elevon location. From Dotts et al. (1983) [3]	32
Figure 6-14: STS-1 flight data analysis comparison for lower mid-fuselage side location. From Dotts et al. (1983) [3]	33
Figure 6-15: Comparison of STS-2 data with analytical predictions. From Normal et al. (1983) [11]	33
Figure 6-16: Comparison of STS-2 data with analytical predictions. From Normal et al. (1983) [11]	34
Figure 6-17: Comparison of STS-2 data with analytical predictions. From Normal et al. (1983) [11]	34
Figure 6-18: In-depth comparison of STS-2 data with analytical predictions for maximum temperatures. From Normal et al. (1983) [11]	35
Figure 6-19: X-39 TPS Configuration	36
Figure 6-20: X-38 Reference Heating	36

#### CEN/CLC/TR 17603-31-16:2021 (E)

	37
Figure 6-22: Stand-off Position and Global Design	38
Figure 6-23: Stand-off Positions and Global Design	39
Figure 6-24: Max. Pressure Load	40
Figure 6-25: Max. Thermal Load at Panel Surface	40
Figure 6-26: Nose Skirt Assembly with Insulation Blankets	41
Figure 6-27: Max. and min. Heat flux time lines applied on the NSK	41
Figure 6-28: Simplified description of heat transfer modes within the nose skirt assembly	42
Figure 6-29: Temperature distribution over a NSK side panel at t = 1100s	44
Figure 6-30: Carrier Panel TPS Design	45
Figure 6-31: X-38 Aeroshell Panel and Blanket Distribution	46
Figure 6-32: X-38 Parafoil System	
Figure 6-33: Parafoil Line Routing and Acreage Blankets	46
Figure 6-34: FEI-450 Blanket equipped with Gray FEI-1000High Emittance Coating	47
Figure 6-35: Typical look of FEI-650 and Blanket with Gray High Emittance	47
Figure 6-36: Allocation of Blanket Types to the X-38 Lee-Side Surface	49
Figure 6-37: Qualification Test Sequence for X-38	50
Figure 6-38: Parameters and Results of the Qualification Tests	50
Figure 6-39: Computer controlled sewing of FEI blankets	52
Figure 6-40: FEI-1000 blankets of the Forward Fuselage	52
Figure 6-41: FEI Blankets Integrated on the X-38 V-201	52
rigulo o 11. I El Bialikoto integrated on the X oo V 201	

## **European Foreword**

This document (CEN/CLC/TR 17603-31-16:2021) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

It is highlighted that this technical report does not contain any requirement but only collection of data or descriptions and guidelines about how to organize and perform the work in support of EN 16603-31.

This Technical report (TR 17603-31-16:2021) originates from ECSS-E-HB-31-01 Part 16A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any TR covering the same scope but with a wider domain of applicability (e.g.: aerospace).

# 1 Scope

The thermal protection system (TPS) of a space vehicle ensures the structural integrity of the surface of the craft and maintains the correct internal temperatures (for crew, electronic equipment, etc.) when the vehicle is under the severe thermal loads of re-entry. These loads are characterised by very large heat fluxes over the relatively short period of re-entry.

The design of thermal protection systems for re-entry vehicles is very complex due to the number and complexity of phenomena involved: the flow around the vehicle is hypersonic, tridimensional and reactive, and its interaction with the vehicle's surface may induce chemical reactions which are not fully understood.

Two TPS concepts for re-entry vehicles, ablative and radiative are examined and there is also an anlyisis of existing systems using them.

The Thermal design handbook is published in 16 Parts

TR 17603-31-01	Thermal design handbook – Part 1: View factors
TR 17603-31-02	Thermal design handbook – Part 2: Holes, Grooves and Cavities
TR 17603-31-03	Thermal design handbook - Part 3: Spacecraft Surface Temperature
TR 17603-31-04	Thermal design handbook – Part 4: Conductive Heat Transfer
TR 17603-31-05	Thermal design handbook – Part 5: Structural Materials: Metallic and Composite
TR 17603-31-06	Thermal design handbook – Part 6: Thermal Control Surfaces
TR 17603-31-07	Thermal design handbook – Part 7: Insulations
TR 17603-31-08	Thermal design handbook – Part 8: Heat Pipes
TR 17603-31-09	Thermal design handbook – Part 9: Radiators
TR 17603-31-10	Thermal design handbook – Part 10: Phase – Change Capacitors
TR 17603-31-11	Thermal design handbook – Part 11: Electrical Heating
TR 17603-31-12	Thermal design handbook – Part 12: Louvers
TR 17603-31-13	Thermal design handbook – Part 13: Fluid Loops
TR 17603-31-14	Thermal design handbook – Part 14: Cryogenic Cooling
TR 17603-31-15	Thermal design handbook – Part 15: Existing Satellites
TR 17603-31-16	Thermal design handbook – Part 16: Thermal Protection System

# References

EN Reference	Reference in text	Title
EN 16603-00-01	ECSS-S-ST-00-01	ECSS System - Glossary of terms
All other references	made to publications in th	nis Part are listed, alphabetically, in the <b>Bibliography</b> .
	9,	
	0	
		4
		(O)
		6.