# TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER BERICHT

# CEN/CLC/TR 17603-31-

August 2021

ICS 49.140

#### **English version**

## Space Engineering - Thermal design handbook - Part 9: Radiators

Ingénierie spatiale - Manuel de conception thermique -Partie 9: Radiateurs

Raumfahrttechnik - Handbuch für thermisches Design -Teil 9: Radiatoren

This Technical Report was approved by CEN on 21 June 2021. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





**CEN-CENELEC Management Centre:** Rue de la Science 23, B-1040 Brussels

## **Table of contents**

Europ	ean For	eword	7
1 Sco	pe		8
2 Refe	erences		9
3 Tern	ns, defir	nitions and symbols	10
3.1		and definitions	
3.2	Symbo	ls	10
4 Diffu	use surf	aces	12
4.1	Genera	al	12
4.2	Infinites	simal to finite surfaces	13
	4.2.1	Planar to planar	
	4.2.2	Planar to spherical	
	4.2.3	Cylindrical to spherical	20
	4.2.4	Conical to spherical	21
	4.2.5	Spherical to spherical	23
	4.2.6	Ellipsoidal to spherical	25
	4.2.7	Planar to conical	28
4.3	Finite to	o finite surface	31
	4.3.1	Planar to planar. Two-dimensional configurations	31
	4.3.2	Planar to planar. Three-dimensional configurations	35
	4.3.3	Planar to cylindrical. Two-dimensional configurations	46
	4.3.4	Planar to cylindrical. three-dimensional configurations	48
	4.3.5	Planar to conical	54
	4.3.6	Spherical to planar	
	4.3.7	Cylindrical to cylindrical. two-dimensional configurations	62
	4.3.8	Cylindrical to cylindrical. axisymmetrical configurations	64
	4.3.9	Spherical to cylindrical	69
	4.3.10	Conical to conical	72
	4.3.11	Conical to spherical	72
	4.3.12	Spherical to spherical	77

4.4	Additional sources of data	80
5 Spec	cular surfaces	.103
5.1	General	103
5.2	Two planar specular surfaces	105
	5.2.1 Two-dimensional configurations	105
	5.2.2 Parallel, directly opposed rectangles of same width and length	109
	5.2.3 Rectangles of same width and length with one common edge	115
5.3	Planar specular and planar diffuse surface	118
	5.3.1 Two dimensional cavities. Cylinders of quadrangular cross section	118
5.4	Non-planar specular surfaces	123
	5.4.1 Concentric cylinder or concentric spheres	123
Biblio	graphy	.125
Figure		
Figure 4	4-1: Geometric notation for view factors between diffuse surface	13
•	4-2: Values of $F_{12}$ as a function of x and y. From Hamilton & Morgan (1952) [15]	
Figure 4	4-3: Values of $F_{12}$ as a function of x and y. From Hamilton & Morgan (1952) [15]	17
Figure 4	4-4: F <sub>12</sub> vs. <i>H</i> for different values of dH. Infinitesimal surface to very thin coaxial annulus with finite radius. Calculated by the compiler	18
Figure 4	4-5: Values of $F_{12}$ vs. $\lambda$ for different values of $H$ . The analytical expression (case I) is only valid in the shadowed region. Calculated by the compiler	19
Figure 4	4-6: Values of $F_{12}$ as a function of $H$ and $\lambda$ . Calculated by the compiler	20
Figure 4	4-7: Values of $F_{12}$ as a function of $H$ and $\lambda$ , for $\delta$ = 10°. Calculated by the compiler.	21
Figure 4	4-8: Values of $F_{12}$ as a function of $H$ and $\lambda$ , for $\delta$ = 30°. Calculated by the compiler.	22
Figure 4	4-9: Values of $F_{12}$ as a function of $H$ and $\lambda$ , for $\delta$ = 50°. Calculated by the compiler.	22
Figure 4	4-10: Values of $F_{12}$ as a function of $H$ and $\lambda$ , for $\delta$ = 80°. Calculated by the compiler.	23
Figure 4	4-11: $F_{12}$ as a function of $H$ in the case of an infinitesimal sphere viewing a finite sphere. Calculated by the compiler.	24
Figure 4	4-12: $F_{12}$ as a function of angle $\lambda$ for different values of the dimensionless distance $H$ . Calculated by the compiler.	25
Figure 4	4-13: $F_{12}$ as a function of $\lambda$ and $H$ , for $A$ = 0,5. Calculated by the compiler	26
Figure 4	4-14: $F_{12}$ as a function of $\lambda$ and $H$ , for $A$ = 1,5. Calculated by the compiler	27
Figure 4	4-15: $F_{12}$ as a function of $\lambda$ and $H$ , for $A=2$ . Calculated by the compiler	27
Figure 4	4-16: Values of $F_{12}$ vs. $M$ for different values of $L$ . Configuration 1, $\beta$ = 10°. Calculated by the compiler.	29

### CEN/CLC/TR 17603-31-09:2021 (E)

Figure 4-17: Values of $F_{12}$ vs. $M$ for different values of $L$ . Configuration 1, $\beta$ = 20°. Calculated by the compiler	29
Figure 4-18: Values of $F_{12}$ vs. $M$ for different values of $L$ . Configuration 2, $\beta$ = 10°. Calculated by the compiler.	30
Figure 4-19: Values of $F_{12}$ vs. $M$ for different values of $L$ . Configuration 2, $\beta$ = 20°. Calculated by the compiler.	30
Figure 4-20: Values of $F_{12}$ as a function of $X$ and $Y$ , for $Z = 0$ . Calculated by the compiler.	33
Figure 4-21: Values of $F_{12}$ as a function of $X$ and $Y$ , for $Z$ = 0,5. Calculated by the compiler.	33
Figure 4-22: Values of $F_{12}$ as a function of $X$ and $Y$ , for $Z = 1$ . Calculated by the compiler	34
Figure 4-23: Values of $F_{12}$ as a function of $X$ and $Y$ , for $Z = 2$ . Calculated by the compiler.	34
Figure 4-24: Values of $F_{12}$ as a function of $X$ and $Y$ , for $Z$ = 5. Calculated by the compiler.	35
Figure 4-25: Values of $F_{12}$ as a function of $X$ and $Y$ . Calculated by the compiler	36
Figure 4-26: $F_{12}$ as a function of $L$ and $N$ for $\Phi$ = 30°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	39
Figure 4-27: $F_{12}$ as a function of $L$ and $N$ for $\Phi$ = 60°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	39
Figure 4-28: $F_{12}$ as a function of $L$ and $N$ for $\Phi$ = 90°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	40
Figure 4-29: $F_{12}$ as a function of $L$ and $N$ for $\Phi$ = 120°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	40
Figure 4-30: $F_{12}$ as a function of $L$ and $N$ for $\Phi$ = 150°. Table from Feingold (1966) [11], figure from Hamilton & Morgan (1952) [15]	41
Figure 4-31: Values of $F_{12}$ as a function of $L$ for different regular polygons. $n$ is the number of sides of the polygon. From Feingold (1966) [11]	43
Figure 4-32: View factors between different faces of a honeycomb cell as a function of the cell length, <i>L</i> . From Feingold (1966) [11]	44
Figure 4-33: Values of $F_{12}$ as a function of $R_1$ and $R_2$ in the case of two parallel coaxial discs. Calculated by the compiler.	46
Figure 4-34: Values of $F_{12}$ and $F_{13}$ as a function of the parameter $K$ . From Jakob (1957) [19]	
Figure 4-35: $F_{12}$ as a function of $T$ and $R$ . Calculated by the compiler.	49
Figure 4-36: $F_{12}$ as a function of $T$ and $R$ . Calculated by the compiler.	
Figure 4-37: $F_{12}$ as a function of $T$ and $R$ . Calculated by the compiler.	50
Figure 4-38: $F_{12}$ as a function of $Z$ , for different values of the dimensionless radius $R$ .  Calculated by the compiler.	
Figure 4-39: $F_{12}$ as a function of $R_2$ for different values of the sector central angel $\alpha$ .  Calculated by the compiler.	57
Figure 4-40: $F_{12}$ as a function of Z for different values of $R_2$ . Calculated by the compiler	58

Figure 4-41: $F_{12}$ from a sphere to both sides of a coaxial intersecting disc, vs. $H$ , for different values of $R$ . Calculated by the compiler	59
Figure 4-42: F12 from a sphere to the upper side of a coaxial intersecting disc, vs. $H$ (- $1 \le H \le 1$ ), for different values of $R$ . Calculated by the compiler	59
Figure 4-43: Values of $F_{12}$ as a function of $Z$ and $R$ . Calculated by the compiler	60
Figure 4-44: F12 as a function of <i>x</i> in the case of two infinitely long parallel cylinders of the same diameter. Calculated by the compiler	64
Figure 4-45: Plot of $F_{12}$ vs. L for different values of $R$ . From Hamilton & Morgan (1952)	66
Figure 4-46: Plot of $F_{22}$ , vs. $R$ for different values of $L$ . From Hamilton & Morgan (1952) [15]	67
Figure 4-47: $F_{12}$ as a function of $R$ for different values of $Z$ . Calculated by the compiler.	70
Figure 4-48: Values of $F_{12}$ as a function of $H$ and $L_2$ for $L_1$ = 1. Calculated by the compiler.	71
Figure 4-49: Values of $F_{12}$ as a function of S and D, for $\delta$ = 15°. From Campbell & McConnell (1968) [4]	73
Figure 4-50: Values of $F_{12}$ as a function of $S$ and $D$ , for $\delta$ = 30°. From Campbell & McConnell (1968) [4]	74
Figure 4-51: Values of $F_{12}$ as a function of S and D, for $\delta$ = 45°. From Campbell & McConnell (1968) [4]	75
Figure 4-52: Values of $F_{12}$ as a function of $S$ and $D$ , for $\delta$ = 60°. From Campbell & McConnell (1968) [4]	76
Figure 4-53: Values of $F_{12}$ as a function of $S$ and $R$ . From Jones (1965) [21]	79
Figure 4-54: Values of $F_{12}$ as a function of $S$ and $\theta$ . From Campbell & McConnell (1968) [4]	80
Figure 5-1: Values of $F_{12}$ as a function of $R$ and $H$ . Calculated by the compiler	
Figure 5-2: Values of $F_{11}^s/\rho_2^s$ as a function of $R$ and $H$ . Calculated by the compiler	106
Figure 5-3: Values of $F^s_{12}$ as a function of $R$ for different values of $\phi$ . Calculated by the compiler.	108
Figure 5-4: Values of $F_{11}^s/\rho_2^s$ as a function of $R$ for different values of $\phi$ . Calculated by the compiler.	109
Figure 5-5: Values of $F_{12}^s$ as a function of $R$ and $X$ for $Z = 1$ . Calculated by the compiler.	110
Figure 5-6: Values of $F_{11}^s/\rho_2^s$ as a function of $R$ and $X$ for $Z$ = 1. Calculated by the compiler.	111
Figure 5-7: Values of $F_{12}$ as a function of $R$ and $X$ for $Z$ = 5. Calculated by the compiler.	111
Figure 5-8: Values of $F_{11}^{s}/\rho_{2}^{s}$ as a function of $R$ and $X$ for $Z$ = 5. Calculated by the compiler.	112
Figure 5-9: Values of $F_{12}$ as a function of $R$ and $X$ for $Z$ = 10. Calculated by the compiler.	112
Figure 5-10: Values of $F_{11}^{s}/\rho_{2}^{s}$ as a function of $R$ and $X$ for $Z$ = 10. Calculated by the compiler.	

#### CEN/CLC/TR 17603-31-09:2021 (E)

Figure 5-11: Values of $F_{12}$ as a function of $R$ and $X$ for $Z = 15$ . Calculated by the compiler.	113
Figure 5-12: Values of $F^s_{11}/\rho_2^s$ as a function of $R$ and $X$ for $Z$ = 15. Calculated by the compiler.	114
Figure 5-13: Values of $F^{s}_{12}$ as a function of $R$ and $X$ for $Z$ = 20. Calculated by the compiler.	114
Figure 5-14: Values of $F_{11}/\rho_2^s$ as a function of $R$ and $X$ for $Z$ = 20. Calculated by the compiler.	115
Figure 5-15: Values of $F^{s}_{12}$ vs. aspect ratio, $L$ , for different values of $R$ . $\phi$ = 30°. Calculated by the compiler.	116
Figure 5-16: Values of $F^s_{11}/\rho_2^s$ vs. aspect ratio, $L$ , for different values of $R$ . $\phi$ = 30°. Calculated by the compiler.	117
Figure 5-17: Values of $F^{s}_{12}$ vs. aspect ratio, $L$ , for different values of $R$ . $\phi$ = 45°. Calculated by the compiler.	117
Figure 5-18: Values of $F^s_{12}$ and $F^s_{11}/\rho_2^s$ vs. aspect ratio, $L$ , for the limiting values of $\phi$ .  Calculated by the compiler.	118
Figure 5-19: Values of $F^s_{11}$ vs. $\phi$ for different values of the specular reflectance, $\rho^s$ .  Calculated by the compiler.	120
Figure 5-20: Values of $F^s_{12}$ vs. $\phi$ for different values of the specular reflectance, $\rho^s$ .  Calculated by the compiler	121
Figure 5-21: Values of $F^s_{31}$ vs. $\phi$ for different values of the specular reflectance, $\rho^s$ .  Calculated by the compiler	121
Figure 5-22: Values of $F_{32}$ s vs. $\phi$ for different values of the specular reflectance, $\rho$ s. Calculated by the compiler	122
Figure 5-23: Values of $F^s_{33}$ vs. $\phi$ for different values of the specular reflectance, $\rho^s$ .  Calculated by the compiler.	122
Figure 5-24: Values of $F^s_{34}$ vs. $\phi$ for different values of the specular reflectance, $\rho^s$ .  Calculated by the compiler	123
Calculated by the compiler.	S. S

## **European Foreword**

This document (CEN/CLC/TR 17603-31-09:2021) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

It is highlighted that this technical report does not contain any requirement but only collection of data or descriptions and guidelines about how to organize and perform the work in support of EN 16603-31.

This Technical report (TR 17603-31-09:2021) originates from ECSS-E-HB-31-01 Part 1A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any TR covering the same scope but with a wider domain of applicability (e.g.: aerospace).

## 1 Scope

In this Part 9 of the spacecraft thermal control and design data handbooks, view factors of diffuse and specular thermal surfaces are discussed.

For diffuse surfaces, calculations are given for radiation emission and absorption between different configurations of planar, cylindrical, conical, spherical and ellipsoidal surfaces for finite and infinite surfaces.

For specular surfaces the affect of reflectance on calculations for view factors is included in the calculations. View factors for specular and diffuse surfaces are also included.

The Thermal design handbook is published in 16 Parts

TR 17603-31-01	Thermal design handbook – Part 1: View factors
TR 17603-31-02	Thermal design handbook – Part 2: Holes, Grooves and Cavities
TR 17603-31-03	Thermal design handbook – Part 3: Spacecraft Surface Temperature
TR 17603-31-04	Thermal design handbook – Part 4: Conductive Heat Transfer
TR 17603-31-05	Thermal design handbook – Part 5: Structural Materials: Metallic and Composite
TR 17603-31-06	Thermal design handbook – Part 6: Thermal Control Surfaces
TR 17603-31-07	Thermal design handbook – Part 7: Insulations
TR 17603-31-08	Thermal design handbook – Part 8: Heat Pipes
TR 17603-31-09	Thermal design handbook – Part 9: Radiators
TR 17603-31-10	Thermal design handbook – Part 10: Phase – Change Capacitors
TR 17603-31-11	Thermal design handbook – Part 11: Electrical Heating
TR 17603-31-12	Thermal design handbook – Part 12: Louvers
TR 17603-31-13	Thermal design handbook – Part 13: Fluid Loops
TR 17603-31-14	Thermal design handbook – Part 14: Cryogenic Cooling
TR 17603-31-15	Thermal design handbook – Part 15: Existing Satellites
TR 17603-31-16	Thermal design handbook – Part 16: Thermal Protection System

## 2 References

EN Reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS System - Glossary of terms
TR 17603-31-03	ECSS-E-HB-31-01 Part 3	Thermal design handbook – Part 3: Spacecraft
		Surface Temperature

All other references made to publications in this Part are listed, alphabetically, in the Bibliography.