



Edition 1.0 2021-08

TECHNICAL SPECIFICATION



Electrostatics -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC TS 61340-5-4

Edition 1.0 2021-08

TECHNICAL SPECIFICATION



Electrostatics -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.020 ISBN 978-2-8322-1017-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

г	JREWO	KU	• • • • • • • • • • • • • • • • • • • •	9
IN	ITRODU	ICTION		11
1	Scop	e		12
2	Norn	native references		12
3	Term	s and definitions		12
4		onnel safety		
5		methods and test frequency		
		equipment		
6				
	6.1	Selection of test equipment		
	6.2	AC outlet analyzer (or mains socket tester)		
	6.3	AC circuit tester (impedance meter)		
	6.4	Charged plate monitor (CPM)		
	6.4.1			
	6.4.2			
	6.5	Concentric ring electrode assembly		
	6.6	Resistance measuring apparatus (ohmmeter)		
	6.7	Low resistance meter		
	6.8	Electrostatic field meter		
	6.9	Electrostatic voltmeter		
	6.10	Footwear electrode		
	6.11	Hand-held electrode		
	6.12	Resistance measurement electrode(s)		
	6.13	Insulative support surface		16
	6.14	Integrated measurement instrument for wrist strap sysfootwear systems	······································	
	6.15	Two-point probe		16
	6.16	User specified electrodes		16
7	Grou	nding/bonding		17
	7.1	Equipment ground and responsibility for checking syst	ems	17
	7.2	Objective		17
	7.3	Test equipment		
	7.4	Test procedure for wrist strap bonding points		18
	7.5	Troubleshooting wrist strap bonding point failures		
8	Work	surfaces		19
	8.1	Basis of test procedure		
	8.2	Objective		
	8.3	Test equipment		19
	8.4	Test procedure		
	8.5	Troubleshooting		
	8.5.1	Visual and mechanical check		
	8.5.2			
9		strap system		
-	9.1	Basis of test procedure		
	9.2	Objective		
	9.3	Test equipment		
	9.4	Test procedure		
	J. T	rost procedure		

9.4.1	Testing with integrated measurement instrument	22
9.4.2	? Testing with resistance measuring apparatus	23
9.5	Troubleshooting	25
10 Pers	on-footwear system	25
10.1	Basis of test procedure	25
10.2	Objective	26
10.3	Test equipment	26
10.4	Test procedure	26
10.4.	.1 Testing with integrated measurement instrument	26
10.4.	.2 Testing with resistance measuring apparatus	26
10.5	Troubleshooting	27
11 Floor	ring	28
11.1	Basis of test procedure	28
11.2	Objective	
11.3	Test equipment	28
11.4	Test procedure	
11.5	Troubleshooting	
12 Pers	on-footwear-flooring system measurement of resistance to ground	
12.1	Basis of test procedure	29
12.2	Objective	
12.3	Test equipment	
12.4	Test procedure	
12.5	Troubleshooting	31
13 Seat	ing	31
13.1	Basis of test procedure	
13.2	Objective	
13.3	Test equipment	
13.4	Test procedure	
13.5	Troubleshooting	
	onizers	
14.1	Basis of test procedure	
14.2	Objective	
14.3	Test equipment	
14.4	Test procedure	
14.4.		34
14.4.		34
14.4.	5 ()	34
14.5	Troubleshootingle equipment	
15.1	Basis of test procedure	
15.2	Objective	
15.3	Test prepadure	
15.4 15.5	Test procedure	
15.5	Troubleshooting	
	Indable static control garment system	
16.1	Basis of test procedure	
16.2	Objective	31

16.4 Test procedure	38
16.4.1 Testing with integrated measurement instrument	38
16.4.2 Testing with resistance measuring apparatus	38
16.5 Troubleshooting	39
17 Static control garments and groundable static control garments	40
17.1 Point-to-point test method	40
17.1.1 Basis of test procedure	40
17.1.2 Objective	40
17.1.3 Test equipment	40
17.1.4 Test procedure	40
17.1.5 Troubleshooting	41
17.2 Hanging clamp method	42
17.2.1 Basis of test procedure	42
17.2.2 Objective	42
17.2.3 Test equipment	42
17.2.4 Test procedure	
17.2.5 Troubleshooting	43
18 Packaging	44
18.1 Basis of test procedure	44
18.2 Objective	44
18.3 Test equipment	
18.4 Test procedure	45
18.4.1 Surface resistance using an integrated resistance measuring instrument	45
18.4.2 Surface resistance using a concentric ring electrode assembly or two SRBs	45
18.4.3 Surface resistance using a resistance measuring apparatus and two-point probe	
18.4.4 Point-to-point resistance using a resistance measuring apparatus and resistance measurement electrodes	
18.4.5 Volume resistance using resistance measuring apparatus or integrated resistance measuring instrument	48
18.5 Troubleshooting (surface, point-to-point and volume resistance)	49
19 Process essential insulators	
19.1 Basis of test procedure	50
19.2 Objective	50
19.3 Test equipment	50
19.4 Test procedure	50
19.4.1 Measuring electrostatic field strength at the site of the ESD sensitive device (ESDS) from electrostatic field source	50
19.4.2 Measurement of surface voltage of a process essential insulator	50
19.5 Troubleshooting	51
20 Process essential isolated conductors	51
20.1 Basis of test procedure	51
20.2 Objective	51
20.3 Test equipment	51
20.4 Test procedures	52
20.5 Troubleshooting	
Annex A (informative) Test frequency	53
Annex B (informative) Verification of compliance verification test equipment	54

B.1	General	54
B.2	Charged plate monitor	54
B.2.1	Common problems	54
B.2.2	Basic charged plate monitor checks	54
B.2.3	Visual checks in the position of measurement	54
B.3	Electrodes	
B.3.1	Common problems	55
B.3.2	Visual checks	55
B.3.3	B Electrode resistance test	55
B.3.4	Electrode leakage test	55
B.3.5		
B.4	Resistance measuring apparatus	
B.4.1		
B.4.2		
B.5	Insulative support surface	
B.5.1		
B.5.2		
B.6	Electrostatic field meter	
B.6.1		
B.6.2		
B.6.3		
B.6.4		
B.7	Electrostatic voltmeter	
B.7.1		
B.7.2		
B.7.3		
B.7.4		
	(informative) Other test methods for static control garments	
C.1	General considerations for other test methods	
C.1		
_	Precautions to be observed when conducting tests Tribocharging tests for garments	
C.3		
C.3.1		
C.3.2	1 1 3 3	
C.3.3	, , ,	
C.3.4		
C.3.5	,	65
C.3.6	Test equipment for measuring electrostatic field or surface voltage on garments	65
C.3.7	_	
0.0.7	garments	66
C.3.8		
C.4	Charge decay time tests for garments	A
C.4.1		
C.4.2	-	
C.4.3		
C.4.4		
C.4.5		
C.4.6		
	DC high-voltage supply	69

C.4.7	7 Test procedure for measuring charge decay time after connection to a DC high-voltage supply	69
C.5	Field suppression tests for garments	
C.6	Capacitance loading tests for garments	
	(informative) Person-footwear-flooring system measurement of body voltage	
D.1	Basis of test procedure	
D.2	Objective	
D.3	Test equipment	
D.4	Test procedure	
D.5	Troubleshooting	
	(informative) Electrical soldering/desoldering hand tools	
E.1	Basis of test procedure	
E.2	Objective	
E.3	Test equipment	
E.4	Test procedure	74
E.4.1	Soldering/desoldering hand tool tip voltage test procedure (hot iron) using integrated tester or AC millivoltmeter	74
E.4.2	Soldering/desoldering hand tool resistance to ground (hot iron)	74
E.4.3	5 7	74
E.4.4	Soldering/desoldering hand tool resistance to ground (hot iron) using low resistance meter	75
E.5	Troubleshooting	
Annex F	(informative) Hand tools	
F.1	Basis of test procedure	
F.2	Objective	76
F.3	Test equipment	76
F.3.1	Resistance measurements	76
F.3.2	Charge decay time measurements	76
F.4	Test procedure for hand tool resistance measurements	76
F.5	Test procedure for hand tool resistance to ground measurements	77
F.6	Test procedure for charge decay time measurements	78
F.7	Troubleshooting	79
Annex G	(informative) Constant (continuous) monitors	
G.1	Basis of test procedure	80
G.2	Objective	
G.3	Test equipment	80
G.4	Test procedure	80
G.5	Troubleshooting	80
Annex H	(informative) Gloves and finger cots – In use resistance	81
H.1	Basis of test procedure	81
H.2	Objective	81
H.3	Test equipment	81
H.4	Test procedure	81
H.4.	Integrated measuring instrument for wrist strap systems with a touch plate and wrist strap	81
H.4.2	Hand-held electrode and resistance measuring apparatus via wrist strap.	82
H.4.3		
H.4.4	Constant area and force electrode (CAFE) with resistance measuring apparatus and wrist strap	83
	· · ·	

H.4.5 Troubleshooting	84
Annex I (informative) Grounding/bonding systems	85
I.1 Objective	85
1.2 Test equipment	85
I.3 Test procedure	
I.4 Troubleshooting	
Bibliography	86
Figure 1 – ESD control workstation	
Figure 2 – ESD control work surface test	20
Figure 3 – Point-to-point resistance measurement set-up	22
Figure 4 – Wrist strap test using integrated measurement instrument	23
Figure 5 – Wrist strap test using resistance measurement apparatus	24
Figure 6 – Wrist strap fabric test using resistance measuring apparatus	24
Figure 7 – Pinched wrist strap fabric test using resistance measuring apparatus	25
Figure 8 – ESD control footwear test	27
Figure 9 – ESD control flooring test	28
Figure 10 – Person-footwear-flooring system test	30
Figure 11 – ESD control chair test	32
Figure 12 – ESD control mobile equipment test	36
Figure 13 – Testing groundable static control garment system in combination with a person using an integrated measurement instrument	38
Figure 14 – Test set-up – Groundable garment in combination with a person, hand-held probe and resistance measurement apparatus	39
Figure 15 – Garment (point-to-point) test	41
Figure 16 – Electrodes for hanging garment test	
Figure 17 – Hanging clamp resistance measurement	43
Figure 18 – Set-up for test method using concentric ring electrode assembly and surface resistance bar electrodes	46
Figure 19 – Set-up for test method using a resistance measuring apparatus and two-point probe	47
Figure 20 – Set-up for test method using two resistance measurement electrodes	48
Figure 21 – Set-up for test method using resistance measurement electrode or concentric ring electrode assembly and integrated resistance measuring instrument	49
Figure C.1 – Example of a test set-up for measuring body voltage whilst removing a garment	62
Figure C.2 – Example of a test set-up for measuring body voltage whilst rubbing the garment under test	63
Figure C.3 – Example of a test set-up for measuring body voltage on a person rising from a seat	64
Figure C.4 – Example of a test set-up for measuring charge on garments	65
Figure C.5 – Examples of test set-ups for measuring charge decay time on garments as worn and on a bench-top after tribocharging	68
Figure C.6 – Example of test set-up for measuring charge decay time after connecting a garment to a DC high-voltage supply	70
Figure E.1 – Soldering iron resistance and tip voltage measurements	74
Figure F 1 – Hand tool resistance measurement	77

gure H.1 – Wrist strap test wearing a glove using integrated measurement strument	-	Hand tool resistance to ground measurement Hand tool charge decay time measurement	
strument	_		,
gure H.3 – Test wearing a glove using constant area and force electrode84	nstrument. Figure H.2	Glove test with hand-held electrode and resistance measuring apparatus	
	igure H.3	- Test wearing a glove using constant area and force electrode	
October Service Servic			
STICK ORDER OF THE STATE OF THE			
		4	
			Q.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61340-5-4 has been prepared by IEC technical committee 101: Electrostatics. It is a Technical Specification.

This first edition cancels and replaces IEC TR 61340-5-4 published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC TR 61340-5-4:

- a) test methods in the main body of the document have been made normative, and consequently normative references have been added;
- b) the term "ESD ground" has been added and defined;
- c) description of equipment for measuring low resistance has been added;
- d) user specified electrodes, including surface resistance bar electrodes, are permitted to be used for resistance measurements;

- e) an informative annex on verification of compliance verification test equipment has been added:
- f) compliance verification of person-footwear-flooring systems by measuring body voltage has been moved to an informative annex.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
101/615/DTS	101/627A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Compliance verification is the process of monitoring and measuring all elements of an ESD control program. Regular compliance verification checks and tests are an essential part of this process, ensure that area precautions and equipment remain effective, and that an ESD control program is correctly implemented in compliance with an ESD control program plan.

Qualification testing is typically carried out under controlled conditions, often in a laboratory environment, and using industry recognized standards. Compliance verification testing is carried out under operational conditions using test methods that are appropriate to a user's requirements. Although qualification test methods can be used, compliance verification testing often uses simple equipment and procedures. Accuracy is still important, but of equal importance is the ability to carry out non-destructive testing without interrupting the normal business of the organization.

This document describes equipment and test methods that can be used for compliance verification testing of ESD control items and systems, and provides users with some guidance SO DECLEM SORRED DE LES on how to carry out the tests and take appropriate action to ensure continuous compliance.

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

1 Scope

This part of IEC 61340 describes compliance verification testing for technical items that are included in ESD control programs, such as those specified in IEC 61340-5-1.

Test methods are based on those specified in IEC 61340-5-1 and other parts of the IEC 61340 series, and are simplified where necessary for the purposes of compliance verification, to be performed by competent personnel.

Users can, by reference to this document in their compliance verification plan, adopt the necessary test methods described herein without change or addition. Alternatively, test methods described in this document can be adapted to match the requirements of their own ESD control program, provided deviations in equipment or procedure are documented in their compliance verification plan.

Compliance verification test frequency is not specified in this document. Guidance on how users can consider compliance verification test frequency is given in informative Annex A.

Product qualification is excluded from the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61340-2-3, Electrostatics – Part 2-3: Methods of test for determining the resistance and resistivity of solid materials used to avoid electrostatic charge accumulation

IEC 61340-4-7, Electrostatics – Part 4-7: Standard test methods for specific applications – Ionization

IEC 61340-5-1, Electrostatics – Part 5-1: Protection of electronic devices from electrostatic phenomena – General requirements

IEC 62631-3-2, Dielectric and resistive properties of solid insulating materials – Part 3-2: Determination of resistive properties (DC methods) – Surface resistance and surface resistivity

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the documents listed in Clause 2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: