



Edition 3.0 2021-08

INTERNATIONAL STANDARD

Multimedia systems and equipment – Multimedia e-publishing and e-books – Interchange format for e-dictionaries





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 3.0 2021-08

INTERNATIONAL STANDARD

Multimedia systems and equipment – Multimedia e-publishing and e-books – Interchange format for e-dictionaries

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.60; 35.240.20; 35.240.30

ISBN 978-2-8322-9917-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWORD		8
IN	TRODUCTION	ON	10
1	Scope		11
2	Normative	e references	11
3	Terms an	d definitions	11
4		and requirements for interchange format for e-dictionaries	
_		rchange format for e-dictionaries in contents creation/distribution model	
		puirements for interchange format for e-dictionaries	
5		ats	
6		S	
Αſ	-	native) XMDF-LeXML format	
		neral	
		erview of the format's structure ments and attributes	
		General	
	A.3.1 A.3.2	Page ID	
	A.3.2 A.3.3	Object ID	15 15
	A.3.3 A.3.4	Char_ID	
	A.3.4 A.3.5	Reading	
	A.3.6	Filename	
	A.3.7	Standard character	
	A.3.8	Standard character string	
	A.3.9	Extended character	
	A.3.10	Extended character string	
	A.3.11	External character	
	A.3.12	External character string	19
	A.3.13	External extended character string	19
	A.3.14	Coordinates	
	A.3.15	Polygonal_region	
	A.3.16	Colour	
	A.3.17	Date	21
	A.3.18	Time	
	A.3.19	Country	
	A.3.20	Personal_name	
	A.3.21	Organization_name	
	A.3.22	Address	
	A.3.23	Permission	
	A.3.24	Keyword	
	A.3.25	Telephone_number	
	A.3.26	Mail_address	
		cription format details	
	A.4.1	General Book information modules <bvf></bvf>	
	A.4.2 A.4.3	Content management module <body_module></body_module>	
	A.4.3 A.4.4	Event info module <event_info></event_info>	
	A.4.4 A.4.5	Parts data module <parts_module></parts_module>	
	,	Tarte acta modulo "parto_modulo"	

A.4.6	Object instances	74
A.5	Available colour names	122
A.6	Localization	123
A.6.1	Possible additions	123
A.6.2	Standard characters	123
A.6.3	Characters usable for reading	124
A.6.4	Line breaking methods	124
A.6.5	Sorting rules for <search_table_def></search_table_def>	
A.6.6	Additional attributes for <enable_key_type></enable_key_type>	
A.6.7	Normalization methods for <key_normalization></key_normalization>	127
A.6.8	Character encoding conversions	
	Adaptation	
	Specification of the XMDF-LeXML format in the RELAX NG syntax	
•	normative) LeXML format	
B.1	General	151
B.2	Elements for content structure	151
B.2.1	Parameter entity definition	151
B.2.2	Root elements	152
B.2.3	headword-related elements	155
B.2.4	Main-text related elements	161
B.2.5	Subheadword related elements	
B.2.6	Other block elements	
B.2.7	Media related elements	
B.2.8	Other structural elements	
B.3	Inline elements	
B.3.1	Labels	
B.3.2	pronunciation/accent related elements	187
B.3.3	Part-of-speech related and other elements	
B.3.4	Example-related elements	
B.3.5	Other dictionary-specific elements	193
B.3.6	Text-decoration related elements	
B.3.7	Typesetting-related elements	
B.3.8	Other elements	
B.3.9	Kanbun-related elements	
B.3.10		
	Specification of the LeXML format in the DTD syntax	
Bibliograpl	hy	240
),
Figure 1 –	Contents creation/distribution model	11
Figure 2 –	Contents creation/distribution model (modified)	12
	Relationship between concepts	
	- XML tree structure	
	- Example of Page_ID	
•	- Example of Object ID	
	- Examples of Char_ID	
Figure A.5	- Example of reading	16
Figure A 6	- Example of filename	16

Figure A.7 – Examples of the external_char element	19
Figure A.8 – Examples of external character string	19
Figure A.9 – Examples of coordinates	20
Figure A.10 – Examples of the vertex element	20
Figure A.11 – Examples of colour	21
Figure A.12 – Example of date	21
Figure A.13 – Example of time	21
Figure A.14 – Example of Country	21
Figure A.15 – Example of the personal_name element with its descendants	23
Figure A.16 – Example of the organization_name element	23
Figure A.17 – Example of the address_info element with its descendants	25
Figure A.18 – Example of the permission info element with its descendant	26
Figure A.19 – Examples of the keyword_list element with its descendants	27
Figure A.20 – A book XML document	29
Figure A.21 – Example of the bvf element with its descendants	30
Figure A.22 – Examples of the book_info element with its descendants	43
Figure A.23 – Example of the body_module element with its descendants	44
Figure A.24 – Example of the flow_default_attribute element	47
Figure A.25 – Example of the flow_default_delimiter element with its descendants	54
Figure A.26 – Example of the special_page element	
Figure A.27 – Example of the special_page element	56
Figure A.28 – Example of the special_page_link element with its descendants	57
Figure A.29 – Example of the search_table element with its descendants	61
Figure A.30 – Example of event_info element with its descendants	62
Figure A.31 – Example of the event element with its descendants	63
Figure A.32 – Example of the id attribute	64
Figure A.33 – Example of the event_info element with its descendants	65
Figure A.34 – The object_id attribute	
Figure A.35 – The object_id attribute	
Figure A.36 – Examples of the action_play element	
Figure A.37 – Examples of the action_page_jump element	68
Figure A.38 – Example of the parts_module element with its descendants	
Figure A.39 – Examples of the dynamic_text_object_entry element with its descendants	70
Figure A.40 – Example of the sound_object_entry element with its descendant	71
Figure A.41 – Examples of the search_page_object_entry element with its descendants	72
Figure A.42 – Example of the movie_object_entry element	73
Figure A.43 – Example of the parts_module element with its descendants	74
Figure A.44 – Examples of the text_data element with its descendants	
Figure A.45 – The valign attribute set to "middle"	
Figure A.46 – Example of the text_default_attribute element with its descendants	79
Figure A.47 – Example of dropped capital	81
Figure A.48 – Left and right margin of a paragraph	81

Figure A.49 – Examples of the p element	82
Figure A.50 – Example of the scrolling_text element	83
Figure A.51 – Examples of the br element	83
Figure A.52 – Examples of the hr element	84
Figure A.53 – Examples of the font element	87
Figure A.54 – Example of the mlg element and examples of how it is rendered	89
Figure A.55 – Examples of horizontal writing in vertical text	89
Figure A.56 – Example of the ruby element with descendants and how they are to be typically rendered	90
Figure A.57 – Example of the external_char_element	91
Figure A.58 – Examples of Char_ID	
Figure A.59 – Examples of the mask element	92
Figure A.60 – Example of the head element with its descendants and the meaning element	94
Figure A.61 – Examples of the example element with its descendants	95
Figure A.62 – Examples of the split elements	97
Figure A.63 – Examples of the page_break element	98
Figure A.64 – The align attribute set to "top"	99
Figure A.65 – The align attribute set to "middle"	100
Figure A.66 – The align attribute set to "bottom"	100
Figure A.67 – The align attribute set to "left"	
Figure A.68 – The align attribute set to "right"	
Figure A.69 – Examples of the object element	102
Figure A.70 – Example of the example element with its descendant	113
Figure A.71 – Example of the dict_data element with its descendants	114
Figure A.72 – Example of the flip_animation element with its descendants	116
Figure A.73 – Example of the search_page element with its descendants	117
Figure A.74 – Example of search page object instance rendering	117
Figure A.75 – Example of the search_page element	118
Figure A.76 – Example of search result with search_type set to "matches_only"	119
Figure A.77 – Example of search result with search_type set to "matches_first"	
Figure A.78 – Examples of the key_input_region element	121
Figure A.79 – Examples of the search_link_item and search link_title elements	
Figure A.80 – Example of the top_prohibit_char element	125
Figure A.81 – Example of the end_prohibit_char element	125
Figure A.82 – Example of the hanging_char element	
Figure B.1 – Examples of the split element	153
Figure B.2 – Example of the dic-item element with its descendants	154
Figure B.3 – Example of the dic-item element with its descendants	
Figure B.4 – Example of the head element	
Figure B.5 – Example of the head element	156
Figure B.6 – Examples of the key element	158
Figure B.7 – Example of the snippet element	159
Figure B.8 – Regular reading view	160

Figure B.9 – Snippet view	160
Figure B.10 – Examples of the meaning element	162
Figure B.11 – Examples of the meaning-group element	163
Figure B.12 – Examples of the example element	164
Figure B.13 – Examples of the meaning element	165
Figure B.14 – Examples of the meaning element	165
Figure B.15 – Examples of the example-group element	166
Figure B.16 – Examples of the subheadword element	169
Figure B.17 – Examples of the subheadword elements	.171
Figure B.18 – Examples of the subheadword element	172
Figure B.19 – Examples of the indexlist element	174
Figure B.20 – Example of the replace element	183
Figure B.21 – Example of the alabel element	185
Figure B.22 – Examples of the alabel element	185
Figure B.23 – Example of the glabel element	185
Figure B.24 – Examples of the glabel element	186
Figure B.25 – Example of the slabel element	186
Figure B.26 – Examples of the slabel element	187
Figure B.27 – Example of the accent element	187
Figure B.28 – Examples of the ipa element	188
Figure B.29 – Examples of the ex- elements	193
Figure B.30 – Examples of the abbr element	193
Figure B.31 – Examples of the article element	
Figure B.32 – Examples of the fullform element	195
Figure B.33 – Examples of the primary element	
Figure B.34 – Example of the pro-n element	197
Figure B.35 – Example of the pro-n element	
Figure B.36 – Example of the pro-n element	
Figure B.37 – Example of the pro-v element	
Figure B.38 – Example of the pro-v element	198
Figure B.39 – Examples of the ymd element	200
Figure B.40 – Examples of the ggk element	202
Figure B.41 – Example of the kigo element	203
Figure B.42 – Example of the b element	204
Figure B.43 – Examples of the sub and sup elements	206
Figure B.44 – Example of the ud element	209
Figure B.45 – Examples of the nobr element	210
Figure B.46 – Examples of the ruby, rb and rt elements	211
Figure B.47 – Examples of the gix element	214
Figure B.48 – Examples of the ph attribute	216
Figure B.49 – Example of the spellout element	217
Figure B.50 – Example of the spellout element	218
Figure B.51 – Example of kanbun by the Ed.2 specifications	220

Table A.2 – Standard character set	22122316162828
Figure B.55 – Example of MathJax representation Fable A.1 – Base characters for reading Fable A.2 – Standard character set Fable A.3 – Usable characters for a telephone number Fable A.4 – Characters usable for email addresses Fable A.5 – Characters usable for the lookup key Fable A.6 – Color names Fable A.7 – Examples of additional standard character sets	223 16 16 28
Table A.1 – Base characters for reading Table A.2 – Standard character set Table A.3 – Usable characters for a telephone number Table A.4 – Characters usable for email addresses Table A.5 – Characters usable for the lookup key Table A.6 – Color names Table A.7 – Examples of additional standard character sets	16 16 28
Table A.1 – Base characters for reading Table A.2 – Standard character set Table A.3 – Usable characters for a telephone number Table A.4 – Characters usable for email addresses Table A.5 – Characters usable for the lookup key Table A.6 – Color names Table A.7 – Examples of additional standard character sets	16 28 28
Table A.2 – Standard character set	16 28 28
Table A.3 – Usable characters for a telephone number Table A.4 – Characters usable for email addresses Table A.5 – Characters usable for the lookup key Table A.6 – Color names Table A.7 – Examples of additional standard character sets	28 28
Γable A.4 – Characters usable for email addresses Γable A.5 – Characters usable for the lookup key Γable A.6 – Color names Γable A.7 – Examples of additional standard character sets	28
Гable A.5 – Characters usable for the lookup key Гable A.6 – Color names Гable A.7 – Examples of additional standard character sets	
Гable A.6 – Color names Гable A.7 – Examples of additional standard character sets	60
Table A.7 – Examples of additional standard character sets	
Table A.8 – Example of additional characters usable for readings	
Table A.9 – Example of additional sorting rules	126
Table A.10 – Example of additional language specific attributes for <enable_key_type></enable_key_type>	127
	5
	5
	5
	5

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOKS – INTERCHANGE FORMAT FOR E-DICTIONARIES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62605 has been prepared by technical area 10: Multimedia e-publishing and e-book technologies, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

The format described in Annex B was significantly enhanced in the following ways:

- a) elements to enhance uses of data (e.g. web-related usage);
- b) attribute for accessibility-related functions;
- c) attributes for more detailed markup for data reusability.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
100/3589/FDIS	100/3602/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Markets for multimedia e-books and e-publishing require standardization of formats for e-book data interchange among associated people, authors, data preparers, publishers and readers. The formats are classified into submission format, interchange format and reader's format. The submission format supports an interaction between authors and data preparers. The reader's format depends on e-publishing equipment. The interchange format provides an interchange format for data preparers and publishers and, therefore, should be e-publishing equipment independent.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent. IEC takes no position concerning the evidence, validity, and scope of this patent right.

The holder of this patent right has assured IEC that s/he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from the patent database available at http://patents.iec.ch.

Attention is drawn to the possibility that some of the elements of this document may be the ose ah pat. subject of patent rights other than those in the patent database. IEC shall not be held responsible for identifying any or all such patent rights.

MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOKS – INTERCHANGE FORMAT FOR E-DICTIONARIES

1 Scope

This document specifies the interchange format for e-dictionaries among publishers, content creators and manufacturers.

This document does not address the following aspects:

- data formats for reading devices;
- · elements necessary for final print reproduction only;
- rendering issues related to physical devices;
- · security issues such as DRM for documents.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62229, Multimedia systems and equipment – Multimedia e-publishing and e-book – Conceptual model for multimedia e-publishing

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

manufacturer

organization or person that manufactures hardware and/or software of the e-book

4 Position and requirements for interchange format for e-dictionaries

4.1 Interchange format for e-dictionaries in contents creation/distribution model

The conceptual model for multimedia e-publishing (IEC TS 62229) defines a contents creation/distribution model shown in Figure 1.

Author
$$\leftarrow$$
 1)--> Data preparer \leftarrow 2)--> Publisher \leftarrow 3)--> Reader

IFC

Key

- (1) content data in submission format
- (2) content data in interchange format
- (3) content data in reader's format

Figure 1 - Contents creation/distribution model