Measurement of quartz crystal unit parameters - Part 6: Measurement of drive level dependence (DLD)



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60444-6:2021 sisaldab Euroopa standardi EN IEC 60444-6:2021 ingliskeelset teksti.

This Estonian standard EVS-EN IEC 60444-6:2021 consists of the English text of the European standard EN IEC 60444-6:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.10.2021.

Date of Availability of the European standard is 08.10.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 31.140

#### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

#### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## **EN IEC 60444-6**

October 2021

ICS 31.140

Supersedes EN 60444-6:2013 and all of its amendments and corrigenda (if any)

#### **English Version**

## Measurement of quartz crystal unit parameters - Part 6: Measurement of drive level dependence (DLD) (IEC 60444-6:2021)

Mesure des paramètres des résonateurs à quartz - Partie 6: Mesure de la dépendance du niveau d'excitation (DNE) (IEC 60444-6:2021) Messung von Schwingquarz-Parametern - Teil 6: Messung der Belastungsabhängigkeit (DLD) (IEC 60444-6:2021)

This European Standard was approved by CENELEC on 2021-10-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### **European foreword**

The text of document 49/1374/FDIS, future edition 3 of IEC 60444-6, prepared by IEC/TC 49 "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60444-6:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2022-07-06 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-10-06 document have to be withdrawn

This document supersedes EN 60444-6:2013 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

#### **Endorsement notice**

The text of the International Standard IEC 60444-6:2021 was approved by CENELEC as a European Standard without any modification.

s to In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60444-1 NOTE Harmonized as EN 60444-1

## Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60444-5	-		or the ectrical etwork	-
IEC 60444-8	-	Measurement of quartz crystal parameters - Part 8: Test fixture for s mounted quartz crystal units		-
			0	
			0	
			6,	
			7	
				75



Edition 3.0 2021-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Measurement of quartz crystal unit parameters – Part 6: Measurement of drive level dependence (DLD)

Mesure des paramètres des résonateurs à quartz – Partie 6: Mesure de la dépendance du niveau d'excitation (DNE)





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

Tel.: +41 22 919 02 11

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

## Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les proiets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

#### IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 3.0 2021-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Measurement of quartz crystal unit parameters – Part 6: Measurement of drive level dependence (DLD)

Mesure des paramètres des résonateurs à quartz – Partie 6: Mesure de la dépendance du niveau d'excitation (DNE)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ISBN 978-2-8322-1014-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

## CONTENTS

FC	DREWORD	3			
IN.	TRODUCTION	5			
1	Scope	6			
2	Normative references	6			
3	3 Terms and definitions				
4	DLD effects	6			
	4.1 Reversible changes in frequency and resistance	6			
	4.2 Irreversible changes in frequency and resistance	7			
	4.3 Causes of DLD effects				
5	Drive levels for DLD measurement				
6	Test methods	8			
	6.1 Method A (fast standard measurement method)				
	6.1.1 Testing at two drive levels				
	6.1.2 Testing according to specification				
	6.2 Method B (Multi-level reference measurement method)	10			
	nex A (normative) Relationship between electrical drive level and mechanical splacement of quartz crystal units	12			
	nex B (normative) Method C: DLD measurement with oscillation circuit				
Bik	oliography	20			
<b>—</b> :					
	gure 1 – Maximum tolerable resistance ratio $\gamma$ for the drive level dependence as a				
	gure 1 – Maximum tolerable resistance ratio $\gamma$ for the drive level dependence as a notion of the resistances $\it R_{12}$ or $\it R_{13}$	9			
fur					
fur Fig	nction of the resistances $R_{12}$ or $R_{13}$	15			
fur Fig Fig	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17			
fur Fig Fig Fig	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17			
fur Fig Fig Fig	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17			
fur Fig Fig Fig Fig	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17			
fur Fig Fig Fig Fig Fig	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			
fur Fig Fig Fig Fig tes	nction of the resistances $R_{12}$ or $R_{13}$	15 16 17 17 18			

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### MEASUREMENT OF QUARTZ CRYSTAL UNIT PARAMETERS -

#### Part 6: Measurement of drive level dependence (DLD)

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60444-6 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection. It is an International Standard.

This third edition cancels and replaces the second edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) some equations have been removed and corrected;
- b) it has been specified in the note of the Scope that the measurement methods specified in this document are not only applicable to AT-cut but also to other crystal cuts and vibration modes.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
49/1374/FDIS	49/1377/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60444 series, published under the general title *Measurement of quartz crystal unit parameters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

#### INTRODUCTION

The drive level (expressed as power/voltage across or current through the crystal unit) forces the resonator to produce mechanical oscillations by way of piezoelectric effect. In this process, the acceleration work is converted to kinetic and elastic energy and the power loss to heat. The latter conversion is due to the inner and outer friction of the quartz resonator.

The frictional losses depend on the velocity of the vibrating masses and increase when the oscillation is no longer linear or when critical velocities, elongations or strains, excursions or accelerations are attained in the quartz resonator or at its surfaces and mounting points (see Annex A). This causes changes in resistance and frequency, as well as further changes due to the temperature dependence of these parameters.

At "high" drive levels (e.g. above 1 mW or 1 mA for AT-cut crystal units) changes are observed by all crystal units and these also can result in irreversible amplitude and frequency changes. Any further increase of the drive level may could destroy the resonator.

Apart from this effect, changes in frequency and resistance are observed at "low" drive levels in some crystal units (e.g. below 1  $\mu$ W or 50  $\mu$ A for AT-cut crystal units). In this case, if the loop gain is not sufficient, the start-up of the oscillation is difficult. In crystal filters, the transducer attenuation and ripple will change.

Furthermore, the coupling between a specified mode of vibration and other modes (e.g. of the resonator itself, the mounting and the back-fill gas) also depends on the level of drive.

Due to the differing temperature response of these modes, these couplings give rise to changes of frequency and resistance of the specified mode within narrow temperature ranges. These changes increase with increasing drive level. However, this effect will not be considered further in this part of IEC 60444.

In this new edition, the concept of DLD in IEC 60444-6:2013 is maintained. However, the more suitable contents for the user's severe requirements have been introduced.