

---

---

**Road vehicles — Sled test method to  
enable the evaluation of side impact  
protection of child restraint systems  
— Essential parameters**

*Véhicules routiers — Méthode d'essai sur chariot pour permettre  
l'évaluation de la protection en choc latéral des dispositifs de retenue  
pour enfants — Paramètres essentiels*



This document is a preview generated by EKO



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Accident statistics review</b>	<b>1</b>
<b>5 Input parameters for side impact test procedure</b>	<b>10</b>
5.1 General	10
5.2 Body regions to be protected	10
5.3 Occupant kinematics	10
5.4 Test characteristics	11
5.4.1 General	11
5.4.2 Intrusion velocity	11
5.4.3 Intrusion depth	17
5.4.4 Struck car acceleration range and struck car delta-v	18
5.4.5 Geometry requirements	21
5.4.6 Intrusion surface properties	21
5.5 Anchorages	21
5.6 Validation	22
5.7 Field of application	22
<b>6 Summary</b>	<b>22</b>
<b>Bibliography</b>	<b>24</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 22 *Road vehicles*, Subcommittee SC 36, *Safety and impact testing*.

This document cancels and replaces ISO/PAS 13396:2009, which has been technically revised.

The main changes compared to ISO/PAS 13396 are as follows:

- accident statistics data have been further reviewed;
- input parameter data related to intrusion have been reviewed and supplemented with new data;
- based on the new and supplementary data presented, a judgement is made whether the ISO/PAS 13396 parameter recommendations are still valid.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

In 2008, the United Nations (UN) GRSP Informal Working Group on Child Restraint Systems (CRS) sent a request to ISO asking ISO's CRS working group to support their work on defining a side impact test procedure for CRS type approval based on state-of-the-art research and experience. It was specifically requested to define the **essential parameters** of a simplified test method, to ensure that a CRS has a sufficient capacity to contain the child and to absorb energy in the case of side impact exposure.

In response, a Publicly Available Specification was developed, published as ISO/PAS 13396:2009<sup>1)</sup>. This comprised a series of essential parameters that a side impact test procedure should seek to replicate. Much of the technical content was derived from a previous Technical Report, ISO/TR 14646:2007, with updated information where available.

In conjunction with a systematic review of ISO/PAS 13396:2009, it was decided to verify its applicability in relation to more recent accident data and the vehicle technology development.

This document reflects the review of ISO/PAS 13396:2009 considering the relevant accident data updates available and the in-depth vehicle data.

Since this document is a check of the applicability of the ISO/PAS 13396 data (on which the CRS side impact method in UN Regulation No. 129 is based), the ISO/PAS 13396 parameter recommendations are included together with the supplementary information, to judge whether an update of the parameter recommendations should be made.

---

1) Cancelled and replaced by this document (ISO/TS 13396:2021).



# Road vehicles — Sled test method to enable the evaluation of side impact protection of child restraint systems — Essential parameters

## 1 Scope

This document comprises a set of essential input parameters that can be used to develop or evaluate side impact test procedures for child restraint systems.

Although children are undoubtedly involved in side impact collisions of differing configurations and severities, these input parameters are, in general, associated with the impact test scenario in UN Regulation No. 95 (lateral collision protection of vehicles). This vehicle type-approval regulation comprises a full-scale crash test in which the stationary test vehicle is struck at right angles by a mobile deformable barrier travelling at 50 km/h. This test scenario is the basis for most of ISO's previous work on side impact testing for child restraint systems.

**NOTE** Countries and regions that do not recognise UN regulations can evaluate vehicles under different conditions and can apply input parameters that reflect the vehicle crash tests in their own regulatory jurisdictions.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

## 4 Accident statistics review

ISO has been studying injuries to children in side impact collisions since the mid 1990's. Early in that period, the risk of serious injury in a side impact was greater compared with other impact directions<sup>[3]</sup>. Furthermore, the risk was greater on the struck side of the car<sup>[4]</sup>. The European Enhanced Vehicle safety Committee (EEVC) recommended that increasing protection of the head should be the priority, following a wide-ranging review of European collision databases (EEVC, 2006). EEVC also reported that intrusion was an important parameter and influence on the injury severity level. These findings, along with other studies from the time, informed ISO's work on a side impact test procedure for child restraints.

Since that time, the vehicle fleet has undergone significant changes, primarily in response to new regulatory and consumer test procedures. The side stiffness of cars has increased and although they are now also being struck by cars with increased frontal stiffness, it is possible that the boundary conditions for child restraint systems and injury outcomes for children in side impact collisions have changed.

Unfortunately, the literature on child restraint system performance in side impact is sparse and is limited to countries with on-going, in-depth collision studies. In the United Kingdom, data from the