

INTERNATIONAL STANDARD



**Rotating electrical machines –
Part 9: Noise limits**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 60034-9

Edition 5.0 2021-10
COMMENTED VERSION

INTERNATIONAL STANDARD



**Rotating electrical machines –
Part 9: Noise limits**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.160.01

ISBN 978-2-8322-1039-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	2
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Methods of measurement	8
5 Test conditions	8
5.1 Machine mounting.....	8
5.1.1 Precautions	8
5.1.2 Resilient mounting	9
5.1.3 Rigid mounting	9
5.2 Test operating conditions	9
6 Sound power level limits	9
7 Determination of noise increments caused by converter supply	9
7 Determination of sound pressure level.....	10
8 Declaration and verification of sound power values.....	12
Annex A (informative) Typical values for measurement surface index	18
Annex B (informative) Information on typical noise increments caused by converter supply ..	19
Bibliography.....	22
List of comments.....	23
 Figure B.1 – Frequency spectrum of the currents at the output terminals of a 6-pulse block-type current-source converter $f_1 = 50$ Hz	 19
Figure B.2 – Frequency spectrum of the voltages at the terminals of a type A voltage-source converter (characterized by pronounced spikes close to the switching frequency and its multiples) $f_1 = 50$ Hz, $f_s = 3$ kHz	 19
Figure B.3 – Frequency spectrum of the voltages of a type B voltage-source converter (characterized by a broad voltage spectrum without pronounced spikes) $f_1 = 50$ Hz, f_s average = 4,5 kHz.....	 20
 Table 1 – Maximum A-weighted sound power level, L_{WA} in dB, at no-load (excluding motors according to Table 2 and Table 3) (Method of cooling, IC code, see IEC 60034- 6, Method of protection, IP code, see IEC 60034-5)	 14
Table 2 – Maximum A-weighted sound power level, LWA in dB, at no-load, 50 Hz, sinusoidal supply (for single speed three-phase cage induction motors IC411, IC511, IC611)	 15
Table 3 – Maximum A-weighted sound power level, L_{WA} in dB, at no-load, 60 Hz, sinusoidal supply (for single speed three-phase cage induction motors).....	16
Table 4 – Maximum Expected increase, over no-load condition, in A-weighted sound power levels, ΔL_{WA} in dB, for rated load condition (for motors according to Table 2 and Table 3) ...	17
Table A.1 – Typical values for measurement surface index for the conversion from sound power level to sound pressure level based on using parallelepiped measurement surface according to ISO 3744	18
Table B.1 – Resonance frequencies of vibration mode r.....	20
Table B.2 – Increments of A-weighted noise values	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ROTATING ELECTRICAL MACHINES –

Part 9: Noise limits

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 60034-9:2021 edition 5.0 allows the user to identify the changes made to the previous IEC 60034-9:2003 +AMD1:2007 CSV edition 4.1. Furthermore, comments from IEC TC 2 experts are provided to explain the reasons of the most relevant changes.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 60034-9 has been prepared by IEC technical committee 2: Rotating machinery. It is an International Standard.

This fifth edition cancels and replaces the fourth edition, published in 2003 and its amendment 1, published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) In Table 2 and Table 3 cooling methods IC01, IC11, IC21 and IC31, IC71, IC81 are now covered.
- b) This edition adds Table 3 for 60 Hz machines, whereas Table 2, which covers only 50 Hz machines, has no change in levels.
- c) In Table 3, grade A is added to harmonize the highest levels seen in IEC and NEMA, whereas grade B was added to harmonize the lowest, more restrictive levels seen in IEC and NEMA.
- d) The clause “Determination of noise increments caused by converter supply” has been shifted to Annex B and renamed “Information on typical noise increments caused by converter supply”

The text of this International Standard is based on the following documents:

FDIS	Report on voting
2/2064/FDIS	2/2069/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Acoustic quantities can be expressed in sound pressure terms or sound power terms. The use of a sound power level, which can be specified independently of the measurement surface and environmental conditions, avoids the complications associated with sound pressure levels, which require additional data to be specified. Sound power levels provide a measure of radiated energy and have advantages in acoustic analysis and design.

ROTATING ELECTRICAL MACHINES –

Part 9: Noise limits

1 Scope

This part of IEC 60034:

- specifies test methods for the determination of sound power level of rotating electrical machines;
- specifies maximum A-weighted sound power levels for factory acceptance testing of network-supplied, rotating electrical machines in accordance with IEC 60034-1, having methods of cooling according to IEC 60034-6 and degrees of protection according to IEC 60034-5, and having the following characteristics:
 - standard design, either AC or DC, without additional special electrical, mechanical, or acoustical modifications intended to reduce the sound power level
 - rated output from 1 kW (or kVA) up to and including 5 500 kW (or kVA)
 - rated speed not greater than 3 750 min⁻¹

~~— provides guidance for the determination of noise levels for a.c. cage induction motors supplied by converters.~~

Excluded are noise limits for AC motors supplied by converters. For these conditions see ~~IEC 60034-17~~ Annex B for guidance.

The object of this document is to determine maximum A-weighted sound power levels, L_{WA} in decibels, dB, for airborne noise emitted by rotating electrical machines of standard design, as a function of power, speed and load, and to specify the method of measurement and the test conditions appropriate for the determination of the sound power level of the machines to provide a standardized evaluation of machine noise up to the maximum specified sound power levels. This document does not provide correction for the existence of tonal characteristics.

Sound pressure levels at a distance from the machine may be required in some applications, such as hearing protection programs. Information is provided on such a procedure in Clause 7 based on a standardized test environment.

NOTE 1 This document recognizes the economic reason for the availability of standard noise-level machines for use in non-critical areas or for use with supplementary means of noise attenuation.

NOTE 2 Where sound power levels lower than those specified in Table 1, Table 2 or Table 3 are required, these ~~should be~~ are agreed between the manufacturer and the purchaser, as special electrical, mechanical, or acoustical design may involve additional measures.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification*

IEC 60034-6, *Rotating electrical machines – Part 6: Methods of cooling (IC Code)*

~~IEC 60034-17, Rotating electrical machines – Part 17: Cage induction motors when fed from converters – Application guide~~

ISO 3741, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Precision methods for reverberation test rooms*

ISO 3743-1, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for small, movable sources in reverberant fields – Part 1: Comparison method for a hard-walled test room*

ISO 3743-2, *Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering methods for small, movable sources in reverberant fields – Part 2: Methods for special reverberation test rooms*

ISO 3744, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane*

ISO 3745, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Precision methods for anechoic rooms and semi hemi-anechoic rooms*

ISO 3746, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Survey method using an enveloping measurement surface over a reflecting plane*

ISO 3747, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Comparison method in situ Engineering/survey methods for use in situ in a reverberant environment*

ISO 4871, *Acoustics – Declaration and verification of noise emission values of machinery and equipment*

ISO 9614-1, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 1: Measurement at discrete points*

ISO 9614-2, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 2: Measurement by scanning*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

sound power level

L_W

ten times the logarithm to the base 10 of the ratio of the sound power radiated by the source under test to the reference sound power [$W_0 = 1 \text{ pW}$ (10^{-12} W)] expressed in decibels