
**Information technology — Open
Connectivity Foundation (OCF)
Specification —**

**Part 4:
Resource type specification**

*Technologies de l'information — Specification de la Fondation pour la
connectivité ouverte (Fondation OCF) —*

Partie 4: Spécification des types de ressources

This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	xxix
Introduction.....	xxx
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms.....	1
3.1 Terms and definitions	2
3.2 Symbols and abbreviated terms.....	2
4 Document conventions and organization.....	2
4.1 Conventions	2
4.2 Notation.....	2
5 Baseline model constructs.....	3
5.1 URI.....	3
5.2 OCF Interfaces	3
5.2.1 Introduction	3
5.2.2 Restricting OCF Interface functionality	4
5.3 OpenAPI specification 2.0 definition.....	4
5.4 Property definition	5
5.4.1 Common Properties.....	5
5.4.2 Resource Properties.....	5
5.4.3 Basic Resource Schema.....	7
5.4.4 CRUDN operation response codes	7
5.5 Example Resource definitions.....	7
5.6 Observable Resource Types.....	7
5.6.1 Introduction	7
5.6.2 Conditional Notification	8
5.7 Composite Resource Types.....	10
5.8 Document version.....	11
5.9 Data types	11
6 Resource Type definitions	12
6.1 Introduction.....	12
6.2 Air Flow	16
6.2.1 Introduction	16
6.2.2 Example URI.....	16
6.2.3 Resource type.....	16
6.2.4 OpenAPI 2.0 definition.....	17
6.2.5 Property definition.....	19
6.2.6 CRUDN behaviour	20
6.3 Air Flow Control.....	20
6.3.1 Introduction	20
6.3.2 Example URI.....	20
6.3.3 Resource type.....	20
6.3.4 OpenAPI 2.0 definition.....	20
6.3.5 Property definition.....	25
6.3.6 CRUDN behaviour	26

6.4	Battery	26
6.4.1	Introduction	26
6.4.2	Example URI	26
6.4.3	Resource type	26
6.4.4	OpenAPI 2.0 definition	27
6.4.5	Property definition	29
6.4.6	CRUDN behaviour	30
6.5	Binary Switch	30
6.5.1	Introduction	30
6.5.2	Example URI	30
6.5.3	Resource type	30
6.5.4	OpenAPI 2.0 definition	30
6.5.5	Property definition	32
6.5.6	CRUDN behaviour	32
6.6	Brightness	33
6.6.1	Introduction	33
6.6.2	Example URI	33
6.6.3	Resource type	33
6.6.4	OpenAPI 2.0 definition	33
6.6.5	Property definition	35
6.6.6	CRUDN behaviour	35
6.7	Colour Chroma	35
6.7.1	Introduction	35
6.7.2	Example URI	36
6.7.3	Resource type	36
6.7.4	OpenAPI 2.0 definition	36
6.7.5	Property definition	38
6.7.6	CRUDN behaviour	39
6.8	Colour RGB	39
6.8.1	Introduction	39
6.8.2	Example URI	39
6.8.3	Resource type	39
6.8.4	OpenAPI 2.0 definition	39
6.8.5	Property definition	41
6.8.6	CRUDN behaviour	42
6.9	Dimming	42
6.9.1	Introduction	42
6.9.2	Example URI	42
6.9.3	Resource type	42
6.9.4	OpenAPI 2.0 definition	42
6.9.5	Property definition	44
6.9.6	CRUDN behaviour	45
6.10	Door	45
6.10.1	Introduction	45
6.10.2	Example URI	45
6.10.3	Resource type	45
6.10.4	OpenAPI 2.0 definition	45
6.10.5	Property definition	47

6.10.6	CRUDN behaviour	48
6.11	Energy Consumption	48
6.11.1	Introduction	48
6.11.2	Example URI.....	48
6.11.3	Resource type.....	48
6.11.4	OpenAPI 2.0 definition.....	48
6.11.5	Property definition.....	50
6.11.6	CRUDN behaviour	50
6.12	Energy Usage	51
6.12.1	Introduction	51
6.12.2	Example URI.....	51
6.12.3	Resource type.....	51
6.12.4	OpenAPI 2.0 definition.....	51
6.12.5	Property definition.....	56
6.12.6	CRUDN behaviour	57
6.13	Humidity	57
6.13.1	Introduction	57
6.13.2	Example URI.....	57
6.13.3	Resource type.....	57
6.13.4	OpenAPI 2.0 definition.....	57
6.13.5	Property definition.....	59
6.13.6	CRUDN behaviour	60
6.14	Ice Maker	60
6.14.1	Introduction	60
6.14.2	Example URI.....	60
6.14.3	Resource type.....	60
6.14.4	OpenAPI 2.0 definition.....	60
6.14.5	Property definition.....	62
6.14.6	CRUDN behaviour	63
6.15	Lock.....	63
6.15.1	Introduction	63
6.15.2	Example URI.....	63
6.15.3	Resource type.....	63
6.15.4	OpenAPI 2.0 definition.....	63
6.15.5	Property definition.....	65
6.15.6	CRUDN behaviour	66
6.16	Lock Code	66
6.16.1	Introduction	66
6.16.2	Example URI.....	66
6.16.3	Resource type.....	66
6.16.4	OpenAPI 2.0 definition.....	66
6.16.5	Property definition.....	68
6.16.6	CRUDN behaviour	68
6.17	Mode.....	68
6.17.1	Introduction	68
6.17.2	Example URI.....	68
6.17.3	Resource type.....	69
6.17.4	OpenAPI 2.0 definition.....	69

6.17.5	Property definition.....	71
6.17.6	CRUDN behaviour.....	71
6.18	Open Level	71
6.18.1	Introduction	71
6.18.2	Example URI.....	72
6.18.3	Resource type.....	72
6.18.4	OpenAPI 2.0 definition.....	72
6.18.5	Property definition.....	74
6.18.6	CRUDN behaviour.....	74
6.19	Operational State	75
6.19.1	Introduction	75
6.19.2	Example URI.....	75
6.19.3	Resource type.....	75
6.19.4	OpenAPI 2.0 definition.....	75
6.19.5	Property definition.....	78
6.19.6	CRUDN behaviour.....	78
6.20	Ramp Time	79
6.20.1	Introduction	79
6.20.2	Example URI.....	79
6.20.3	Resource type.....	79
6.20.4	OpenAPI 2.0 definition.....	79
6.20.5	Property definition.....	81
6.20.6	CRUDN behaviour.....	81
6.21	Refrigeration	82
6.21.1	Introduction	82
6.21.2	Example URI.....	82
6.21.3	Resource type.....	82
6.21.4	OpenAPI 2.0 definition.....	82
6.21.5	Property definition.....	85
6.21.6	CRUDN behaviour.....	85
6.22	Temperature	85
6.22.1	Introduction	85
6.22.2	Example URI.....	86
6.22.3	Resource type.....	86
6.22.4	OpenAPI 2.0 definition.....	86
6.22.5	Property definition.....	88
6.22.6	CRUDN behaviour.....	89
6.23	Time Period	89
6.23.1	Introduction	89
6.23.2	Example URI.....	90
6.23.3	Resource type.....	90
6.23.4	OpenAPI 2.0 definition.....	90
6.23.5	Property definition.....	92
6.23.6	CRUDN behaviour.....	93
6.24	Activity Count	93
6.24.1	Introduction	93
6.24.2	Example URI.....	94
6.24.3	Resource type.....	94

6.24.4	OpenAPI 2.0 definition.....	94
6.24.5	Property definition.....	96
6.24.6	CRUDN behaviour.....	96
6.25	Atmospheric Pressure Sensor	96
6.25.1	Introduction	96
6.25.2	Example URI.....	96
6.25.3	Resource type.....	96
6.25.4	OpenAPI 2.0 definition.....	97
6.25.5	Property definition.....	98
6.25.6	CRUDN behaviour.....	99
6.26	Audio Controls	99
6.26.1	Introduction	99
6.26.2	Example URI.....	99
6.26.3	Resource type.....	99
6.26.4	OpenAPI 2.0 definition.....	99
6.26.5	Property definition.....	101
6.26.6	CRUDN behaviour.....	102
6.27	Auto Focus	102
6.27.1	Introduction	102
6.27.2	Example URI.....	102
6.27.3	Resource type.....	102
6.27.4	OpenAPI 2.0 definition.....	102
6.27.5	Property definition.....	104
6.27.6	CRUDN behaviour.....	104
6.28	Automatic Document Feeder	105
6.28.1	Introduction	105
6.28.2	Example URI.....	105
6.28.3	Resource type.....	105
6.28.4	OpenAPI 2.0 definition.....	105
6.28.5	Property definition.....	107
6.28.6	CRUDN behaviour.....	107
6.29	Button Switch.....	107
6.29.1	Introduction	107
6.29.2	Example URI.....	107
6.29.3	Resource type.....	107
6.29.4	OpenAPI 2.0 definition.....	107
6.29.5	Property definition.....	109
6.29.6	CRUDN behaviour.....	109
6.30	Carbon Dioxide Sensor.....	109
6.30.1	Introduction	109
6.30.2	Example URI.....	110
6.30.3	Resource type.....	110
6.30.4	OpenAPI 2.0 definition.....	110
6.30.5	Property definition.....	111
6.30.6	CRUDN behaviour.....	112
6.31	Carbon Monoxide Sensor	112
6.31.1	Introduction	112
6.31.2	Example URI.....	112

6.31.3	Resource type.....	112
6.31.4	OpenAPI 2.0 definition.....	113
6.31.5	Property definition.....	114
6.31.6	CRUDN behaviour.....	115
6.32	Auto White Balance	115
6.32.1	Introduction	115
6.32.2	Example URI.....	115
6.32.3	Resource type.....	115
6.32.4	OpenAPI 2.0 definition.....	115
6.32.5	Property definition.....	117
6.32.6	CRUDN behaviour.....	117
6.33	Colour Saturation.....	118
6.33.1	Introduction	118
6.33.2	Example URI.....	118
6.33.3	Resource type.....	118
6.33.4	OpenAPI 2.0 definition.....	118
6.33.5	Property definition.....	120
6.33.6	CRUDN behaviour.....	120
6.34	Contact Sensor	120
6.34.1	Introduction	120
6.34.2	Example URI.....	120
6.34.3	Resource type.....	120
6.34.4	OpenAPI 2.0 definition.....	121
6.34.5	Property definition.....	122
6.34.6	CRUDN behaviour.....	122
6.35	Demand Response Load Control (DRLC).....	123
6.35.1	Introduction	123
6.35.2	Example URI.....	123
6.35.3	Resource type.....	123
6.35.4	OpenAPI 2.0 definition.....	123
6.35.5	Property definition.....	125
6.35.6	CRUDN behaviour.....	126
6.36	Energy Overload/Circuit Breaker	126
6.36.1	Introduction	126
6.36.2	Example URI.....	126
6.36.3	Resource type.....	126
6.36.4	OpenAPI 2.0 definition.....	126
6.36.5	Property definition.....	128
6.36.6	CRUDN behaviour.....	128
6.37	Generic Sensor	128
6.37.1	Introduction	128
6.37.2	Example URI.....	128
6.37.3	Resource type.....	129
6.37.4	OpenAPI 2.0 definition.....	129
6.37.5	Property definition.....	130
6.37.6	CRUDN behaviour.....	131
6.38	Glass Break Sensor	131
6.38.1	Introduction	131

6.38.2	Example URI.....	131
6.38.3	Resource type.....	131
6.38.4	OpenAPI 2.0 definition.....	131
6.38.5	Property definition.....	133
6.38.6	CRUDN behaviour.....	133
6.39	Heart Rate Zone	133
6.39.1	Introduction	133
6.39.2	Example URI.....	133
6.39.3	Resource type.....	133
6.39.4	OpenAPI 2.0 definition.....	134
6.39.5	Property definition.....	135
6.39.6	CRUDN behaviour.....	135
6.40	Illuminance Sensor	136
6.40.1	Introduction	136
6.40.2	Example URI.....	136
6.40.3	Resource type.....	136
6.40.4	OpenAPI 2.0 definition.....	136
6.40.5	Property definition.....	137
6.40.6	CRUDN behaviour.....	138
6.41	Magnetic Field Direction Sensor	138
6.41.1	Introduction	138
6.41.2	Example URI.....	138
6.41.3	Resource type.....	138
6.41.4	OpenAPI 2.0 definition.....	138
6.41.5	Property definition.....	140
6.41.6	CRUDN behaviour.....	140
6.42	Media	140
6.42.1	Introduction	140
6.42.2	Example URI.....	140
6.42.3	Resource type.....	141
6.42.4	OpenAPI 2.0 definition.....	141
6.42.5	Property definition.....	143
6.42.6	CRUDN behaviour.....	143
6.43	Media Source	144
6.43.1	Introduction	144
6.43.2	Example URI.....	144
6.43.3	Resource type.....	144
6.43.4	OpenAPI 2.0 definition.....	144
6.43.5	Property definition.....	146
6.43.6	CRUDN behaviour.....	147
6.44	Media Source List	147
6.44.1	Introduction	147
6.44.2	Example URI.....	147
6.44.3	Resource type.....	147
6.44.4	OpenAPI 2.0 definition.....	147
6.44.5	Property definition.....	150
6.44.6	CRUDN behaviour.....	150

6.45	Media Source Input	150
6.45.1	Introduction	150
6.45.2	Example URI.....	150
6.45.3	Resource type.....	150
6.45.4	OpenAPI 2.0 definition.....	151
6.45.5	Property definition.....	153
6.45.6	CRUDN behaviour.....	153
6.46	Media Source Output	154
6.46.1	Introduction	154
6.46.2	Example URI.....	154
6.46.3	Resource type.....	154
6.46.4	OpenAPI 2.0 definition.....	154
6.46.5	Property definition.....	156
6.46.6	CRUDN behaviour.....	157
6.47	Motion Sensor	157
6.47.1	Introduction	157
6.47.2	Example URI.....	157
6.47.3	Resource type.....	157
6.47.4	OpenAPI 2.0 definition.....	157
6.47.5	Property definition.....	159
6.47.6	CRUDN behaviour.....	159
6.48	Night Mode	159
6.48.1	Introduction	159
6.48.2	Example URI.....	159
6.48.3	Resource type.....	159
6.48.4	OpenAPI 2.0 definition.....	160
6.48.5	Property definition.....	161
6.48.6	CRUDN behaviourc.....	162
6.49	Presence Sensor	162
6.49.1	Introduction	162
6.49.2	Example URI.....	162
6.49.3	Resource type.....	162
6.49.4	OpenAPI 2.0 definition.....	162
6.49.5	Property definition.....	163
6.49.6	CRUDN behaviour.....	164
6.50	Pan Tilt Zoom Movement	164
6.50.1	Introduction	164
6.50.2	Example URI.....	164
6.50.3	Resource type.....	165
6.50.4	OpenAPI 2.0 definition.....	165
6.50.5	Property definition.....	167
6.50.6	CRUDN behaviour.....	168
6.51	Signal Strength	168
6.51.1	Introduction	168
6.51.2	Example URI.....	168
6.51.3	Resource type.....	168
6.51.4	OpenAPI 2.0 definition.....	168
6.51.5	Property definition.....	170

6.51.6	CRUDN behaviour	170
6.52	Speech Synthesis-TTS	170
6.52.1	Introduction	170
6.52.2	Example URI.....	171
6.52.3	Resource type.....	171
6.52.4	OpenAPI 2.0 definition.....	171
6.52.5	Property definition.....	173
6.52.6	CRUDN behaviour	174
6.53	Touch Sensor	174
6.53.1	Introduction	174
6.53.2	Example URI.....	174
6.53.3	Resource type.....	174
6.53.4	OpenAPI 2.0 definition.....	174
6.53.5	Property definition.....	176
6.53.6	CRUDN behaviour	176
6.54	UV Radiation	176
6.54.1	Introduction	176
6.54.2	Example URI.....	176
6.54.3	Resource type.....	176
6.54.4	OpenAPI 2.0 definition.....	176
6.54.5	Property definition.....	178
6.54.6	CRUDN behaviour	178
6.55	Water Sensor.....	178
6.55.1	Introduction	178
6.55.2	Example URI.....	178
6.55.3	Resource type.....	179
6.55.4	OpenAPI 2.0 definition.....	179
6.55.5	Property definition.....	180
6.55.6	CRUDN behaviour	181
6.56	Acceleration Sensor	181
6.56.1	Introduction	181
6.56.2	Example URI.....	181
6.56.3	Resource type.....	181
6.56.4	OpenAPI 2.0 definition.....	181
6.56.5	Property definition.....	183
6.56.6	CRUDN behaviour	183
6.57	Movement	184
6.57.1	Introduction	184
6.57.2	Example URI.....	184
6.57.3	Resource type.....	184
6.57.4	OpenAPI 2.0 definition.....	184
6.57.5	Property definition.....	186
6.57.6	CRUDN behaviour	186
6.58	Sleep Sensor	187
6.58.1	Introduction	187
6.58.2	Example URI.....	187
6.58.3	Resource type.....	187
6.58.4	OpenAPI 2.0 definition.....	187

6.58.5	Property definition.....	188
6.58.6	CRUDN behaviour.....	189
6.59	Smoke Sensor.....	189
6.59.1	Introduction.....	189
6.59.2	Example URI.....	189
6.59.3	Resource type.....	189
6.59.4	OpenAPI 2.0 definition.....	189
6.59.5	Property definition.....	191
6.59.6	CRUDN behaviour.....	191
6.60	Three Axis Sensor.....	191
6.60.1	Introduction.....	191
6.60.2	Example URI.....	192
6.60.3	Resource type.....	192
6.60.4	OpenAPI 2.0 definition.....	192
6.60.5	Property definition.....	193
6.60.6	CRUDN behaviour.....	193
6.61	Altimeter.....	194
6.61.1	Introduction.....	194
6.61.2	Example URI.....	194
6.61.3	Resource type.....	194
6.61.4	OpenAPI 2.0 definition.....	194
6.61.5	Property definition.....	196
6.61.6	CRUDN behaviour.....	196
6.62	Clock.....	196
6.62.1	Introduction.....	196
6.62.2	Example URI.....	196
6.62.3	Resource type.....	196
6.62.4	OpenAPI 2.0 definition.....	197
6.62.5	Property definition.....	199
6.62.6	CRUDN behaviour.....	199
6.63	Geolocation.....	199
6.63.1	Introduction.....	199
6.63.2	Example URI.....	199
6.63.3	Resource type.....	199
6.63.4	OpenAPI 2.0 definition.....	200
6.63.5	Property definition.....	201
6.63.6	CRUDN behaviour.....	202
6.64	Height.....	202
6.64.1	Introduction.....	202
6.64.2	Example URI.....	203
6.64.3	Resource type.....	203
6.64.4	OpenAPI 2.0 definition.....	203
6.64.5	Property definition.....	205
6.64.6	CRUDN behaviour.....	206
6.65	Weight.....	206
6.65.1	Introduction.....	206
6.65.2	Example URI.....	206
6.65.3	Resource type.....	206

6.65.4	OpenAPI 2.0 definition.....	206
6.65.5	Property definition.....	209
6.65.6	CRUDN behaviour.....	209
6.66	Air Quality.....	210
6.66.1	Introduction.....	210
6.66.2	Example URI.....	210
6.66.3	Resource type.....	210
6.66.4	OpenAPI 2.0 definition.....	210
6.66.5	Property definition.....	212
6.66.6	CRUDN behaviour.....	212
6.67	Air Quality Collection.....	213
6.67.1	Introduction.....	213
6.67.2	Example URI.....	213
6.67.3	Resource type.....	213
6.67.4	OpenAPI 2.0 definition.....	213
6.67.5	Property definition.....	217
6.67.6	CRUDN behaviour.....	218
6.68	Consumable.....	218
6.68.1	Introduction.....	218
6.68.2	Example URI.....	218
6.68.3	Resource type.....	218
6.68.4	OpenAPI 2.0 definition.....	218
6.68.5	Property definition.....	220
6.68.6	CRUDN behaviour.....	221
6.69	Consumables.....	221
6.69.1	Introduction.....	221
6.69.2	Example URI.....	221
6.69.3	Resource type.....	221
6.69.4	OpenAPI 2.0 definition.....	221
6.69.5	Property definition.....	225
6.69.6	CRUDN behaviour.....	226
6.70	Delay Defrost.....	226
6.70.1	Introduction.....	226
6.70.2	Example URI.....	227
6.70.3	Resource type.....	227
6.70.4	OpenAPI 2.0 definition.....	227
6.70.5	Property definition.....	229
6.70.6	CRUDN behaviour.....	230
6.71	Eco Mode.....	230
6.71.1	Introduction.....	230
6.71.2	Example URI.....	230
6.71.3	Resource type.....	230
6.71.4	OpenAPI 2.0 definition.....	230
6.71.5	Property definition.....	232
6.71.6	CRUDN behaviour.....	233
6.72	Heating Zone.....	233
6.72.1	Introduction.....	233
6.72.2	Example URI.....	233

6.72.3	Resource type.....	233
6.72.4	OpenAPI 2.0 definition.....	233
6.72.5	Property definition.....	235
6.72.6	CRUDN behaviour.....	235
6.73	Heating Zone Collection	235
6.73.1	Introduction	235
6.73.2	Example URI.....	235
6.73.3	Resource type.....	236
6.73.4	OpenAPI 2.0 definition.....	236
6.73.5	Property definition.....	240
6.73.6	CRUDN behaviour.....	240
6.74	Selectable Levels.....	241
6.74.1	Introduction	241
6.74.2	Example URI.....	241
6.74.3	Resource type.....	241
6.74.4	OpenAPI 2.0 definition.....	241
6.74.5	Property definition.....	243
6.74.6	CRUDN behaviour.....	243
6.75	Value Conditional.....	244
6.75.1	Introduction	244
6.75.2	Example URI.....	244
6.75.3	Resource type.....	244
6.75.4	OpenAPI 2.0 definition.....	244
6.75.5	Property definition.....	246
6.75.6	CRUDN behaviour.....	247
6.76	Colour Space Coordinates	247
6.76.1	Introduction	247
6.76.2	Example URI.....	247
6.76.3	Resource type.....	247
6.76.4	OpenAPI 2.0 definition.....	247
6.76.5	Property definition.....	249
6.76.6	CRUDN behaviour.....	250
6.77	Colour Temperature.....	250
6.77.1	Introduction	250
6.77.2	Example URI.....	250
6.77.3	Resource type.....	250
6.77.4	OpenAPI 2.0 definition.....	250
6.77.5	Property definition.....	252
6.77.6	CRUDN behaviour.....	253
6.78	Colour Hue and Saturation	253
6.78.1	Introduction	253
6.78.2	Example URI.....	253
6.78.3	Resource type.....	253
6.78.4	OpenAPI 2.0 definition.....	253
6.78.5	Property definition.....	255
6.78.6	CRUDN behaviour.....	256
6.79	Battery Material.....	256
6.79.1	Introduction	256

6.79.2	Example URI.....	256
6.79.3	Resource type.....	256
6.79.4	OpenAPI 2.0 definition.....	256
6.79.5	Property definition.....	259
6.79.6	CRUDN behaviour.....	259
6.80	Brewing	259
6.80.1	Introduction	259
6.80.2	Example URI.....	260
6.80.3	Resource type.....	260
6.80.4	OpenAPI 2.0 definition.....	260
6.80.5	Property definition.....	262
6.80.6	CRUDN behaviour.....	262
6.81	Energy	262
6.81.1	Introduction	262
6.81.2	Example URI.....	262
6.81.3	Resource type.....	262
6.81.4	OpenAPI 2.0 definition.....	263
6.81.5	Property definition.....	265
6.81.6	CRUDN behaviour.....	266
6.82	Energy Generation	266
6.82.1	Introduction	266
6.82.2	Example URI.....	266
6.82.3	Resource type.....	266
6.82.4	OpenAPI 2.0 definition.....	266
6.82.5	Property definition.....	267
6.82.6	CRUDN behaviour.....	268
6.83	Foaming.....	268
6.83.1	Introduction	268
6.83.2	Example URI.....	268
6.83.3	Resource type.....	268
6.83.4	OpenAPI 2.0 definition.....	268
6.83.5	Property definition.....	270
6.83.6	CRUDN behaviour.....	271
6.84	Grinder	271
6.84.1	Introduction	271
6.84.2	Example URI.....	271
6.84.3	Resource type.....	271
6.84.4	OpenAPI 2.0 definition.....	271
6.84.5	Property definition.....	273
6.84.6	CRUDN behaviour.....	274
6.85	Liquid Level.....	274
6.85.1	Introduction	274
6.85.2	Example URI.....	274
6.85.3	Resource type.....	274
6.85.4	OpenAPI 2.0 definition.....	274
6.85.5	Property definition.....	276
6.85.6	CRUDN behaviour.....	277

6.86	Vehicle Connector	277
6.86.1	Introduction	277
6.86.2	Example URI	277
6.86.3	Resource type	277
6.86.4	OpenAPI 2.0 definition	277
6.86.5	Property definition	279
6.86.6	CRUDN behaviour	279
6.87	Time Stamp	279
6.87.1	Introduction	279
6.87.2	Example URI	280
6.87.3	Resource type	280
6.87.4	OpenAPI 2.0 definition	280
6.87.5	Property definition	281
6.87.6	CRUDN behaviour	281
6.88	3D Printer	282
6.88.1	Introduction	282
6.88.2	Example URI	282
6.88.3	Resource type	282
6.88.4	OpenAPI 2.0 definition	282
6.88.5	Property definition	284
6.88.6	CRUDN behaviour	285
6.89	Blood Pressure	285
6.89.1	Introduction	285
6.89.2	Example URI	285
6.89.3	Resource type	285
6.89.4	OpenAPI 2.0 definition	285
6.89.5	Property definition	288
6.89.6	CRUDN behaviour	288
6.90	Blood Pressure Monitor Atomic Measurement	288
6.90.1	Introduction	288
6.90.2	Example URI	288
6.90.3	Resource type	288
6.90.4	OpenAPI 2.0 definition	289
6.90.5	Property definition	294
6.90.6	CRUDN behaviour	295
6.91	Body Mass Index(BMI)	296
6.91.1	Introduction	296
6.91.2	Example URI	296
6.91.3	Resource type	296
6.91.4	OpenAPI 2.0 definition	296
6.91.5	Property definition	298
6.91.6	CRUDN behaviour	298
6.92	Body Fat	298
6.92.1	Introduction	298
6.92.2	Example URI	299
6.92.3	Resource type	299
6.92.4	OpenAPI 2.0 definition	299
6.92.5	Property definition	301

6.92.6	CRUDN behaviour	301
6.93	Body Fat Free Mass	301
6.93.1	Introduction	301
6.93.2	Example URI.....	302
6.93.3	Resource type.....	302
6.93.4	OpenAPI 2.0 definition.....	302
6.93.5	Property definition.....	304
6.93.6	CRUDN behaviour	304
6.94	Body Location Temperature	304
6.94.1	Introduction	304
6.94.2	Example URI.....	304
6.94.3	Resource type.....	305
6.94.4	OpenAPI 2.0 definition.....	305
6.94.5	Property definition.....	306
6.94.6	CRUDN behaviour	307
6.95	Body Scale Atomic Measurement.....	307
6.95.1	Introduction	307
6.95.2	Example URI.....	307
6.95.3	Resource type.....	307
6.95.4	OpenAPI 2.0 definition.....	307
6.95.5	Property definition.....	316
6.95.6	CRUDN behaviour	317
6.96	Body Soft Lean Mass	317
6.96.1	Introduction	317
6.96.2	Example URI.....	317
6.96.3	Resource type.....	317
6.96.4	OpenAPI 2.0 definition.....	317
6.96.5	Property definition.....	319
6.96.6	CRUDN behaviour	320
6.97	Body Thermometer Atomic Measurement.....	320
6.97.1	Introduction	320
6.97.2	Example URI.....	320
6.97.3	Resource type.....	320
6.97.4	OpenAPI 2.0 definition.....	320
6.97.5	Property definition.....	326
6.97.6	CRUDN behaviour	327
6.98	Body Water.....	327
6.98.1	Introduction	327
6.98.2	Example URI.....	327
6.98.3	Resource type.....	327
6.98.4	OpenAPI 2.0 definition.....	327
6.98.5	Property definition.....	329
6.98.6	CRUDN behaviour	330
6.99	Glucose	330
6.99.1	Introduction	330
6.99.2	Example URI.....	330
6.99.3	Resource type.....	330
6.99.4	OpenAPI 2.0 definition.....	330

6.99.5	Property definition.....	332
6.99.6	CRUDN behaviour.....	333
6.100	Context Carbohydrates for Glucose Meter	333
6.100.1	Introduction	333
6.100.2	Example URI.....	333
6.100.3	Resource type.....	333
6.100.4	OpenAPI 2.0 definition.....	334
6.100.5	Property definition.....	336
6.100.6	CRUDN behaviour.....	336
6.101	Exercise for Glucose Meter	337
6.101.1	Introduction	337
6.101.2	Example URI.....	337
6.101.3	Resource type.....	337
6.101.4	OpenAPI 2.0 definition.....	337
6.101.5	Property definition.....	339
6.101.6	CRUDN behaviour.....	339
6.102	Hemoglobin Bound to Glucose A1c Form (HbA1c) for Glucose Meter.....	339
6.102.1	Introduction	339
6.102.2	Example URI.....	339
6.102.3	Resource type.....	340
6.102.4	OpenAPI 2.0 definition.....	340
6.102.5	Property definition.....	341
6.102.6	CRUDN behaviour.....	342
6.103	Context Health for Glucose Meter	342
6.103.1	Introduction	342
6.103.2	Example URI.....	342
6.103.3	Resource type.....	342
6.103.4	OpenAPI 2.0 definition.....	342
6.103.5	Property definition.....	344
6.103.6	CRUDN behaviour.....	344
6.104	Context Meal for Glucose Meter	345
6.104.1	Introduction	345
6.104.2	Example URI.....	345
6.104.3	Resource type.....	345
6.104.4	OpenAPI 2.0 definition.....	345
6.104.5	Property definition.....	347
6.104.6	CRUDN behaviour.....	347
6.105	Context Medication for Glucose Meter	347
6.105.1	Introduction	347
6.105.2	Example URI.....	347
6.105.3	Resource type.....	347
6.105.4	OpenAPI 2.0 definition.....	348
6.105.5	Property definition.....	350
6.105.6	CRUDN behaviour.....	350
6.106	Glucose Meter Atomic Measurement	350
6.106.1	Introduction	350
6.106.2	Example URI.....	351
6.106.3	Resource type.....	351

6.106.4	OpenAPI 2.0 definition.....	351
6.106.5	Property definition.....	360
6.106.6	CRUDN behaviour.....	361
6.107	Context Sample Location for Glucose Meter.....	361
6.107.1	Introduction.....	361
6.107.2	Example URI.....	361
6.107.3	Resource type.....	361
6.107.4	OpenAPI 2.0 definition.....	361
6.107.5	Property definition.....	363
6.107.6	CRUDN behaviour.....	363
6.108	Context Tester for Glucose Meter.....	364
6.108.1	Introduction.....	364
6.108.2	Example URI.....	364
6.108.3	Resource type.....	364
6.108.4	OpenAPI 2.0 definition.....	364
6.108.5	Property definition.....	366
6.108.6	CRUDN behaviour.....	366
6.109	Optical RFID Station.....	366
6.109.1	Introduction.....	366
6.109.2	Example URI.....	366
6.109.3	Resource type.....	366
6.109.4	OpenAPI 2.0 definition.....	367
6.109.5	Property definition.....	368
6.109.6	CRUDN behaviour.....	369
6.110	Optical RFID Tag.....	369
6.110.1	Introduction.....	369
6.110.2	Example URI.....	369
6.110.3	Resource type.....	369
6.110.4	OpenAPI 2.0 definition.....	369
6.110.5	Property definition.....	371
6.110.6	CRUDN behaviour.....	371
6.111	PowerSource.....	372
6.111.1	Introduction.....	372
6.111.2	Example URI.....	372
6.111.3	Resource type.....	372
6.111.4	OpenAPI 2.0 definition.....	372
6.111.5	Property definition.....	374
6.111.6	CRUDN behaviour.....	374
6.112	Print Queue.....	374
6.112.1	Introduction.....	374
6.112.2	Example URI.....	374
6.112.3	Resource type.....	374
6.112.4	OpenAPI 2.0 definition.....	374
6.112.5	Property definition.....	376
6.112.6	CRUDN behaviour.....	377
6.113	Pulse Rate.....	377
6.113.1	Introduction.....	377
6.113.2	Example URI.....	377

6.113.3	Resource type.....	377
6.113.4	OpenAPI 2.0 definition.....	377
6.113.5	Property definition.....	379
6.113.6	CRUDN behaviour.....	379
6.114	Sensor Properties	379
6.114.1	Introduction	379
6.114.2	Example URI.....	380
6.114.3	Resource type.....	380
6.114.4	OpenAPI 2.0 definition.....	380
6.114.5	Property definition.....	382
6.114.6	CRUDN behaviour.....	382
6.115	User ID.....	383
6.115.1	Introduction	383
6.115.2	Example URI.....	383
6.115.3	Resource type.....	383
6.115.4	OpenAPI 2.0 definition.....	383
6.115.5	Property definition.....	384
6.115.6	CRUDN behaviour.....	385
6.116	Calorific Value.....	385
6.116.1	Introduction	385
6.116.2	Example URI.....	385
6.116.3	Resource type.....	385
6.116.4	OpenAPI 2.0 definition.....	385
6.116.5	Property definition.....	387
6.116.6	CRUDN behaviour.....	387
6.117	Conversion Factor	387
6.117.1	Introduction	387
6.117.2	Example URI.....	387
6.117.3	Resource type.....	388
6.117.4	OpenAPI 2.0 definition.....	388
6.117.5	Property definition.....	389
6.117.6	CRUDN behaviour.....	389
6.118	Gas Consumption	390
6.118.1	Introduction	390
6.118.2	Example URI.....	390
6.118.3	Resource type.....	390
6.118.4	OpenAPI 2.0 definition.....	390
6.118.5	Property definition.....	391
6.118.6	CRUDN behaviour.....	392
6.119	Gas Usage	392
6.119.1	Introduction	392
6.119.2	Example URI.....	392
6.119.3	Resource type.....	392
6.119.4	OpenAPI 2.0 definition.....	392
6.119.5	Property definition.....	397
6.119.6	CRUDN behaviour.....	398
6.120	Impact Sensor	399
6.120.1	Introduction	399

6.120.2	Example URI.....	399
6.120.3	Resource type.....	399
6.120.4	OpenAPI 2.0 definition.....	399
6.120.5	Property definition.....	401
6.120.6	CRUDN behaviour.....	401
6.121	KeyPadChar.....	402
6.121.1	Introduction	402
6.121.2	Example URI.....	402
6.121.3	Resource type.....	402
6.121.4	OpenAPI 2.0 definition.....	402
6.121.5	Property definition.....	404
6.121.6	CRUDN behaviour.....	404
6.122	Opaque Data.....	404
6.122.1	Introduction	404
6.122.2	Example URI.....	404
6.122.3	Resource type.....	404
6.122.4	OpenAPI 2.0 definition.....	405
6.122.5	Property definition.....	407
6.122.6	CRUDN behaviour.....	407
6.123	User Info for Application Layer	408
6.123.1	Introduction	408
6.123.2	Example URI.....	408
6.123.3	Resource type.....	408
6.123.4	OpenAPI 2.0 definition.....	408
6.123.5	Property definition.....	410
6.123.6	CRUDN behaviour.....	410
6.124	IAS Zone Info.....	410
6.124.1	Introduction	410
6.124.2	Example URI.....	411
6.124.3	Resource type.....	411
6.124.4	OpenAPI 2.0 definition.....	411
6.124.5	Property definition.....	414
6.124.6	CRUDN behaviour.....	414
6.125	IAS Zone Collection	414
6.125.1	Introduction	414
6.125.2	Example URI.....	415
6.125.3	Resource type.....	415
6.125.4	OpenAPI 2.0 definition.....	415
6.125.5	Property definition.....	420
6.125.6	CRUDN behaviour.....	421
6.126	Window Covering.....	421
6.126.1	Introduction	421
6.126.2	Example URI.....	421
6.126.3	Resource type.....	421
6.126.4	OpenAPI 2.0 definition.....	422
6.126.5	Property definition.....	425
6.126.6	CRUDN behaviour.....	426

6.127 Activity	426
6.127.1 Introduction	426
6.127.2 Example URI.....	426
6.127.3 Resource type.....	426
6.127.4 OpenAPI 2.0 definition.....	426
6.127.5 Property definition.....	429
6.127.6 CRUDN behaviour.....	430
6.128 Activity Tracker Atomic Measurement Representation	430
6.128.1 Introduction	430
6.128.2 Example URI.....	430
6.128.3 Resource type.....	430
6.128.4 OpenAPI 2.0 definition.....	431
6.128.5 Property definition.....	436
6.128.6 CRUDN behaviour.....	437
6.129 Alarm	438
6.129.1 Introduction	438
6.129.2 Example URI.....	438
6.129.3 Resource type.....	438
6.129.4 OpenAPI 2.0 definition.....	438
6.129.5 Property definition.....	440
6.129.6 CRUDN behaviour.....	441
6.130 Continuous Glucose Meter (CGM) Atomic Measurement Representation	441
6.130.1 Introduction	441
6.130.2 Example URI.....	441
6.130.3 Resource type.....	442
6.130.4 OpenAPI 2.0 definition.....	442
6.130.5 Property definition.....	447
6.130.6 CRUDN behaviour.....	448
6.131 Calibrate for Continuous Glucose Meter (CGM)	449
6.131.1 Introduction	449
6.131.2 Example URI.....	449
6.131.3 Resource type.....	449
6.131.4 OpenAPI 2.0 definition.....	449
6.131.5 Property definition.....	451
6.131.6 CRUDN behaviour.....	452
6.132 Sampling Interval for Continuous Glucose Meter (CGM)	452
6.132.1 Introduction	452
6.132.2 Example URI.....	452
6.132.3 Resource type.....	452
6.132.4 OpenAPI 2.0 definition.....	452
6.132.5 Property definition.....	454
6.132.6 CRUDN behaviour.....	455
6.133 Sensor for Continuous Glucose Meter (CGM)	455
6.133.1 Introduction	455
6.133.2 Example URI.....	455
6.133.3 Resource type.....	455
6.133.4 OpenAPI 2.0 definition.....	455
6.133.5 Property definition.....	457

6.133.6	CRUDN behaviour	458
6.134	Status for Continuous Glucose Meter (CGM)	458
6.134.1	Introduction	458
6.134.2	Example URI.....	458
6.134.3	Resource type.....	458
6.134.4	OpenAPI 2.0 definition.....	458
6.134.5	Property definition.....	460
6.134.6	CRUDN behaviour	461
6.135	Threshold for Continuous Glucose Meter (CGM)	461
6.135.1	Introduction	461
6.135.2	Example URI.....	461
6.135.3	Resource type.....	462
6.135.4	OpenAPI 2.0 definition.....	462
6.135.5	Property definition.....	464
6.135.6	CRUDN behaviour	465
6.136	Heart Rate.....	465
6.136.1	Introduction	465
6.136.2	Example URI.....	466
6.136.3	Resource type.....	466
6.136.4	OpenAPI 2.0 definition.....	466
6.136.5	Property definition.....	467
6.136.6	CRUDN behaviour	468
6.137	Heart Rate Monitor Atomic Measurement Representation	468
6.137.1	Introduction	468
6.137.2	Example URI.....	468
6.137.3	Resource type.....	468
6.137.4	OpenAPI 2.0 definition.....	468
6.137.5	Property definition.....	474
6.137.6	CRUDN behaviour	475
6.138	Pulsatile Characteristic for Pulse Oximeter	475
6.138.1	Introduction	475
6.138.2	Example URI.....	475
6.138.3	Resource type.....	475
6.138.4	OpenAPI 2.0 definition.....	475
6.138.5	Property definition.....	477
6.138.6	CRUDN behaviour	478
6.139	Pulsatile Occurrence for Pulse Oximeter.....	478
6.139.1	Introduction	478
6.139.2	Example URI.....	478
6.139.3	Resource type.....	478
6.139.4	OpenAPI 2.0 definition.....	478
6.139.5	Property definition.....	480
6.139.6	CRUDN behaviour	480
6.140	Pulse Oximeter Atomic Measurement Representation	480
6.140.1	Introduction	480
6.140.2	Example URI.....	481
6.140.3	Resource type.....	481
6.140.4	OpenAPI 2.0 definition.....	481

6.140.5	Property definition.....	487
6.140.6	CRUDN behaviour.....	488
6.141	Sleep.....	489
6.141.1	Introduction	489
6.141.2	Example URI.....	489
6.141.3	Resource type.....	489
6.141.4	OpenAPI 2.0 definition.....	489
6.141.5	Property definition.....	492
6.141.6	CRUDN behaviour.....	493
6.142	Sleep Monitor Atomic Measurement Batch Representation	493
6.142.1	Introduction	493
6.142.2	Example URI.....	493
6.142.3	Resource type.....	493
6.142.4	OpenAPI 2.0 definition.....	493
6.142.5	Property definition.....	499
6.142.6	CRUDN behaviour.....	500
6.143	SpO2 for Pulse Oximeter	501
6.143.1	Introduction	501
6.143.2	Example URI.....	501
6.143.3	Resource type.....	501
6.143.4	OpenAPI 2.0 definition.....	501
6.143.5	Property definition.....	503
6.143.6	CRUDN behaviour.....	504
6.144	Cadence.....	504
6.144.1	Introduction	504
6.144.2	Example URI.....	504
6.144.3	Resource type.....	504
6.144.4	OpenAPI 2.0 definition.....	504
6.144.5	Property definition.....	506
6.144.6	CRUDN behaviour.....	506
6.145	Circuit Breaker (IEC 61850)	506
6.145.1	Introduction	506
6.145.2	Example URI.....	506
6.145.3	Resource type.....	507
6.145.4	OpenAPI 2.0 definition.....	507
6.145.5	Property definition.....	508
6.145.6	CRUDN behaviour.....	509
6.146	Cycling Power	509
6.146.1	Introduction	509
6.146.2	Example URI.....	510
6.146.3	Resource type.....	510
6.146.4	OpenAPI 2.0 definition.....	510
6.146.5	Property definition.....	512
6.146.6	CRUDN behaviour.....	512
6.147	Inverter (IEC 61850)	512
6.147.1	Introduction	512
6.147.2	Example URI.....	512
6.147.3	Resource type.....	513

6.147.4	OpenAPI 2.0 definition.....	513
6.147.5	Property definition.....	515
6.147.6	CRUDN behaviour.....	515
6.148	PV array system connection terminal (IEC 61850)	516
6.148.1	Introduction	516
6.148.2	Example URI.....	516
6.148.3	Resource type.....	516
6.148.4	OpenAPI 2.0 definition.....	516
6.148.5	Property definition.....	518
6.148.6	CRUDN behaviour.....	519
6.149	Speed.....	519
6.149.1	Introduction	519
6.149.2	Example URI.....	519
6.149.3	Resource type.....	519
6.149.4	OpenAPI 2.0 definition.....	519
6.149.5	Property definition.....	521
6.149.6	CRUDN behaviour.....	521
6.150	Torque	522
6.150.1	Introduction	522
6.150.2	Example URI.....	522
6.150.3	Resource type.....	522
6.150.4	OpenAPI 2.0 definition.....	522
6.150.5	Property definition.....	524
6.150.6	CRUDN behaviour.....	524
6.151	Water Info	524
6.151.1	Introduction	524
6.151.2	Example URI.....	524
6.151.3	Resource type.....	525
6.151.4	OpenAPI 2.0 definition.....	525
6.151.5	Property definition.....	527
6.151.6	CRUDN behaviour.....	528
6.152	Deodorization.....	528
6.152.1	Introduction	528
6.152.2	Example URI.....	528
6.152.3	Resource type.....	528
6.152.4	OpenAPI 2.0 definition.....	529
6.152.5	Property definition.....	531
6.152.6	CRUDN behaviour.....	531
6.153	KeyCard Switch.....	531
6.153.1	Introduction	531
6.153.2	Example URI.....	532
6.153.3	Resource type.....	532
6.153.4	OpenAPI 2.0 definition.....	532
6.153.5	Property definition.....	533
6.153.6	CRUDN behaviour.....	534
6.154	Muscle Oxygen Saturation.....	534
6.154.1	Introduction	534
6.154.2	Example URI.....	534

6.154.3	Resource type.....	534
6.154.4	OpenAPI 2.0 definition.....	534
6.154.5	Property definition.....	536
6.154.6	CRUDN behaviour.....	536
6.155	Body Composition Analyser Atomic Measurement.....	537
6.155.1	Introduction	537
6.155.2	Example URI.....	537
6.155.3	Resource type.....	537
6.155.4	OpenAPI 2.0 definition.....	537
6.155.5	Property definition.....	545
6.155.6	CRUDN behaviour.....	546
6.156	Fault Interrupter Switch.....	546
6.156.1	Introduction	546
6.156.2	Example URI.....	546
6.156.3	Resource type.....	547
6.156.4	OpenAPI 2.0 definition.....	547
6.156.5	Property definition.....	548
6.156.6	CRUDN behaviour.....	549
6.157	HVAC Capacity.....	549
6.157.1	Introduction	549
6.157.2	Example URI.....	549
6.157.3	Resource type.....	549
6.157.4	OpenAPI 2.0 definition.....	549
6.157.5	Property definition.....	551
6.157.6	CRUDN behaviour.....	551
6.158	Media Audio Resource Type.....	551
6.158.1	Introduction	551
6.158.2	Example URI.....	551
6.158.3	Resource type.....	551
6.158.4	OpenAPI 2.0 definition.....	552
6.158.5	Property definition.....	557
6.158.6	CRUDN behaviour.....	559
6.159	Media Core Resource Type.....	559
6.159.1	Introduction	559
6.159.2	Example URI.....	559
6.159.3	Resource type.....	559
6.159.4	OpenAPI 2.0 definition.....	559
6.159.5	Property definition.....	564
6.159.6	CRUDN behaviour.....	565
6.160	Media Image Resource Type	565
6.160.1	Introduction	565
6.160.2	Example URI.....	565
6.160.3	Resource type.....	566
6.160.4	OpenAPI 2.0 definition.....	566
6.160.5	Property definition.....	570
6.160.6	CRUDN behaviour.....	571
6.161	Media Text Resource Type	571
6.161.1	Introduction	571

6.161.2	Example URI.....	571
6.161.3	Resource type.....	571
6.161.4	OpenAPI 2.0 definition.....	572
6.161.5	Property definition.....	576
6.161.6	CRUDN behaviour.....	577
6.162	Media Video Resource Type	578
6.162.1	Introduction	578
6.162.2	Example URI.....	578
6.162.3	Resource type.....	578
6.162.4	OpenAPI 2.0 definition.....	578
6.162.5	Property definition.....	586
6.162.6	CRUDN behaviour.....	588
6.163	Restricted Switch.....	588
6.163.1	Introduction	588
6.163.2	Example URI.....	589
6.163.3	Resource type.....	589
6.163.4	OpenAPI 2.0 definition.....	589
6.163.5	Property definition.....	591
6.163.6	CRUDN behaviour.....	591
6.164	Device Settings Accessibility Resource Type	591
6.164.1	Introduction	591
6.164.2	Example URI.....	591
6.164.3	Resource type.....	591
6.164.4	OpenAPI 2.0 definition.....	591
6.164.5	Property definition.....	594
6.164.6	CRUDN behaviour.....	595
6.165	Device Settings Broadcasting Resource Type	595
6.165.1	Introduction	595
6.165.2	Example URI.....	595
6.165.3	Resource type.....	595
6.165.4	OpenAPI 2.0 definition.....	596
6.165.5	Property definition.....	598
6.165.6	CRUDN behaviour.....	599
6.166	Device Settings Picture Resource Type.....	599
6.166.1	Introduction	599
6.166.2	Example URI.....	599
6.166.3	Resource type.....	599
6.166.4	OpenAPI 2.0 definition.....	599
6.166.5	Property definition.....	603
6.166.6	CRUDN behaviour.....	606
6.167	Device Settings Sound Resource Type.....	606
6.167.1	Introduction	606
6.167.2	Example URI.....	606
6.167.3	Resource type.....	606
6.167.4	OpenAPI 2.0 definition.....	606
6.167.5	Property definition.....	609
6.167.6	CRUDN behaviour.....	610

6.168	Device Settings Support Resource Type	610
6.168.1	Introduction	610
6.168.2	Example URI	610
6.168.3	Resource type	610
6.168.4	OpenAPI 2.0 definition	610
6.168.5	Property definition	612
6.168.6	CRUDN behaviour	613
6.169	Device Settings System Resource Type	613
6.169.1	Introduction	613
6.169.2	Example URI	613
6.169.3	Resource type	613
6.169.4	OpenAPI 2.0 definition	613
6.169.5	Property definition	615
6.169.6	CRUDN behaviour	616

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by the Open Connectivity Foundation (OCF) (as OCF Resource Type Specification, version 2.2.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This second edition cancels and replaces the first edition (ISO/IEC 30118-4:2018), which has been technically revised.

The main changes compared to the previous edition are as follows:

- renaming of smarthome to generic applicable resource specification;
- addition of various new resources;
- addition of clarifications throughout.

A list of all parts in the ISO/IEC 30118 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

This document, and all the other parts associated with this document, were developed in response to worldwide demand for smart home focused Internet of Things (IoT) devices, such as appliances, door locks, security cameras, sensors, and actuators; these to be modelled and securely controlled, locally and remotely, over an IP network.

While some inter-device communication existed, no universal language had been developed for the IoT. Device makers instead had to choose between disparate frameworks, limiting their market share, or developing across multiple ecosystems, increasing their costs. The burden then falls on end users to determine whether the products they want are compatible with the ecosystem they bought into, or find ways to integrate their devices into their network, and try to solve interoperability issues on their own.

In addition to the smart home, IoT deployments in commercial environments are hampered by a lack of security. This issue can be avoided by having a secure IoT communication framework, which this standard solves.

The goal of these documents is then to connect the next 25 billion devices for the IoT, providing secure and reliable device discovery and connectivity across multiple OSs and platforms. There are multiple proposals and forums driving different approaches, but no single solution addresses the majority of key requirements. This document and the associated parts enable industry consolidation around a common, secure, interoperable approach.

ISO/IEC 30118 consists of eighteen parts, under the general title Information technology — Open Connectivity Foundation (OCF) Specification. The parts fall into logical groupings as described herein:

- Core framework
 - Part 1: Core Specification
 - Part 2: Security Specification
 - Part 13: Onboarding Tool Specification
- Bridging framework and bridges
 - Part 3: Bridging Specification
 - Part 6: Resource to Alljoyn Interface Mapping Specification
 - Part 8: OCF Resource to oneM2M Resource Mapping Specification
 - Part 14: OCF Resource to BLE Mapping Specification
 - Part 15: OCF Resource to EnOcean Mapping Specification
 - Part 16: OCF Resource to UPlus Mapping Specification
 - Part 17: OCF Resource to Zigbee Cluster Mapping Specification
 - Part 18: OCF Resource to Z-Wave Mapping Specification
- Resource and Device models
 - Part 4: Resource Type Specification
 - Part 5: Device Specification

- Core framework extensions
 - Part 7: Wi-Fi Easy Setup Specification
 - Part 9: Core Optional Specification
- OCF Cloud
 - Part 10: Cloud API for Cloud Services Specification
 - Part 11: Device to Cloud Services Specification
 - Part 12: Cloud Security Specification

Information technology — Open Connectivity Foundation (OCF) Specification —

Part 4: Resource type specification

1 Scope

This document specifies the Resources that have been defined by OCF that may be exposed by an OCF Device.

Application profile device documents (for example those created for Smart Home or Healthcare) specify device types appropriate to the profile; such documents use Resource Type definitions from this document.

This document is built on top of ISO/IEC 30118-1. ISO/IEC 30118-1 specifies the OCF Framework that enables the implementation of profiles for IoT usages and ecosystems. The OCF Core Framework is scalable to support simple devices (constrained device) and more capable devices (smart device).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 30118-1 *Information technology -- Open Connectivity Foundation (OCF) Specification -- Part 1: Core specification*

<https://www.iso.org/standard/53238.html>

OpenAPI specification, fka *Swagger RESTful API Documentation Specification*, Version 2.0

<https://github.com/OAI/OpenAPI-Specification/blob/master/versions/2.0.md>

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO/IEC 30118-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>