Space engineering - Adhesive bonding for spacecraft and launcher applications



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16602-70-16:2021 sisaldab Euroopa standardi EN 16602-70-16:2021 ingliskeelset teksti.

This Estonian standard EVS-EN 16602-70-16:2021 consists of the English text of the European standard EN 16602-70-16:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.10.2021.

Date of Availability of the European standard is 27.10.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 49.025.50, 49.140

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 16602-70-16

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2021

ICS 49.025.50; 49.140

English version

Space engineering - Adhesive bonding for spacecraft and launcher applications

Assurance produit des projets spatiaux - Utilisations du collage pour les structure satellites et lanceurs

Raumfahrtproduktsicherung - Adhäsionskleben für Raumfahrt- und Trägeranwendungen

This European Standard was approved by CEN on 22 February 2021.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

European Foreword7			
Int	trodu	uction	8
1 \$	Scop	oe	9
2 I	Norn	native references	10
3 -	Term	s, definitions and abbreviated terms	11
	3.1	Terms from other standards	11
	3.2	Terms specific to the present standard	11
	3.3	Abbreviated terms	14
	3.4	Nomenclature	15
4 I	Princ	ciples of adhesive bonding	17
	4.1	Overview	17
	4.2	Design of hardware	17
	4.3	Performance of the adhesive bond	
	4.4	Adhesive bonding process	18
5 \$	Sele	ction of adhesive	
	5.1	Overview	
	5.2	Analysis of adhesive application	20
6 I	Defir	nition of adhesive bonding process	23
	6.1	Adhesive bonding process requirements	23
	6.2	Adhesive bonding procedure	
	6.3	Adhesive bonding process traceability	
7 '	Verif	ication of adhesive bonding	
	7.1	Overview	
	7.2	Adhesive bonding test plan	25
	7.3	Adhesive bonding test report	
	7.4	Test item bonding procedure	
	7.5	Test item configuration	26
	7.6	Test item identification	27

7	.7	Verification test sequence		
		7.7.1	General	27
7	.8	Test iter	m manufacturing	28
7	.9	9 Test item conditioning		
7	.10	Simulation of on-ground environmental exposure		
7	7.11 Simulation of launch environmental exposure			
		7.11.1	Overview	31
		7.11.2	Test definition	31
7	.12	Simulati	ion of mission environmental exposure	31
		7.12.1	Overview	31
		7.12.2	Thermal cycling test conditions	31
7	.13	Inspecti	on before, during and after environmental exposure	33
7	.14	Test be	fore, during and after environmental exposure	33
8 Q	uali	ty assu	rance	35
8	.1	Overvie	w	35
8	.2	General		35
8	.3			
8	.4	Hazard, health and safety precautions3		
8	.5	Incoming inspection3		
8	.6	Incoming inspection		
8	8.7 Tooling and equipment control			37
8	.8	Workmanship3		
8	.9	Handlin	g and storage	38
8	.10	Inspecti	on and bonding process control	39
			or and inspector training	
8	.12	Nonconformance42		
Ann	ıex	A (norn	native) Adhesive bonding procedure – DRD	42
	1		entification	
		A.1.1	Requirement identification and source document	42
		A.1.2	Purpose and objective	
Α	2	Expecte	ed response	
		A.2.1	Scope and content	
		A.2.2	Special remarks	
Ann	ıex	B (norn	native) Adhesive bonding test plan - DRD	44
	.1		entification	
		B.1.1		

	B.1.2	Purpose and objective	44	
B.2	Expecte	ed response	44	
	B.2.1	Scope and content	44	
	B.2.2	Special remarks	44	
Annex	C (nor	mative) Adhesive bonding test report -DRD	45	
C.1	DRD id	entification	45	
	C.1.1	Requirement identification and source document	45	
	C.1.2	Purpose and objective	45	
C.2	Expect	ed response	45	
	C.2.1	Scope and content	45	
	C.2.2	Special remarks	46	
		rmative) Examples of techniques used for adhesiv ation (bulk)		
D.1	Overvie	ew	47	
D.2	Rheolo	gy	47	
D.3	3 Adhesive density and shrinkage			
D.4	Outgassing48			
D.5	Differential Scanning Calorimetry (DSC)49			
D.6	Thermogravimetric analysis (TGA)49			
D.7	Dilatometry and Thermomechanical Analysis (TMA)50			
D.8				
D.9	Tensile strength and Young's modulus5			
D.10	Shear strength and shear modulus (adhesive material)51			
		ession strength and modulus		
		al resistivity		
		al conductivity		
		o-optical properties		
		nittance		
D.16	Water a	absorption	53	
	•	rmative) Characterisation of adhesive in bonded a		
E.1	Overvie	ew	55	
E.2	Adhesiv	ve bonding test	55	
E.3		h of bonded joints		
	E.3.1	Single Lap Shear Strength – thin adherends	56	
	E.3.2	Lap shear –thick adherend test	56	
	E.3.3	Peel strength test	56	

	E.3.4	Testing of peel strength on Pressure sensitive tapes (PSA)	57
	E.3.5	Tensile butt joint tests	57
	E.3.6	Special tests	57
E.4	Fracture	e mechanics of adhesively bonded joints	58
2	E.4.1	Fracture mechanics test methods	58
E.5	Adhesiv	e characteristics to be verified by test (in bonded assemblies)	59
Annex	F (infor	mative) Ageing effects on adhesively bonded joints	. 63
F.1	Introduc	tion	63
F.2	Ageing	of adhesively bonded joints	63
	F.2.1	Natural ageing	63
	F.2.2	Accelerated ageing	63
	F.2.3	Fick's law	64
	F.2.4	Second Fick's law	65
	F.2.5	Water diffusion mechanisms and degradation models of adhesive joints	67
	F.2.6	Summary	73
F.3	Examples of hot-wet exposure conditions to be used in verification sequence for spacecraft and launchers		
	F.3.1	Satellites, in-orbit units, probes	74
	F.3.2	The accelerated ageing of adhesively bonded assemblies for launcher applications	77
	F.3.3	Examples of hot-wet exposure tests	78
		rmative) System for training and qualification of adhesive	
Bibliog	raphy		. 83
Figures	3		
Figure 4		view of the constrains linked to adhesive bonds for space applicatio exhaustive)	
	desig	view on some parameters influencing the adhesive bond and its	
Figure 7	-1: Flow	chart with adhesive bonding verification sequence	28
Figure E	shea adhe la qua	rage strength and standard deviation in tension, compression and r for different angles of solicitation (0°, 30°, 60°, 90°, 120°) of EA939 sive [ref Gregory Bresson, "Collage fiable pour l'espace : influence dalité des procédés et dimensionnement des assemblages", thèse ersité Bordeaux I, 2011]	de
Figure E		mples of crack propagation modes and various test setups	50
	(COUI	tesy ArianeGroup)	บฮ

Figure F-1	: Example of non-linear evolution of Csat with RHeq for Glass fiber/epoxy resin [courtesy Ariane group]66
Figure F-2	Example of determination Deff and Csat parameters from absorption curve; case of Glass fiber/epoxy resin with 65°C and RH=60% condition [property Ariane group], follows Fickian behaviour [courtesy ArianeGroup]
Figure F-3	: Illustration of a non-Fickian behaviour and evolution with sorption cycles of one component epoxy adhesive, (up) normalised mass uptake –various models, (down) moisture uptake and de-sorption [Mubashar, I. A. et al., 2009]
Figure F-4	: The effect of ambient exposure in a controlled environment on single lap shear strength of two component epoxy resin on aluminium as a function of time [M. Chevalier, 2008]
Figure F-5	: The effect of ambient exposure in a controlled environment on single lap shear fracture mode as a function of time [M. Chevalier, 2008]72
Figure F-6	: Evolution of single lap shear strength as a function of exposure duration in an ambient controlled environment [IFAM Fraunhofer, 2017]73
Figure G-1	: The International Training and Qualification system for Personnel [Quintino L. et al.]80
Tables	√ 0.
Table D-1:	Summary of relevant test standards for determination of bulk properties of adhesive material54
Table E-1 :	Commonly applied test methods and related standards60
Table F-1 :	Example of the classification of adhesive bonding process in spacecraft and launcher applications based on its criticality
Table F-2 :	Examples of adhesive bonding applications and their sensitivity to onground humidity exposure (based on their failure occurrence)
Table F-3 :	Example table with assessment for implementation of hot-wet exposure into the verification sequence (step: simulation of on-ground exposure)77
Table F-4 :	Examples of standard conditions for hot-wet exposures78
Table F-5 :	Examples of standard durability tests (mechanical and humidity stress combined)79
Table G-1	: The list of entities eligible to provide training for adhesive bonding*82

European Foreword

This document (EN 16602-70-16:2021) has been prepared by Technical Committee CEN-CENELEC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16602-70-16:2021) originates from ECSS-Q-ST-70-16C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022, and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g.: aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Adhesive materials have a wide range of uses within the space domain however they are often qualified as a minor or negligible part of a large subsystem or system. This frequently results in unforeseen effects arising directly from the adhesive selection which impacts either the functionality, integrity or AIT activities. As a consequence whilst the adhesive is often the lowest cost element of the system it frequently has a high cost associated with the necessary recovery and delta qualification activities need to ensure the system level functionality. Both the system level qualification and any recovery actions are further complicated by the intrinsic relationship between the adhesive performance, the adherend and all the processes associated with the manufacture of the adhesive bond.

European space agencies and the space industry at present have a general handbook available for adhesive bonding (ECSS-E-HB-32-21) however there is no fixed scheme detailing the minimum requirements for verification of adhesive bonding process nor validation of an adhesive material.

Standardisation of the verification processes for adhesives and adhesive bonding across the European space industry is allowing a harmonised and consistent approach.

The generic approach facilitates the correct selection of data thus allowing streamlining of the industrial development activities and enabling the validation of adhesives and verification of adhesive bonding process at an early stage of a programmes lifetime.

This standard is further justified because of the high level of non-conformances (NCR) identified across industry due to limited early programmatic qualification programmes related to adhesive bonding and characterisation of adhesive materials.

1 Scope

The scope of the document addresses the generic verification for all types of adhesive bonding for space applications including evaluation phases. This standard covers all aspects of the adhesive bonding lifetime such as assembly, integration and testing, on-ground acceptance testing, storage, transport, prelaunch, launch and in-flight environments.

This standard does not cover requirements for:

- Adhesive bonding used in EEE mounting on printed circuit boards (for this subject see ECSS-Q-ST-70-61)
- Adhesive bonding used in hybrid manufacturing (for this subject see ESCC 2566000)
- Adhesive bonding for cover-glass on solar cell assemblies (for this subject see ECSS-E-ST-20-08)
- Design of adhesive joints (for this subject see ECSS-E-ST-32)
- Long term storage and long term storage sample testing
- Performance of adhesive bonds
- Functional properties of adhesive joints
- Co-curing processes
- Life-time aging prediction, neither on ground (humidity) nor in-orbit (thermal cycling)

This standard may be tailored for the specific characteristics and constrains of a space project in conformance with ECSS-S-ST-00.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms
EN 16603-32	ECSS-E-ST-32	Space engineering – Structural general requirements
EN 16602-10	ECSS-Q-ST-10	Space product assurance -Product assurance management
EN 16602-10-09	ECSS-Q-ST-10-09	Space product assurance -Nonconformance control system
EN 16602-20	ECSS-Q-ST-20	Space product assurance -Quality assurance
EN 16602-40	ECSS-Q-ST-40	Space product assurance - Safety
EN 16602-70	ECSS-Q-ST-70	Space product assurance – Materials, mechanical parts and processes
EN 16602-70-02	ECSS-Q-ST-70-02	Space product assurance - Thermal vacuum outgassing test for the screening of space materials
EN 16602-70-09	ECSS-Q-ST-70-09	Space product assurance - Measurements of thermo- optical properties of thermal control materials
EN 16602-70-22	ECSS-Q-ST-70-22	Space product assurance - Control of limited shelf-life materials
EN 16602-70-71	ECSS-Q-ST-70-71	Space product assurance - Materials, processes and their data selection
	ISO 472:2013/ Amd 1:2018	Plastics - Vocabulary - Amendment 1: Additional items
	ISO 3696:1987	Water for analytical laboratory use - Specification and test methods
	ISO 15785:2002	Technical drawings — Symbolic presentation and indication of adhesive, fold and pressed joints