Characterization of waste - Preparation of waste samples for ecotoxicity tests



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14735:2021 sisaldab Euroopa standardi EN 14735:2021 ingliskeelset teksti.

This Estonian standard EVS-EN 14735:2021 consists of the English text of the European standard EN 14735:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.11.2021.

Date of Availability of the European standard is 24.11.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 13.030.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EN 14735

EUROPÄISCHE NORM

November 2021

ICS 13.030.01

Supersedes EN 14735:2005

English Version

Characterization of waste - Preparation of waste samples for ecotoxicity tests

Caractérisation des déchets - Préparation des échantillons de déchets en vue d'essais écotoxicologiques Charakterisierung von Abfällen - Herstellung von Abfallproben für ökotoxikologische Untersuchungen

This European Standard was approved by CEN on 3 October 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	ents	Page
Europ	ean foreword	4
Introd	uction	5
1	Scope	
2	Normative references	
_		
3	Terms and definitions	
4	Equipment and reagents	9
5	Taking of laboratory sample	9
6	Transport	10
7	Storage	10
7.1	General	
7.2	Waste sample	10
7.3	Water extracts	10
8	Waste characterization	11
9	Waste pre-treatment: particle size reduction (granular waste, monolithic waste,	
	paste-like waste and sludge)	11
10	Tests performed on terrestrial organisms	
10.1	General considerations	12
10.2	Dilution medium	
10.3	Introduction of waste into the dilution medium	
	General	
	Monolithic waste, granular waste, paste-like waste and sludge	
	Liquid sludge	
	Liquid waste miscible with water	
	Liquid waste non-miscible with water	
10.3.3	Water extracts of waste	
10.5	pH	
10.6	Addition of test organisms	
11	Tests performed on aquatic organisms	
11.1	General considerations	
11.2	Monolithic waste, granular waste, paste-like waste and sludge	
	Leaching procedure	
	Liquid/solid separation procedure	
	pH	
	Liquid sludge	
	Procedure	
	pH	
	Liquid waste miscible with water	
	Procedure	
	pH	
	Liquid waste non-miscible with water	
	Procedure	
11.5.2 11 5 3	Liquid/liquid separation	1818 18
~ <	OFF	ı×

11.6	Preparation of test mixtures	18
12	Test report	18
Annex	A (normative) Preparation of test mixtures according to the ecotoxicity tests to be performed	19
Annex	B (informative) Ecotoxicity tests considered to establish this document	20
B.1	General	20
B.2	Terrestrial tests methods	21
B.2.1	Earthworms - Acute toxicity	21
B.2.2	Earthworms - Effects on reproduction	22
B.2.3	Earthworms - Avoidance	23
B.2.4	Collembola - Effects on reproduction	24
B.2.5	Coleoptera - Acute test	25
B.2.6	Enchytraeid - Reproduction test	26
B.2.7	Nematoda - Effects on growth, fertility and reproduction	27
B.2.8	Juvenile land snails (Helix aspersa)	28
B.2.9	Soil Flora - Inhibition of root growth	29
B.2.10	Effects on emergence and growth	31
B.2.11	Ammonium oxidation - Rapid test	33
B.2.12	Mineralization and nitrification	34
B.2.13	Dehydrogenase activity of Arthrobacter globiformis	35
B.3	Aquatic tests methods	37
B.3.1	Daphnia magna – Inhibition of mobility	37
B.3.2	Daphnia magna - Inhibition of reproduction	38
B.3.3	Ceriodaphnia dubia reproduction test	39
B.3.4	Brachionus calyciflorus reproduction test	40
	Aliivibrio fischeri - Luminescent bacteria test	
B.3.6	Pseudomonas putida growth inhibition test	42
B.3.7	Freshwater algal growth inhibition test	43
B.3.8	Lemna minor - Growth inhibition test	45
B.3.9	Fish egg test	46
B.3.10	Freshwater fish acute toxicity test	47
B.3.11	Marine copepods - Acute toxicity test	48
B.3.12	Marine algal growth inhibition test	49
B.3.13	Salmonella / Microsome test	51
B.3.14	UMU test	53
	graphy	

European foreword

This document (EN 14735:2021) has been prepared by Technical Committee CEN/TC 444 "Environmental characterization of solid matrices", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2022, and conflicting national standards shall be withdrawn at the latest by May 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14735:2005.

The main changes with respect to the previous edition are:

- the modification of Clause 12 "Test report" to specify whether ecotoxicity tests have been repeated with pH adjustment of the test portion, allowing to clearly distinguish these results from those obtained without pH adjustment;
- the clarification of the notes of 10.5 and 11.2.3 and associated notes regarding the repetition of the tests with pH adjustment;
- the update of Annex B, describing the ecotoxicity tests considered to establish this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Ecotoxicity can be estimated using two approaches: a chemical-specific approach and a toxicity-based approach. Chemical analyses are compared, in the first case, to quality criteria or threshold values to estimate ecotoxicity. In the second one, ecotoxicity is measured directly using biological tests. These two approaches complement each other; indeed, determination of pollutants in complex mixtures of unknown composition, that is a characteristic of many wastes, does not allow a relevant estimation of ecotoxicity. For such samples, the toxicity-based approach is usually recognized to be appropriate to assess potential toxicity. Bioassays integrate, indeed, the effects of all contaminants including additive, synergistic and antagonistic effects. They are sensitive to the bioavailable fraction of the contaminants only. Finally, bioassays integrate the effects of all contaminants, including those, not considered or detected by chemical analyses.

Ecotoxicity tests can be applied to wastes to identify their potential hazardous properties with respect to the environment for classification purposes or to assess the risk related to a site-specific exposure scenario.

Identification of properties potentially hazardous to the environment for classification purposes

A classification system, based on the assessment of intrinsic properties, should be independent of an exposure scenario. The main requirement, in order to establish a relevant system for classifying wastes and for assessment of hazard properties, is to obtain comparable test results. This can only be obtained if the ecotoxicity tests on wastes are carried out according to a unique procedure describing more or less conventional test conditions (an exclusive dilution medium for terrestrial tests, a unique L/S ratio for preparation of water extracts, a unique liquid / solid separation step, etc.). This procedure should be applicable to a very wide range of waste materials whatever their physical properties are.

Any strategy for the assessment of properties potentially hazardous to the environment used in a classification system should include test organisms representing the terrestrial and the aquatic compartment. Both types of tests should be considered because they expand the range of effect expression due to differences in species sensitivity and exposure.

For this specific purpose, the water extracts preparations for toxicity testing do not simulate leaching from wastes under environmental conditions but measure the water available fraction of the toxic components of the wastes.

Site-specific exposure scenario

The second application of ecotoxicity tests to wastes refers to a risk assessment approach. In this particular case, the test strategy should model site specific exposure conditions and should take into account the transfer of contaminants via the food chain and to surface and ground water by run-off or leaching. This application concerns firstly the definition of generic scenarios frequently encountered (e.g. wastes deposit in stockpiles, re-use of wastes) and focus on the relevant way of exposure to terrestrial and aquatic organisms.

This document describes the necessary steps to be performed before carrying out ecotoxicity tests on wastes within the context of assessment of ecotoxic properties for classification purposes.

It should be kept in mind that the use of this standard is currently not mandatory for assessing the hazardous property HP14.

1 Scope

This document describes the necessary steps to be performed before carrying out ecotoxicity tests on wastes. The purpose of this document is to provide guidance on the taking of the sample, transport, storage of wastes and to define preparation, for the determination of ecotoxicological properties of wastes under the conditions specified in this document by biological testing either as raw wastes or water extracts from wastes. Sample preparation for other applications (e.g. assessment of waste effects on aquatic and terrestrial organisms in a disposal scenario) is not considered.

Specifying a test battery to characterize ecotoxicological properties of wastes is not in the scope of this document.

This document is applicable to solid and liquid wastes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12457-2:2002, Characterisation of waste - Leaching - Compliance test for leaching of granular waste materials and sludges - Part 2: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 4 mm (without or with size reduction)

EN 14899, Characterization of waste - Sampling of waste materials - Framework for the preparation and application of a Sampling Plan)

EN 16720-1, Characterization of sludges - Physical consistency - Part 1: Determination of flowability - Method by extrusion tube apparatus)

EN ISO 5667-3, Water quality - Sampling - Part 3: Preservation and handling of water samples (ISO 5667-3)

EN ISO 14238:2012, Soil quality - Biological methods - Determination of nitrogen mineralization and nitrification in soils and the influence of chemicals on these processes (ISO 14238: 2012)

ISO 11465, Soil quality - Determination of dry matter and water content on a mass basis - Gravimetric method

2007

EN ISO 10390, Soil, sludge and treated biowaste - Determination of pH (ISO/FDIS 10390)