Safety and control devices for burners and appliances burning gaseous or liquid fuels - Control functions in electronic systems - Methods for classification and assessment



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14459:2021 sisaldab Euroopa standardi EN 14459:2021 ingliskeelset teksti.

This Estonian standard EVS-EN 14459:2021 consists of the English text of the European standard EN 14459:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.11.2021.

Date of Availability of the European standard is 24.11.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.140.40, 97.100.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14459

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2021

ICS 91.140.40; 97.100.20

Supersedes EN 14459:2015

English Version

Safety and control devices for burners and appliances burning gaseous or liquid fuels - Control functions in electronic systems - Methods for classification and assessment

Dispositifs de commande et de sécurité pour brûleurs et appareils utilisant des combustibles gazeux ou liquides - Fonctions de commande des systèmes électroniques - Méthodes de classification et d'évaluation Sicherheits- und Regeleinrichtungen für Brenner und Brennstoffgeräte für gasförmige oder flüssige Brennstoffe - Regel- und Steuerfunktionen in elektronischen Systemen - Verfahren für die Klassifizierung und Bewertung

This European Standard was approved by CEN on 24 October 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	ents	Page
-	ean foreword	
Introd	luction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Classification	6
4.1	Classes of control	6
4.2	Groups of control	
4.3	Classes of control functions	6
4.4	Types of DC supplied controls	6
5	Test conditions and uncertainty of measurements	6
6	Design and construction	7
6.1	General	
6.2	Mechanical parts of the control	
6.3	Materials	7
6.4	Gas connections	7
6.5	Electrical parts of the control	7
6.6	Protection against internal faults for the purpose of functional safety	7
6.101	Requirements for new control solutions	7
6.101 .	1 General	7
6.101.	2 Assessment of the appliance	7
6.101 .		
7	Performance	8
7.1	General	
7.2	Leak-tightness	8
7.3	Torsion and bending	
7.4	Rated flow rate	
7.5	Durability	9
7.6	Performance tests for electronic controls	
7.7	Long-term performance for electronic controls	
7.8	Data exchange	9
7.101	Combined apparatus	
8	Electrical requirements	
8.1	General	
8.2	Protection by enclosure	
9	Electromagnetic compatibility (EMC)	9
9.1	Protection against environmental influences	
9.2	Supply voltage variations below 85 % of rated voltage	
9.3	Voltage dips and interruptions	
9.4	Supply frequency variations	
9.5	Surge immunity tests	
9.6	Electrical fast transient/burst	
9.7	Immunity to conducted disturbances induced by radio frequency fields	
9.8	Immunity to radiated disturbances induced by radio frequency fields	10

9.9	Electrostatic discharge test	10
9.10	Power frequency magnetic field immunity tests	10
9.11	Harmonics and interharmonics including mains signalling at a. c. power port, low	10
	frequency immunity tests	
10 10.1	Marking, instructions	
10.1	Instructions	
10.3	Warning notice	
Annex	A (informative) Abbreviations and symbols	11
Annex	B (informative) Leak-tightness tests for gas controls - volumetric method	12
Annex	C (informative) Leak-tightness tests for gas controls – pressure loss method	13
Annex	D (normative) Calculation of pressure loss into leakage rate	14
Annex	E (normative) Electrical/electronic component fault modes	15
Annex	F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 2014/68/EU	16
Annex	G (normative) Materials for pressurized parts	17
Annex	H (normative) Additional materials for pressurized parts	18
Annex	I (normative) Requirements for controls used in DC supplied burners and appliances burning gaseous or liquid fuels	19
Annex	J (normative) Method for the determination of a Safety Integrity Level (SIL)	20
Annex	K (normative) Method for the determination of a Performance Level (PL)	21
Annex	L (informative) Relationship between Safety Integrity Level (SIL) and Performance Level (PL)	22
Annex	M (normative) Reset functions	23
Annex	N (informative) Guidance document on Environmental Aspects	24
Annex	O (normative) Seals of elastomer, cork and synthetic fibre mixtures	25
Annex	AA (informative) Example of a risk assessment method	26
	BB (informative) Example of a risk assessment according to method described in Annex AA	
BB.1	General	28
BB.2	Risks	
BB.3	Risk assessment	
Annex	CC (informative) Realization of a protective measure	31
	DD (informative) Hazards in gas and oil appliances handled by control functions	
Annex	EE (informative) Classification of control functions based on the determination of basic risks	37
Biblio	graphy	41

European foreword

This document (EN 14459:2021) has been prepared by Technical Committee CEN/TC 58 "Safety and control devices for burners and appliances burning gaseous or liquid fuels", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2022, and conflicting national standards shall be withdrawn at the latest by May 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14459:2015.

The following significant changes compared to the previous edition have been incorporated in this document:

- a) Alignment with EN 13611:2019;
- b) Clause 2 "Normative references" has been updated;
- c) The Bibliography has been updated.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is intended to be used in conjunction with EN 13611:2019.

This document refers to clauses of EN 13611:2019 or adapts it by stating "with the following modification", "with the following addition", "is replaced by the following" or "is not applicable" in the corresponding clause.

This document adds clauses or subclauses to the structure of EN 13611:2019 which are particular to this document. Subclauses which are additional to those in EN 13611 are numbered starting from 101. Additional Annexes are designated as Annex AA, Annex BB, Annex CC, etc. It should be noted that these clauses, subclauses and Annexes are not indicated as an addition.

Control systems are designed to control and protect gas and/or oil appliances and the combustion process. All functions are performed depending on their safety relevance within a specific tolerance of measures and time with a specific certainty under external influences and internal failures.

It was concluded by CEN/TC 58 that it is not always necessary to protect against the consequences of hazardous events with uniform measures as hazards differ in severity and the probability of unwanted occurrences may differ. As there exist large differences of interpretation on what level of protection is necessary against certain hazards, there is a need for guidance to bring the safety philosophy for gas and oil appliances and controls in line. The discussions of CEN/TC 58 regarding safety related control functions and the use of control systems in the appliances show that it is worthwhile to refine the basic safety philosophy of gas and oil appliances into different risk levels.

For the evaluation of preventative measures concerning fault tolerance and avoidance of hazards, it is essential to classify control functions with regard to their fault behaviour. For the classification of control functions, their integration into the complete safety concept of the appliance should be taken into account.

In the appliance standards, only specific fault conditions are considered when controls conforming to CEN/TC 58 standards are used, e.g. flame simulation and air proving before each new start. In some cases (e.g. switch contacts) shorting is excluded, when certain tests have proven that the probability of a fault occurrence is low. For gas valves, a single shut-off valve is considered insufficient.

This document gives methods for the assessment of control functions in controls for burners and appliances burning one or more gaseous or liquid fuels for which no specific product standards are actually available. The assessment is described in three steps:

- assessment of the application,
- translation into control requirements,
- assessment of the control solution,

leading to defined classes for the specified control function(s) and a set of safety measures with additional/modified construction and test requirements for the application and/or the specified control function(s).

The assessment is focused on the controlled parameters (e.g. high/low temperature, pressure, flow, combustion quality) in the combustion process and in the functionality of the controls (e.g. open/closed; lock/unlock; start/stop). Each control function needs to be classified according to the required safety aspects (Class A, B, C).

To analyse the effect of fault conditions it is essential to know the specific application and to determine the related risks.

Scope 1

EN 13611:2019, Clause 1 is replaced by the following:

This document specifies methods for the classification and assessment of function blocks for burners and appliances burning one or more gaseous or liquid fuels with particular regards to their fault behaviour and preventative measures.

This document is applicable to new control function blocks, not covered by dedicated control standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13611:2019, Safety and control devices for burners and appliances burning gaseous and/or liquid fuels - General requirements

Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13611:2019 apply with the following modifications.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.101

function block

part of an electric or electronic system which realises at least one control function with one input and one output signal 20,000

Classification

4.1 Classes of control

EN 13611:2019, 4.1 is not applicable.

4.2 Groups of control

Shall be according to EN 13611:2019, 4.2.

4.3 Classes of control functions

Shall be according to EN 13611:2019, 4.3 with the following addition:

The class of the control function shall be determined from the results of the risk assessment in 6.101 and specified in the instructions.

4.4 Types of *DC* supplied controls

Shall be according to EN 13611:2019, 4.4.

Test conditions and uncertainty of measurements

Shall be according to EN 13611:2019, Clause 5.