

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Fibre-optic communication subsystem test procedures –  
Part 4-1: Installed cabling plant – Multimode attenuation measurement**

**Procédures d'essai des sous-systèmes de télécommunication fibroniques –  
Partie 4-1: Installation câblée – Mesure de l'affaiblissement en multimodal**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC online collection - [oc.iec.ch](http://oc.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Fibre-optic communication subsystem test procedures –  
Part 4-1: Installed cabling plant – Multimode attenuation measurement**

**Procédures d'essai des sous-systèmes de télécommunication fibroniques –  
Partie 4-1: Installation câblée – Mesure de l'affaiblissement en multimodal**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.180.01

ISBN 978-2-8322-1062-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



# REDLINE VERSION

# VERSION REDLINE



**Fibre-optic communication subsystem test procedures –  
Part 4-1: Installed cabling plant – Multimode attenuation measurement**

**Procédures d'essai des sous-systèmes de télécommunication fibroniques –  
Partie 4-1: Installation câblée – Mesure de l'affaiblissement en multimodal**

## CONTENTS

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms, definitions, graphical symbols and abbreviated terms	9
3.1 Terms and definitions	10
3.2 Graphical symbols	12
3.3 Abbreviated terms	14
4 Test methods	14
4.1 General	14
4.2 Cabling configurations and applicable test methods	15
5 Overview of uncertainties	17
5.1 General	17
5.2 Sources of significant uncertainties	17
5.3 Consideration of the PM	18
5.4 Consideration of test cord connector grade	18
5.5 Typical uncertainty values	18
6 Apparatus	19
6.1 General	19
6.2 Light source	19
6.2.1 Stability	19
6.2.2 Spectral characteristics (LSPM measurement)	19
6.3 Launch cord	20
6.4 Receive or tail cord	20
6.5 Substitution cord	21
6.6 Power meter – LSPM methods only	21
6.7 OTDR apparatus	21
6.8 Connector end face cleaning and inspection equipment	22
6.9 Adapters	22
7 Procedures	22
7.1 General	22
7.2 Common procedures	23
7.2.1 Care of the test cords	23
7.2.2 Make reference measurements (LSPM methods only)	23
7.2.3 Inspect and clean the ends of the optical fibres in the cabling	23
7.2.4 Make the measurements	23
7.2.5 Make the calculations	23
7.2.6 Duplex and bi-directional testing	23
7.3 Calibration	23
7.4 Safety	24
8 Calculations	24
9 Documentation	24
9.1 Information for each test	24
9.2 Information to be available	24
Annex A (normative) One-cord method	25
A.1 Applicability of test method	25

A.2	Apparatus .....	25
A.3	Procedure .....	25
A.4	Calculation .....	26
A.5	Components of reported attenuation .....	26
Annex B (normative)	Three-cord method .....	27
B.1	Applicability of test method .....	27
B.2	Apparatus .....	27
B.3	Procedure .....	27
B.4	Calculations .....	28
B.5	Components of reported attenuation .....	28
Annex C (normative)	Two-cord method .....	29
C.1	Applicability of test method .....	29
C.2	Apparatus .....	29
C.3	Procedure .....	29
C.4	Calculations .....	30
C.5	Components of reported attenuation .....	30
Annex D (normative)	Equipment cord method .....	32
D.1	Applicability of the test method .....	32
D.2	Apparatus .....	32
D.3	Procedure .....	32
D.4	Calculation .....	33
D.5	Components of reported attenuation .....	33
D.6	Typical uncertainty values .....	34
Annex E (normative)	Optical time domain reflectometer .....	35
E.1	Applicability of the test method .....	35
E.2	Apparatus .....	35
E.2.1	General .....	35
E.2.2	OTDR .....	35
E.2.3	Test cords .....	35
E.3	Procedure (test method) .....	36
E.4	Calculation .....	37
E.4.1	General .....	37
E.4.2	Connection location .....	37
E.4.3	Definition of power levels $F_1$ and $F_2$ .....	38
E.4.4	Alternative calculation .....	38
E.5	OTDR uncertainties .....	40
Annex F (normative)	Requirements for the source characteristics .....	42
F.1	Encircled flux .....	42
F.2	Assumptions and limitations .....	42
F.3	Encircled flux templates .....	42
F.3.1	General .....	42
F.3.2	Uncertainties expectations .....	43
F.3.3	Templates .....	43
F.4	Graphical representation of templates .....	44
Annex G (informative)	OTDR configuration information .....	46
G.1	General .....	46
G.2	Fundamental parameters that define the operational capability of an OTDR .....	47
G.2.1	Dynamic range .....	47

G.2.2	Pulse width .....	47
G.2.3	Averaging time .....	47
G.2.4	Dead zone .....	47
G.3	Other parameters .....	47
G.3.1	Index of refraction.....	47
G.3.2	Measurement range.....	48
G.3.3	Distance sampling .....	48
G.4	Other measurement configurations .....	48
G.4.1	General .....	48
G.4.2	Macrobend or splice attenuation measurement .....	48
G.4.3	Splice attenuation measurement.....	49
G.4.4	Measurement with high reflection connectors or short length cabling .....	49
G.4.5	Ghost .....	51
G.5	More on the measurement method .....	52
G.6	Bi-directional measurement.....	53
G.7	Non-recommended practices.....	54
G.7.1	Measurement without tail test cord .....	54
G.7.2	Cursor measurement .....	54
Annex H (informative)	Test cord attenuation verification .....	55
H.1	General.....	55
H.2	Apparatus .....	55
H.3	Procedure .....	55
H.3.1	General .....	55
H.3.2	Test cord verification for the one-cord and two-cord methods when using non-pinned/unpinned and non-plug/socket style connectors .....	56
H.3.3	Test cord verification for the one-cord and two-cord methods when using pinned/unpinned or plug/socket style connectors.....	57
H.3.4	Test cord verification for the three-cord method when using non-pinned/unpinned and non-plug/socket style connectors .....	59
H.3.5	Test cord verification for the three-cord method when using pinned/unpinned or plug/socket style connectors .....	61
Annex I (normative)	On the use of reference-grade test cords.....	63
I.1	General.....	63
I.2	Practical configurations and assumptions.....	63
I.2.1	Component specifications .....	63
I.2.2	Conventions .....	64
I.2.3	Reference planes .....	64
I.3	Impact of using reference grade test cords for recommended LSPM methods .....	64
I.4	Examples for LSPM measurements.....	65
I.4.1	Example 1 (configuration A, 1-C method – Annex A).....	65
I.4.2	Example 2 (configuration D, EC method – Annex D) .....	65
I.5	Impact of using reference-grade test cords for different configurations using the OTDR test method .....	66
I.5.1	Cabling configurations A, B and C .....	66
I.5.2	Cabling configuration D .....	67
Annex J (informative)	Launch cord output near-field verification.....	69
J.1	Direct verification .....	69
J.2	Test equipment manufacturer verification.....	69
J.3	Field check with physical artefact.....	69
J.3.1	General .....	69

J.3.2	Procedure for attenuation characterization of artefacts .....	71
J.3.3	Construction details .....	71
J.3.4	Example results .....	72
	Bibliography.....	76
	Figure 1 – Connector symbols .....	13
	Figure 2 – Symbol for cabling under test.....	13
	Figure 3 – Reference plane for configuration A tested with the 1-cord method .....	16
	Figure 4 – Reference plane for configuration B tested with the 3-cord method .....	16
	Figure 5 – Reference plane for configuration C tested with the 2-cord method .....	17
	Figure 6 – Reference plane for configuration D tested with the EC method .....	17
	Figure 7 – OTDR schematic.....	22
	Figure A.1 – Reference measurement.....	26
	Figure A.2 – Test measurement.....	26
	Figure B.1 – Reference measurement.....	27
	Figure B.2 – Test measurement.....	28
	Figure C.1 – Reference measurement.....	29
	Figure C.2 – Test measurement.....	30
	Figure C.3 – Test measurement for plug-socket style connectors.....	30
	Figure D.1 – Reference measurement.....	33
	Figure D.2 – Test measurement.....	33
	Figure E.1 – OTDR method.....	36
	Figure E.2 – Location of the ports of the cabling under test.....	37
	Figure E.3 – Graphic construction of $F_1$ and $F_2$ .....	38
	Figure E.4 – Graphic construction of $F_1$ , $F_{11}$ , $F_{12}$ and $F_2$ .....	40
	Figure F.1 – Encircled flux example .....	45
	Figure G.1 – Splice and macrobend attenuation measurement.....	49
	Figure G.2 – Attenuation measurement with high reflection connectors.....	50
	Figure G.3 – Attenuation measurement of a short length cabling.....	51
	Figure G.4 – OTDR trace with ghost .....	52
	Figure G.5 – Cursor positioning .....	53
	Figure H.1 – Obtaining reference power level $P_0$ .....	57
	Figure H.2 – Obtaining power level $P_1$ .....	57
	Figure H.3 – Obtaining reference power level $P_0$ .....	58
	Figure H.4 – Obtaining power level $P_1$ .....	58
	Figure H.5 – Obtaining reference power level $P_0$ .....	59
	Figure H.6 – Obtaining power level .....	59
	Figure H.7 – Obtaining reference power level $P_0$ .....	60
	Figure H.8 – Obtaining power level $P_1$ .....	60
	Figure H.9 – Obtaining power level $P_5$ .....	61
	Figure H.10 – Obtaining reference power level $P_0$ .....	62

Figure H.11 – Obtaining power level $P_1$ .....	62
Figure I.1 – Cabling configurations A, B and C tested with the OTDR method .....	66
Figure I.2 – Cabling configuration D tested with the OTDR method .....	68
Figure J.1 – Initial power measurement.....	70
Figure J.2 – Verification of reference-grade connection .....	70
Figure J.3 – Two offset splices.....	70
Figure J.4 – Five offset splices .....	71
Figure J.5 – EF centred .....	72
Figure J.6 – EF underfilling.....	73
Figure J.7 – EF overfilling .....	73
Figure J.8 – L1 attenuation with mandrel.....	74
Figure J.9 – L1 attenuation with mandrel and mode conditioner .....	74
Figure J.10 – L2 attenuation with mandrel.....	74
Figure J.11 – L2 attenuation with mandrel and mode conditioning.....	75
Figure J.12 – L3 attenuation with mandrel.....	75
Figure J.13 – L3 attenuation with mandrel and mode conditioning.....	75
Table 1 – Cabling configurations.....	15
Table 2 – Test methods and configurations.....	15
Table 3 – Measurements bias related to test cord connector grade .....	18
Table 4 – Uncertainty for a given attenuation at 850 nm.....	19
Table 5 – Spectral requirements .....	19
Table D.1 – Uncertainty for a given attenuation at 850 nm .....	34
Table F.1 – Attenuation, threshold tolerance and confidence level .....	43
Table F.2 – EF requirements for 50 $\mu\text{m}$ core optical fibre cabling at 850 nm .....	43
Table F.3 – EF requirements for 50 $\mu\text{m}$ core optical fibre cabling at 1 300 nm.....	44
Table F.4 – EF requirements for 62,5 $\mu\text{m}$ core optical fibre cabling at 850 nm.....	44
Table F.5 – EF requirements for 62,5 $\mu\text{m}$ core optical fibre cabling at 1 300 nm.....	44
Table G.1 – Default effective group index of refraction values.....	48
Table I.1 – Measurement bias when using reference-grade test cords .....	65
Table I.2 – Measurement bias when using reference grade test cords – OTDR test method .....	67

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### FIBRE-OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

#### Part 4-1: Installed cabling plant – Multimode attenuation measurement

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.**

**IEC 61280-4-1 edition 3.1 contains the third edition (2019-05) [documents 86C/1575/FDIS and 86C/1592/RVD], its corrigendum (2020-04) and its amendment 1 (2021-12) [documents 86C/1720/CDV and 86C/1592/RVD].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 61280-4-1 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This third edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) changes to Annex F on encircled flux to harmonise with IEC TR 62614-2, but keeping the encircled flux limits defined in Tables F.2 to F.5 unchanged;
- b) addition of an equipment cord method in Annex D;
- c) inclusion of testing bend insensitive multimode optical fibre;
- d) updates to measurement uncertainty;
- e) definition of additional cabling configurations;
- f) changes to Table 5 on spectral requirements.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61280 series, published under the general title *Fibre optic communication subsystem test procedures*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## **FIBRE-OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –**

### **Part 4-1: Installed cabling plant – Multimode attenuation measurement**

#### **1 Scope**

This part of IEC 61280 is applicable to the measurement of attenuation of installed optical fibre cabling plant using multimode optical fibre. This cabling plant can include multimode optical fibres, connectors, adapters, splices, and other passive devices. The cabling can be installed in a variety of environments including residential, commercial, industrial, and data centre premises, as well as outside plant environments. The test equipment used in this document has one single fibre connector interface or two single fibre connector interfaces.

In this document, the optical fibres that are addressed include sub-categories A1-OM $x$ , where  $x = 2, 3, 4$  and  $5$  (50/125  $\mu\text{m}$ ) and A1-OM1 (62,5/125  $\mu\text{m}$ ) multimode optical fibres, as specified in IEC 60793-2-10. The attenuation measurements of the other multimode categories can be made using the approaches of this document, but the source conditions for the other categories have not been defined.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 61280-1-3, *Fibre optic communication subsystem test procedures – Part 1-3: General communication subsystems – Central wavelength and spectral width measurement*

IEC 61280-1-4, *Fibre optic communication subsystem test procedures – Part 1-4: General communication subsystems – Light source encircled flux measurement method*

IEC 61300-3-35, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-35: Examinations and measurements – Visual inspection of fibre optic connectors and fibre-stub transceivers*

IEC 61315, *Calibration of fibre-optic power meters*

IEC 61746-2, *Calibration of optical time-domain reflectometers (OTDR) – Part 2: OTDR for multimode fibres*

#### **3 Terms, definitions, graphical symbols and abbreviated terms**

For the purposes of this document, the following terms, definitions, graphical symbols and abbreviated terms apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: