LPG equipment and accessories - Sealing caps and plugs for LPG cylinder and pressure vessel valves - Specification and testing



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16119:2021 sisaldab Euroopa standardi EN 16119:2021 ingliskeelset teksti.

This Estonian standard EVS-EN 16119:2021 consists of the English text of the European standard EN 16119:2021.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.12.2021.

Date of Availability of the European standard is 22.12.2021.

Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.060.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

EN 16119

ICS 23.060.99

Supersedes EN 16119:2013

English Version

LPG equipment and accessories - Sealing caps and plugs for LPG cylinder and pressure vessel valves - Specification and testing

Équipements pour GPL et leurs accessoires - Bouchons et obturateurs d'étanchéité pour robinets de bouteilles et vannes de réservoirs sous pression - Spécifications et essais

Flüssiggas-Geräte und Ausrüstungsteile - Dichtkappen und Dichtstopfen für Flaschen und Druckbehälter für Flüssiggas (LPG) - Spezifikation und Prüfungen

This European Standard was approved by CEN on 22 November 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Con	tents	Page
Europ	pean foreword	3
Intro	troduction	
1	Scope	5
2	Normative references	
3	Terms and definitions	
4	Operating temperatures	
_		
5 5.1	Materials Environmental	7
5.1 5.2	GeneralGeneral	
5.2 5.3	Metallic materials	
5.3 5.4	Non-metallic materials	
5.4		
6	Design	
6.1	General	_
6.2	Threads	
6.3	External leak tightness	9
7	Testing and inspection of the design	9
7.1	General	
7.2	LPG resistance	
7.3	Water resistance	
7.4	Ageing	
7.5	Hydraulic strength test	
7.5.1	Reusable sealing caps or plugs	
7.5.2	Single use sealing caps or plugs	
7.6	Endurance test	
7.7	Torque Test	11
8	Marking	11
9	Documentation	12
10	Packaging	12
Anne	x A (normative) Special low temperature requirements for caps or plugs	
Anne	x B (normative) Combined ageing test	14
B.1	General	
B.2	Ultraviolet light	14
B.3	Rain	14
Biblic	ography	17

European foreword

This document (EN 16119:2021) has been prepared by Technical Committee CEN/TC 286 "LPG equipment and accessories", the secretariat of which is held by NSAI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16119:2013.

EN 16119:2021 includes the following significant technical changes with respect to EN 16119:2013:

- Addition of external leak tightness term and definition
- Introduction of requirement for UV resistance
- Parameters for LPG resistance have been tightened
- Introduction of pressure test after endurance test
- Environmental checklist deleted

In this document the unit bar is used, due to its universal use in the gas industry. It should, however, be noted that bar is not an SI unit, and that the corresponding SI unit for pressure is Pa (1 bar = 10^5 Pa = 10^5 N/m²).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document calls for the use of substances and procedures that may be injurious to health and/or the environment if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations at any stage.

It is recommended that companies using this document develop an environmental management policy. For guidance see ISO 14000 series.

Protection of the environment is a key political issue in Europe and elsewhere. For TC 286 this is covered in CEN/TS 16765 [4] LPG equipment and accessories - Environmental considerations for CEN/TC 286 standards, and this Technical Specification should be read in conjunction with this document. The Technical Specification provides guidance on the environmental aspects to be considered regarding equipment and accessories produced for the LPG industry and the following is addressed:

- a) design;
- b) manufacture;
- c) packaging;
- d) use and operation; and
- e) disposal.

It has been assumed in the drafting of this document that the execution of its provisions is entrusted to appropriately qualified and experienced people.

All pressures are gauge pressures unless otherwise stated.

This document requires measurement of material properties, dimensions and pressures. All such measurements are subject to a degree of uncertainty due to tolerances in measuring equipment etc. It may be beneficial to refer to the leaflet, Measurement uncertainty leaflet SP INFO 2000:27 [3].

1 Scope

This document specifies the design, testing and marking requirements for caps and plugs used to form a pressure tight seal with liquefied petroleum gas (LPG) cylinder valves and pressure vessel valves. Sealing caps and plugs provide an additional seal for self-closing and manually operated valves.

Protection caps or dust caps and tamper evident seals that do not form an additional seal as part of their design are excluded from the scope of this document.

Cylinder valve caps and plugs can be used with valves for liquid and vapour manufactured in accordance with EN ISO 14245 and EN ISO 15995.

Pressure vessel valve caps and plugs can be used with valves for liquid and vapour manufactured in accordance with EN 13175. Occasional liquid withdrawal valve caps and plugs are excluded from the scope of this document.

Reusable and single use sealing caps and plugs are included in this document.

This document does not exclude the use of other designs that provide an equivalent level of safety.

NOTE The term "pressure vessel" does not include LPG tank vehicles, also called "road tankers", in CEN/TC 286 standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 549, Rubber materials for seals and diaphragms for gas appliances and gas equipment

EN 751-1, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 1: Anaerobic jointing compounds

EN 751-2, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 2: Non-hardening jointing compounds

EN 751-3, Sealing materials for metallic threaded joints in contact with 1st, 2nd and 3rd family gases and hot water - Part 3: Unsintered PTFE tapes

EN 12164, Copper and copper alloys - Rod for free machining purposes

EN 12165, Copper and copper alloys - Wrought and unwrought forging stock

EN 12420, Copper and copper alloys - Forgings

EN 13175, LPG equipment and accessories — Specification and testing for Liquefied Petroleum Gas (LPG) tank valves and fittings

EN 15202, LPG equipment and accessories - Essential operational dimensions for LPG cylinder valve outlet and associated equipment connections

EN ISO 11114-1, Gas cylinders - Compatibility of cylinder and valve materials with gas contents - Part 1: Metallic materials (ISO 11114-1)

EN ISO 11114-2, Gas cylinders - Compatibility of cylinder and valve materials with gas contents - Part 2: Non-metallic materials (ISO 11114-2)

EN ISO 14021, Environmental labels and declarations - Self-declared environmental claims (Type II environmental labelling) (ISO 14021)

EN ISO 14024, Environmental labels and declarations - Type I environmental labelling - Principles and procedures (ISO 14024)

EN ISO 14025, Environmental labels and declarations - Type III environmental declarations - Principles and procedures (ISO 14025)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

liquefied petroleum gas

LPG

low pressure liquefied gas composed of one or more light hydrocarbons which are assigned to UN 1011, UN 1075, UN 1965, UN 1969 or UN 1978 only and which consists mainly of propane, propene, butane, butane isomers, butene with traces of other hydrocarbon gases

Note 1 to entry: In some countries, UN numbers 1011 and 1978 may also be designated LPG.

3.2

plug

component which seals a female connection

3.3

cap

component which seals a male connection

3.4

cylinder valve

primary shutoff device intended for liquid filling and liquid or vapour service fitted to LPG cylinders

Note 1 to entry: The valve can also include additional devices e.g. liquid level indicator, excess flow device, pressure relief valve, sediment tube, non-return valve and eduction tube.

3.5

external leak tightness

resistance to leakage through the fitting to or from the atmosphere

3.6

sealing cap or plug

device which is intended to seal the inlet and or outlet connection of a valve

Note 1 to entry: It may also provide protection to the valve connection. The device may provide protection against the ingress of dust, dirt or other contamination. The device may also be used to provide tamper evidence.