

Cosmetics - Determination of sunscreen UVA
photoprotection in vitro (ISO 24443:2021, Corrected
version 2022-02)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 24443:2021 sisaldab Euroopa standardi EN ISO 24443:2021 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 24443:2021 consists of the English text of the European standard EN ISO 24443:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.12.2021.	Date of Availability of the European standard is 15.12.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Cosmetics - Determination of sunscreen UVA
photoprotection in vitro (ISO 24443:2021, Corrected
version 2022-02)**

Cosmétiques - Détermination in vitro de la
photoprotection UVA (ISO 24443:2021, Version
corrigée 2022-02)

Kosmetische Mittel - In-vitro-Bestimmung des UVA
Schutzes von Sonnenschutzmitteln (ISO 24443:2021,
korrigierte Fassung 2022-02)

This European Standard was approved by CEN on 17 October 2021.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 16 March 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 24443:2021) has been prepared by Technical Committee ISO/TC 217 "Cosmetics" in collaboration with Technical Committee CEN/TC 392 "Cosmetics" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 24443:2012.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 24443:2021, Corrected version 2022-02 has been approved by CEN as EN ISO 24443:2021 without any modification.

Contents

Page

Foreword.....	iv
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions, symbols and abbreviated terms.....	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
4 Principle.....	3
5 Apparatus.....	3
5.1 Spectrophotometer specifications.....	3
5.2 Calibration of the spectrophotometer.....	4
5.3 Calibration of the UV exposure source.....	4
5.4 Monitoring of the UV exposure source.....	5
5.5 Calibration of the UVA radiometer used to monitor the test sample irradiation.....	5
5.6 Substrate/plate.....	5
6 Test method.....	6
6.1 Outline of the test procedure.....	6
6.2 Equipment calibration and validation of test plates.....	6
6.3 Absorption measurements through the plate.....	6
6.4 Sample application.....	7
6.5 Absorbance measurements of the product-treated plate.....	8
6.6 Number of determinations.....	8
6.7 Determination of initial calculated SPF ($SPF_{in\ vitro,0}$), “C” value, initial UVA-PF ($UVA-PF_0$), and UV exposure dose.....	8
6.7.1 Determination of initial in vitro SPF ($SPF_{in\ vitro,0}$).....	8
6.7.2 Determination of “C” value.....	8
6.7.3 Determination of initial UVA protection factor before UV exposure ($UVA-PF_0$).....	9
6.7.4 Determination of the UV exposure dose.....	10
6.8 UV exposure of sample plates.....	10
6.9 Calculation of UVA-PF of plates after UV exposure of the sample.....	10
6.10 Calculation of critical wavelength of plates after UV exposure of the sample.....	11
7 Procedure using the spreadsheet in this document.....	11
8 Product reference sunscreen.....	12
8.1 Formula S2.....	12
8.2 Standard P8.....	12
9 Test report.....	12
Annex A (normative) Calibration of spectrophotometer and plate transmission test.....	14
Annex B (normative) Radiometer calibration to spectroradiometric irradiance procedure.....	18
Annex C (normative) Computation values: PPD and erythema action spectra and UVA and UV-SSR spectral irradiances.....	20
Annex D (normative) PMMA substrate plate surface specifications.....	23
Annex E (normative) Product reference sunscreen formulations.....	26
Annex F (informative) Statistical calculations.....	32
Annex G (informative) Definition and examples of valid results/Factor “C”.....	35
Bibliography.....	36

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 217 *Cosmetics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 392, *Cosmetics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 24443:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- acceptance of moulded and sandblasted PMMA plates, according to specifications described in [Annex D](#);
- product application fitted to 1,2mg/cm² for sandblasted plates;
- description of application gesture according to tested products;
- introduction of a new high UVA PF standard P8;
- introduction of critical wavelength calculation;
- calculation of coefficient "C" accepted from in vivo screening SPF, with specific conditions based on SEM and percentage of variability, and new range proposed from 0,6 to 1,6;
- limitation of UVA irradiation dose to 36 J/cm².

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 24443:2021 incorporates the following corrections:

- [Formulae \(2\)](#) and [\(4\)](#) have been corrected;
- in [6.7.2](#), the significance of SEM has been explained;

- in [A.5.1](#), the transmission values for sandblasted PMMA plates have been corrected;
- Bibliographic references have been corrected.

This document is a preview generated by EVS

Introduction

This document specifies the procedure to determine the ultraviolet protection factor (UVA-PF) of a sunscreen product using the in vitro UVA-PF according to the principles recommended by the European Cosmetic and Perfumery Association (COLIPA) in 2011. The outcome of this test method can be used to determine the UVA classification of topical sunscreen products according to local regulatory requirements.

Topical sunscreen products are primarily rated and labelled according to their ability to protect against sunburn, using a test method to determine the in vivo sun protection factor (see ISO 24444). This rating evaluates filtration of sunburn generating radiation across the electromagnetic UV spectrum (290 nm to 400 nm). However, knowledge of the sun protection factor (SPF) rating does not provide explicit information on the magnitude of the protection provided specifically in the UVA range of the spectrum (320 nm to 400 nm), as it is possible to have high SPF products with very modest UVA protection (e.g. SPF 50 with a UVA-PF of only 3 to 4). There is a demand among medical professionals, as well as knowledgeable consumers, to have fuller information on the UVA protection provided by their sunscreen product, in addition to the SPF, in order to make a more informed choice of product, providing a more balanced and broader-spectrum protection. Moreover, there is also a demand to prevent UVA-induced darkening of the skin from a cultural point of view even without sunburn. The UVA-PF value of a product provides information on the magnitude of the protection provided explicitly in the UVA portion of the spectrum, independent of the SPF values.

The test method outlined in this document is derived primarily from the in vitro UVA-PF test method as developed by COLIPA.

Cosmetics — Determination of sunscreen UVA photoprotection in vitro

1 Scope

This document specifies an in vitro procedure to characterize the UVA protection of sunscreen products. Specifications are given to enable determination of the spectral absorbance characteristics of UVA protection in a reproducible manner.

In order to determine relevant UVA protection parameters, the method has been created to provide an UV spectral absorbance curve from which a number of calculations and evaluations can be undertaken. These include calculation of the Ultraviolet-A protection factor (UVA-PF) [correlating with in vivo UVA-PF from the persistent pigment darkening (PPD) testing procedure], critical wavelength and UVA absorbance proportionality. These computations are optional and relate to local sunscreen product labelling requirements. This method relies on the use of static in vivo SPF results for scaling the UV absorbance curve.

This document is not applicable to powder products such as pressed powder and loose powder products.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

UV

ultraviolet radiation

electromagnetic radiation in the range of 290 nm to 400 nm

3.1.2

UVB

ultraviolet B

electromagnetic radiation in the range of 290 nm to 320 nm

3.1.3

UVA

ultraviolet A

electromagnetic radiation in the range of 320 nm to 400 nm

Note 1 to entry: UVA II = 320 nm to 340 nm; UVA I = 340 nm to 400 nm.