

GAASIARVESTI. TERMILISE MASSIVOO MÕÕTURIL
PÕHINEV GAASIARVESTI

Gas meter - Thermal-mass flow-meter based gas meter

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 17526:2021 sisaldab Euroopa standardi EN 17526:2021 ingliskeelset teksti.	This Estonian standard EVS-EN 17526:2021 consists of the English text of the European standard EN 17526:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.12.2021.	Date of Availability of the European standard is 22.12.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Gas meter - Thermal-mass flow-meter based gas meter

Compteurs de gaz - Compteur de gaz basé sur un
débitmètre massique par effet thermique

Gaszähler - Thermische Massendurchflussgaszähler

This European Standard was approved by CEN on 11 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms, definitions and symbols.....	8
3.1 Terms and definitions	8
3.2 Symbols.....	12
4 Working conditions.....	13
4.1 General.....	13
4.2 Base conditions.....	13
4.3 Flow range	13
4.4 Maximum working pressure.....	14
4.5 Temperature range	14
4.6 Range of gases	15
4.7 Installation orientation.....	15
5 Metrological performance	15
5.1 General.....	15
5.2 Test mode comparison.....	16
5.3 Permissible errors.....	17
5.4 Gas-air relationship.....	19
5.5 Pressure absorption.....	20
5.6 Metrological stability.....	21
5.7 Immunity to contaminants in gas stream (dust test).....	22
5.8 Flow disturbances.....	25
5.9 Zero flow.....	29
5.10 Reverse flow.....	30
5.11 Low flow registration (starting flow rate)	30
5.12 Overload flow rate	30
5.13 MM - Pulsed (unsteady) flow.....	31
6 Construction and materials.....	31
6.1 Mechanical interference.....	32
6.2 Unauthorized interference.....	32
6.3 Robustness of meter case.....	33
6.4 Connections.....	37
6.5 Resistance to vibration	42
6.6 Corrosion protection.....	44
6.7 Flame retardance of external surfaces.....	45
6.8 Requirements for rubber components in the gas path	46
6.9 Resistance to storage temperature range.....	46
6.10 Resistance to toluene/iso-octane vapour.....	46
6.11 Resistance to water vapour	48
6.12 Ageing.....	49
7 Optional features.....	50
7.1 Pressure measuring point.....	50
7.2 Electrical insulating feet (optional).....	51
7.3 Resistance to high ambient temperatures.....	51

7.4	Additional functionalities (if fitted).....	53
7.5	Use in hazardous zones	54
8	Index.....	54
8.1	Recording and storage.....	54
8.2	Display	54
8.3	Display functionality	55
8.4	Non-volatile memory.....	56
9	Marking	57
9.1	All meters.....	57
9.2	Two-pipe meters.....	57
9.3	Durability and legibility of marking and labels.....	58
9.4	Indelibility of marking.....	59
10	Software	59
10.1	Requirements.....	59
10.2	Test	59
11	Communications	60
11.1	General	60
11.2	Metrological influence of radio communication function	60
11.3	Test mode	61
11.4	Data optical port (optional)	61
11.5	Galvanic port (optional)	61
11.6	Diagnostics	61
12	Battery	63
12.1	General	63
12.2	Additional requirements	63
13	Immunity to electromagnetic disturbances.....	63
13.1	General	63
13.2	Electrostatic discharge	64
13.3	Radio frequency electromagnetic field.....	64
13.4	Electromagnetic induction (power frequency)	65
13.5	Electromagnetic induction (pulsed field)	65
13.6	Radio interference suppression.....	65
14	Instructions.....	66
15	Meters supplied for testing	66
16	Production requirements.....	69
	Annex A (informative) Key physical property of gases for meter performance testing	70
	Annex B (normative) Gases for meter performance testing	72
	Annex C (informative) Meters without temperature or pressure conversion	74
	Annex D (normative) Production requirements for gas meters.....	75
	Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive aimed to be covered	77
	Bibliography	82

European foreword

This document (EN 17526:2021) has been prepared by Technical Committee CEN/TC 237 “Gas meters”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies requirements and tests for the construction, performance, safety and production of battery powered class 1,5 Capillary Thermal-Mass Flow sensor gas meters (hereinafter referred to as meter(s)). This applies to meters having co-axial single pipe, or two pipe connections, which are used to measure volumes of fuel gases of the 2nd and/or 3rd family, as given in EN 437:2018.

In general, the term “thermal mass flow meters” applies to a flow-measuring device using heat transfer to measure and indicate gas flowrate, as defined in ISO 14511.

NOTE 1 Although the word “mass” is present in the definition of the measurement principle, gas meters covered by this document provide measurement of gas at base conditions of temperature and pressure.

These meters have a maximum working pressure not exceeding 0,5 bar and a maximum flowrate not exceeding 160 m³/h over a minimum ambient temperature range of –10 °C to +40 °C and a gas temperature range as specified by the manufacturer with a minimum range of 40 °C.

This document applies to meters indicating volume at base conditions, which are installed in locations with vibration and shocks of low significance. It applies to meters in:

- closed locations (indoor or outdoor with protection, as specified by the manufacturer) with condensing humidity or with non-condensing humidity;

or, if specified by the manufacturer:

- open locations (outdoor without any covering) both with condensing humidity or with non-condensing humidity;

and in locations with electromagnetic disturbances likely to be found in residential, commercial and light industrial use.

For meters which indicate unconverted volume, reference can be made to Annex C.

Unless otherwise stated, all pressures given in this document are gauge pressures.

Requirements for electronic indexes, valves and additional requirements for batteries incorporated in the meter and any other additional functionalities are given in EN 16314:2013.

Unless otherwise stated in a particular test, the tests are carried out on meters that include additional functionality devices intended by the manufacturer.

Clauses 1 to 13 are for design and type testing only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 437:2018, *Test gases — Test pressures — Appliance categories*

EN 549:2019, *Rubber materials for seals and diaphragms for gas appliances and gas equipment*

EN 1092-1:2018, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges*

EN 16314:2013, *Gas meters — Additional functionalities*

EN ISO 228-1:2003, *Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1:2000)*

EN ISO 1518-1:2019, *Paints and varnishes — Determination of scratch resistance — Part 1: Constant-loading method (ISO 1518-1:2019)*

EN ISO 2409:2020, *Paints and varnishes — Cross-cut test (ISO 2409:2020)*

EN ISO 2812-1:2017, *Paints and varnishes — Determination of resistance to liquids — Part 1: Immersion in liquids other than water (ISO 2812-1:2017)*

EN ISO 4628-2:2016, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 2: Assessment of degree of blistering (ISO 4628-2:2016)*

EN ISO 4628-3:2016, *Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 3: Assessment of degree of rusting (ISO 4628-3:2016)*

EN ISO 4892-3:2016, *Plastics — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps (ISO 4892-3:2016)*

EN ISO 6270-1:2018, *Paints and varnishes — Determination of resistance to humidity — Part 1: Condensation (single-sided exposure) (ISO 6270-1:2017)*

EN ISO 6272-1:2011, *Paints and varnishes — Rapid-deformation (impact resistance) tests — Part 1: Falling-weight test, large-area indenter (ISO 6272-1:2011)*

EN ISO 9227:2017, *Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227:2017)*

EN ISO/CIE 11664-4:2019, *Colorimetry — Part 4: CIE 1976 $L^*a^*b^*$ colour space (ISO/CIE 11664-4:2019)*

EN 50561-1:2013, *Power line communication apparatus used in low-voltage installations — Radio disturbance characteristics - Limits and methods of measurement — Part 1: Apparatus for in-home use*

EN 55032:2015, *Electromagnetic compatibility of multimedia equipment — Emission Requirements*

EN IEC 60079-0:2018¹⁾, *Explosive atmospheres — Part 0: Equipment — General requirements (IEC 60079-0:2017)*

EN 60079-10-1:2015, *Explosive atmospheres — Part 10-1: Classification of areas — Explosive gas atmospheres (IEC 60079-10-1:2015)*

EN 60079-11:2012, *Explosive atmospheres — Part 11: Equipment protection by intrinsic safety “i” (IEC 60079-11:2011)*

EN IEC 60079-15:2019, *Explosive atmospheres — Part 15: Equipment protection by type of protection “n” (IEC 60079-15:2017)*

1) As impacted by EN IEC 60079-0:2018/AC:2020-02.

EN 60529:1991²⁾, *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

EN 60695-11-5:2017, *Fire hazard testing — Part 11-5: Test flames — Needle-flame test method - Apparatus, confirmatory test arrangement and guidance (IEC 60695-11-5:2016)*

EN 60695-11-10:2013³⁾, *Fire hazard testing — Part 11-10: Test flames — 50 W horizontal and vertical flame test methods (IEC 60695-11-10:2013)*

EN 60730-1:2016⁴⁾, *Automatic electrical controls — Part 1: General requirements (IEC 60730-1:2013 , modified + COR1:2014)*

EN 61000-4-2:2009, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques — Electrostatic discharge immunity test (IEC 61000-4-2:2008)*

EN 61000-4-3:2006⁵⁾, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3:2006)*

EN 61000-4-8:2010, *Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test (IEC 61000-4-8:2009)*

EN 61000-6-1:2007, *Electromagnetic compatibility (EMC) — Part 6-1: Generic standards — Immunity for residential, commercial and light-industrial environments (IEC 61000-6-1:2005)*

EN 61000-4-9:2016, *Electromagnetic compatibility (EMC) — Part 4-9: Testing and measurement techniques — Impulse magnetic field immunity test (IEC 61000-4-9:2016)*

EN IEC 61000-6-2:2019, *Electromagnetic compatibility (EMC) — Part 6-2: Generic standards — Immunity standard for industrial environments*

EN 62056-21:2002, *Electricity metering — Data exchange for meter reading, tariff and load control — Part 21: Direct local data exchange (IEC 62056-21:2002)*

ISO 834-1:1999, *Fire resistance tests — Elements of building construction — Part 1: General requirements*

ISO 12213-2:2006, *Natural gas — Calculation of compression factor — Part 2: Calculation using molar-composition analysis*

ASTM D 1003-13, *Standard Test Method for Haze and Luminous Transmittance of transparent plastics*

2) As impacted by EN 60529:1991/AC:2006-12, EN 60529:1991/A1:2000, EN 60529:1991/A2:2013 and EN 60529:1991/A2:2013/AC:2019-02.

3) As impacted by EN 60695-11-10:2013/AC:2014.

4) As impacted by EN 60730-1:2016/A1:2019.

5) As impacted by EN 61000-4-3:2006/A1:2008, EN 61000-4-3:2006/A2:2010 and EN 61000-4-3:2006/IS1:2009.