

RAUDTEEALASED RAKENDUSED. VEEREMI KÜLGMISED
SISSEPÄÄSUSÜSTEEMID

Railway applications - Bodyside entrance systems for
rolling stock

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14752:2019+A1:2021 sisaldab Euroopa standardi EN 14752:2019+A1:2021 ingliskeelset teksti.	This Estonian standard EVS-EN 14752:2019+A1:2021 consists of the English text of the European standard EN 14752:2019+A1:2021.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.12.2021.	Date of Availability of the European standard is 22.12.2021.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 45.140

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14752:2019+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

ICS 45.140

Supersedes EN 14752:2019

English Version

Railway applications - Bodyside entrance systems for rolling stock

Applications ferroviaires - Systèmes d'accès latéraux pour matériel roulant

Bahnanwendungen - Seiteneinstiegssysteme für Schienenfahrzeuge

This European Standard was approved by CEN on 12 May 2019 and includes Amendment 1 approved by CEN on 29 November 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	6
Introduction	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Constructional requirements	13
4.1 Door design	13
4.1.1 Door throughway design	13
4.1.2 Steps.....	15
4.1.3 Track level access.....	17
4.1.4 Relative position of the step edge	17
4.1.5 Train surfing.....	18
4.1.6 Door windows.....	18
4.1.7 Design of body side entrance doors used for accessing driver's cabs	19
4.1.8 Water drainage	19
4.2 Mechanical strength.....	19
4.2.1 Door mechanical strength.....	19
4.2.2 Step(s) mechanical strength	21
4.3 Local door control devices.....	22
4.3.1 Door buttons.....	22
4.3.2 Emergency egress device	23
4.3.3 Access device	24
4.4 Labels/warning signs	25
4.5 Interfaces with the vehicle.....	25
4.5.1 Electric and pneumatic power supplies.....	25
4.5.2 Mechanical interface with the vehicle	25
4.6 Other requirements	25
4.6.1 Fire protection	25
4.6.2 Insulation	25
4.7 Electronic equipment	26
4.7.1 Hardware	26
4.7.2 Software for electronic door control systems.....	26
4.8 Reliability, availability, maintainability, safety (RAMS).....	26
4.9 Protection against electrical hazards	27
4.10 Environmental conditions	27
4.10.1 Weather	27
4.10.2 Water tightness.....	27
4.10.3 Pressure tightness	27
4.11 Manual and semi-automatic ramps, bridging plates.....	28
5 Operational requirements.....	28
5.1 Door control	28
5.1.1 General.....	28
5.1.2 Release doors and steps.....	28
5.1.3 Interlocking of released doors	28
5.1.4 Single point failure	28

5.1.5	Mechanical locking.....	28
5.1.6	Out-of-service devices.....	29
5.1.7	Isolation for maintenance purposes.....	30
5.2	Closing and opening conditions.....	31
5.2.1	Safety during closing.....	31
5.2.2	Entrance system closed proving.....	42
5.3	Opening conditions.....	43
5.3.1	Safety during opening.....	43
5.3.2	Limitation of opening.....	43
5.4	Moveable step obstacle detection.....	43
5.4.1	General.....	43
5.4.2	Steps outside the vehicle.....	43
5.4.3	Steps inside the vehicles.....	43
5.5	Emergency operation.....	44
5.5.1	Emergency egress.....	44
5.5.2	Emergency windows in access doors.....	47
5.5.3	Access device.....	47
5.5.4	Powering up.....	48
5.6	Other requirements.....	48
5.6.1	Passenger access door area illumination.....	48
5.6.2	Status indication.....	48
6	Categories of tests.....	48
6.1	General.....	48
6.2	Type tests.....	48
6.3	Routine tests during manufacture.....	49
6.4	Routine test on the fully assembled vehicle/train consist.....	49
7	Documentation related to installation and maintenance of the entrance system.....	49
Annex A	(normative) Passenger interface devices.....	50
A.1	Purpose.....	50
A.2	Design of door buttons.....	50
A.3	Labels on or near door buttons.....	52
A.4	Recommended emergency egress device.....	53
A.5	Sample of labels.....	53
Annex B	(normative) Water test procedure.....	54
B.1	Purpose.....	54
B.2	Test arrangement.....	54
B.3	Test procedure.....	55
B.4	Test decision.....	56
Annex C	(normative) Specification and testing of the pressure tightness of door.....	58
C.1	Purpose.....	58
C.2	Calculation - Flowchart.....	58
C.3	Example of pressure tightness requirement specification.....	58
C.4	Pressure tightness testing.....	59
C.4.1	General.....	59

C.4.1.1	Sealing surface	59
C.4.1.2	Leakage surface	59
C.4.1.3	Equivalent leakage surface (ELS)	59
C.4.1.4	Approximate equivalent leakage surface.....	59
C.4.2	Variable pressure measurement method	59
C.4.2.1	Principle of measurement	59
C.4.2.2	Modelling the phenomenon	60
C.4.2.2.1	Symbols	60
C.4.2.2.2	Modelling	60
C.4.2.2.3	Equivalent leakage surface	61
C.4.3	Variant: Constant pressure method of measurement.....	61
C.4.3.1	General.....	61
C.4.3.2	Principle: Equipment forms a chamber	62
C.4.3.3	Modelling the phenomenon	62
Annex D (normative)	Requirements for measuring the closing forces of power-operated doors	63
D.1	General.....	63
D.2	Terms and definitions	63
D.3	Measurements.....	64
D.3.1	Conditions of measurement	64
D.3.2	Measurement points	64
D.3.3	Measuring method.....	64
Annex E (normative)	Test plan.....	66
Annex F (normative)	Load requirements for doors due to aerodynamic loads on passenger trains.....	68
Annex G (informative)	Clauses in this European Standard requiring clarification in the technical specification.....	69
Annex H (normative)	RIC-KEY	71
Annex I (informative)	Calculation of kinetic energy	72
Annex J (informative)	Non-contact obstacle detection.....	78
J.1	General.....	78
J.2	Light barrier	78
J.3	Step sensors for external steps	78
J.4	Area monitoring systems	78
J.4.1	Arrangement of area monitoring system	78
J.4.2	Testing of area monitoring system	81
J.4.2.1	Test object.....	81

J.4.2.2 Open door (closing is not yet triggered by door control)	82
J.4.2.2.1 Static	82
J.4.2.2.2 Dynamic	82
J.4.2.3 Automatically closing door (door leaf is moving)	82
J.4.2.3.1 Static	82
J.4.2.3.2 Dynamic	82
Bibliography	83

This document is a preview generated by EVS

European foreword

This document (EN 14752:2019+A1:2021) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 14752:2019 A1.

This document includes Amendment 1 approved by CEN on 29 November 2021.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 *deleted text* A1

A1 Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website. A1

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document specifies the minimum requirements for construction and operation of railway passenger access systems to ensure:

- safe access and egress from passenger trains through body side doors and steps;
- usability for persons with reduced mobility;
- a minimum risk of injury to persons as a result of door and step operation;
- that the doors and moveable steps, ramps, bridging plates remain closed when the vehicle is in motion; and
- safe maintenance of the entrance systems.

This document is a preview generated by EVS

1 Scope

This document applies to passenger body side entrance systems of all newly designed railway vehicles such as tram, metro, suburban, mainline and high-speed trains that carry passengers. The requirements of this document also apply to existing vehicles undergoing refurbishment of the door equipment, as far as it is reasonably practicable.

This document also specifies the requirements for testing of entrance systems.

This document makes reference to manual and power operated entrance systems. For manual doors, clauses referring to power operation are not applicable.

This document does not apply to the following:

- entrance systems for equipment access, inspection or maintenance purposes and for crew only use;
- doors on freight wagons; and
- doors or hatches specifically provided for escape under emergency conditions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12663-1:2010+A1:2014, *Railway applications — Structural requirements of railway vehicle bodies — Part 1: Locomotives and passenger rolling stock (and alternative method for freight wagons)*

EN 13032-1:2004+A1:2012, *Light and lighting — Measurement and presentation of photometric data of lamps and luminaires — Part 1: Measurement and file format*

EN 13272:2012, *Railway applications — Electrical lighting for rolling stock in public transport systems*

EN 14067 (all parts), *Railway applications — Aerodynamics*

EN 16116-1:2013, *Railway applications — Design requirements for steps, handrails and associated access for staff — Part 1: Passenger vehicles, luggage vans and locomotives*

EN 45545-2:2013+A1:2015, *Railway applications — Fire protection on railway vehicles — Part 2: Requirements for fire behaviour of materials and components*

EN 50121-3-2:2016, *Railway applications — Electromagnetic compatibility — Part 3-2: Rolling stock — Apparatus*

EN 50125-1:2014, *Railway applications — Environmental conditions for equipment — Part 1: Rolling stock and on-board equipment*

EN 50126 (all parts), *Railway applications — The specification and demonstration of Reliability, Availability, Maintainability and Safety (RAMS)*

EN 50153:2014, *Railway applications — Rolling stock — Protective provisions relating to electrical hazards*

EN 50155:2017, *Railway applications — Rolling stock — Electronic equipment*

EN 50215:2009, *Railway applications — Rolling stock — Testing of rolling stock on completion of construction and before entry into service*

EN 50657:2017, *Railways Applications — Rolling stock applications — Software on Board Rolling Stock*

EN 60077-1:2002, *Railway applications — Electric equipment for rolling stock — Part 1: General service conditions and general rules (IEC 60077-1:1999, modified)*

EN 61373:2010, *Railway applications — Rolling stock equipment — Shock and vibration tests (IEC 61373:2010)*

EN ISO 4762:2004, *Hexagon socket head cap screws (ISO 4762:2004)*

EN ISO 10140-2:2010, *Acoustics — Laboratory measurement of sound insulation of building elements — Part 2: Measurement of airborne sound insulation (ISO 10140-2:2010)*

EN ISO 12567-1:2010, *Thermal performance of windows and doors — Determination of thermal transmittance by the hot-box method — Part 1: Complete windows and doors (ISO 12567-1:2010)*

DIN 5032-7:2017, *Photometry — Part 7: Classification of illuminance meters and luminance meters*

DIN 7340:2011, *Tubular rivets cut from the tube*

UIC 566:1990, *Loadings of coach bodies and their components*

UIC 660:2002, *Measures to ensure the technical compatibility of high-speed trains*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

access device

operating element used to unlock a locked door in order to allow for door opening from outside when the door is not available for normal operation