

HÄIRESÜSTEEMID, SISSETUNGI- JA PAANIKAHÄIRE
SÜSTEEMID. OSA 2-2: NÕUDED PASSIIVSETELE
INFRAPUNAANDURITELE

Alarm systems - Intrusion and hold-up systems - Part
2-2: Requirements for passive infrared detectors

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 50131-2-2:2021 sisaldab Euroopa standardi EN 50131-2-2:2021 ingliskeelset teksti. | This Estonian standard EVS-EN 50131-2-2:2021 consists of the English text of the European standard EN 50131-2-2:2021. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.12.2021. | Date of Availability of the European standard is 17.12.2021. |
| Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest. | The standard is available from the Estonian Centre for Standardisation and Accreditation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.310

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Alarm systems - Intrusion and hold-up systems - Part 2-2:
Requirements for passive infrared detectors**

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et
les hold-up - Partie 2-2: Exigences pour détecteurs à
infrarouges passifs

Alarmanlagen - Einbruch- und Überfallmeldeanlagen - Teil
2-2: Anforderungen an Passiv-Infrarotmelder

This European Standard was approved by CENELEC on 2021-11-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

| | |
|---|-----------|
| European foreword..... | 5 |
| Introduction..... | 6 |
| 1 Scope..... | 7 |
| 2 Normative references..... | 7 |
| 3 Terms, definitions and abbreviations..... | 7 |
| 3.1 Terms and definitions | 7 |
| 3.2 Abbreviations | 8 |
| 4 Functional requirements..... | 8 |
| 4.1 Event processing | 8 |
| 4.2 Detection..... | 10 |
| 4.2.1 Detection performance | 10 |
| 4.2.2 Indication of detection..... | 11 |
| 4.3 Operational requirements | 12 |
| 4.3.1 Time interval between intrusion signals or messages..... | 12 |
| 4.3.2 Switch on delay | 12 |
| 4.3.3 Self-tests..... | 12 |
| 4.4 Immunity to incorrect operation | 12 |
| 4.4.1 General | 12 |
| 4.4.2 Immunity to turbulent warm air flow..... | 12 |
| 4.4.3 Immunity to visible and near infrared radiation..... | 12 |
| 4.5 Tamper security | 13 |
| 4.5.1 General | 13 |
| 4.5.2 Resistance to and detection of unauthorised access to components and means of adjustment | 13 |
| 4.5.3 Detection of removal from the mounting surface..... | 13 |
| 4.5.4 Resistance to, or detection of, re-orientation..... | 13 |
| 4.5.5 Immunity to magnetic field interference..... | 13 |
| 4.5.6 Detection of masking | 14 |
| 4.6 Electrical requirements | 14 |
| 4.6.1 General | 14 |
| 4.6.2 Detector current consumption | 14 |
| 4.6.3 Slow input voltage change and voltage range limits | 14 |
| 4.6.4 Input voltage ripple | 14 |
| 4.6.5 Input voltage step change | 14 |
| 4.7 Environmental classification and conditions | 15 |
| 4.7.1 Environmental classification | 15 |
| 4.7.2 Immunity to environmental conditions | 15 |
| 5 Marking, identification and documentation | 15 |
| 5.1 Marking and/or identification..... | 15 |
| 5.2 Documentation..... | 15 |

| | | |
|----------|---|-----------|
| 6 | Testing | 16 |
| 6.1 | General | 16 |
| 6.2 | General test conditions | 16 |
| 6.2.1 | Standard conditions for testing | 16 |
| 6.2.2 | General detection testing environment and procedures | 16 |
| 6.2.3 | Testing environment | 16 |
| 6.2.4 | Mounting height | 16 |
| 6.2.5 | Standard walk test target | 17 |
| 6.2.6 | Testing procedures | 17 |
| 6.3 | Basic detection test | 17 |
| 6.3.1 | General | 17 |
| 6.3.2 | Basic detection targets (BDT) | 17 |
| 6.3.3 | Basic Detection Test procedure | 18 |
| 6.4 | Walk testing | 18 |
| 6.4.1 | General walk test method | 18 |
| 6.4.2 | Verification of detection performance | 18 |
| 6.4.3 | Detection across and within the detection boundary | 19 |
| 6.4.4 | Verify the high-velocity detection performance for detectors with a coverage angle less than or equal to 180° | 20 |
| 6.4.5 | Verify the high-velocity detection performance for detectors with a coverage angle of greater than 180° | 21 |
| 6.4.6 | Verify the intermittent movement detection performance for detectors with a coverage angle less than or equal to 180° | 21 |
| 6.4.7 | Verify the intermittent movement detection performance for detectors with a coverage angle of greater than 180° | 21 |
| 6.4.8 | Verify the close-in detection performance for detectors with a coverage angle less than or equal to 180° | 22 |
| 6.4.9 | Detection of radial movement for detectors with a coverage angle of greater than 180° | 22 |
| 6.5 | Switch-on delay, time interval between signals and indication of detection | 22 |
| 6.6 | Self-tests | 23 |
| 6.6.1 | General | 23 |
| 6.6.2 | Application of the fault condition | 23 |
| 6.6.3 | Local self-test procedure | 23 |
| 6.6.4 | Remote self-test procedure | 24 |
| 6.7 | Immunity to incorrect operation | 24 |
| 6.7.1 | Immunity to turbulent warm air flow | 24 |
| 6.7.2 | Immunity to visible and near infrared radiation | 24 |
| 6.8 | Tamper security | 25 |
| 6.8.1 | Resistance to and detection of unauthorised access to the inside of the detector through covers and existing holes | 25 |
| 6.8.2 | Detection of removal from the mounting surface | 25 |
| 6.8.3 | Resistance to re-orientation of adjustable mountings | 25 |
| 6.8.4 | Immunity to magnetic field interference | 25 |
| 6.8.5 | Detection of detector masking | 26 |
| 6.8.6 | Immunity to False Masking Signals | 27 |
| 6.9 | Electrical tests | 27 |

| | | |
|------------------------------|---|-----------|
| 6.9.1 | General | 27 |
| 6.9.2 | Detector current consumption | 27 |
| 6.9.3 | Slow input voltage change and input voltage range limits | 28 |
| 6.9.4 | Input voltage ripple | 28 |
| 6.9.5 | Input voltage step change | 28 |
| 6.9.6 | Total loss of power supply | 28 |
| 6.10 | Environmental classification and conditions | 28 |
| 6.11 | Marking, identification and documentation | 30 |
| 6.11.1 | Marking and/or identification | 30 |
| 6.11.2 | Documentation | 30 |
| Annex A (normative) | Dimensions and requirements of the standardized test magnets | 31 |
| Annex B (normative) | General testing matrix..... | 34 |
| Annex C (normative) | Walk test diagrams..... | 36 |
| Annex D (normative) | Procedure for calculation of the average temperature difference between the standard target and the background | 44 |
| Annex E (informative) | Basic detection target for the basic test of detection capability | 45 |
| Annex F (informative) | Equipment for walk test velocity control..... | 46 |
| Annex G (informative) | Immunity to visible and near Infrared radiation - Notes on calibration of the light source..... | 47 |
| Annex H (informative) | Example list of small tools | 48 |
| Annex I (informative) | Test for resistance to re-orientation of adjustable mountings..... | 49 |
| Annex J (informative) | Delta-T film adjustment lookup table | 51 |
| Annex K (informative) | Immunity to turbulent warm air flow..... | 52 |
| Bibliography | | 53 |

European foreword

This document (EN 50131-2-2:2021) has been prepared by CLC/TC 79, "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-11-08
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2024-11-08

This document supersedes EN 50131-2-2:2017 and all of its amendments and corrigenda (if any).

EN 50131-2-2:2021 includes the following significant technical changes with respect to EN 50131-2-2:2017:

- editorial changes and refinement of wording;
- removal of significant reduction of range requirements;
- addition of requirements, tests and corresponding Annexes throughout the overall standard, to support ceiling mounted detectors;

EN 50131 will consist of the following parts, under the general title *Alarm systems - Intrusion and hold-up systems*:

- *Part 1: System requirements*
- *Part 2–2: Intrusion detectors – Passive infrared detectors*
- *Part 2–3: Intrusion detectors – Microwave detectors*
- *Part 2–4: Intrusion detectors – Combined passive infrared / Microwave detectors*
- *Part 2–5: Intrusion detectors – Combined passive infrared / Ultrasonic detectors*
- *Part 2–6: Intrusion detectors – Opening contacts*
- *Part 2–7–1: Intrusion detectors – Glass break detectors – Acoustic*
- *Part 2–7–2: Intrusion detectors – Glass break detectors – Passive*
- *Part 2–7–3: Intrusion detectors – Glass break detectors – Active*
- *Part 3: Control and indicating equipment*
- *Part 4: Warning devices*
- *Part 5–3: Requirements for interconnections equipment using radio frequency techniques*
- *Part 6: Power supplies*
- *Part 7: Application guidelines*
- *Part 8: Security fog devices*

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Introduction

This document deals with passive infrared detectors (to be referred to as the detector) used as part of intrusion alarm systems installed in buildings. It includes four security grades and four environmental classes.

The purpose of the detector is to detect the broad spectrum infrared radiation emitted by an intruder, to analyse the resulting signals and to provide the necessary range of signals or messages to be used by the rest of the intrusion alarm system.

The number and scope of these signals or messages will be more comprehensive for systems that are specified at the higher grades.

This version of the document contains limited requirements for Grade 4 detectors. Future revisions of the document are expected to include enhanced requirements for Grade 4 detectors.

This document is only concerned with the requirements and tests for the detector. Other types of detector are covered by other documents identified as in the EN 50131-2 series.

1 Scope

This document is for passive infrared detectors installed in buildings and provides for security grades 1 to 4 (see EN 50131-1), specific or non-specific wired or wire-free detectors, and uses environmental classes I to IV (see EN 50130-5). This document does not include requirements for detectors intended for use outdoors.

The purpose of the detector is to detect the broad spectrum infrared radiation emitted by an intruder, to analyse the resulting signals and to provide the necessary range of signals or messages to be used by the rest of the intrusion alarm system.

The grade-dependent requirements of this document apply and it is essential that a detector fulfils all the requirements of the specified grade.

Functions additional to the mandatory functions specified in this document can be included in the detector, providing they do not influence the correct operation of the mandatory functions.

Requirements for system interconnections are not included in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4, *Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems*

EN 50130-5, *Alarm systems - Part 5: Environmental test methods*

EN 50131-1, *Alarm systems - Intrusion and hold-up systems - Part 1: System requirements*

3 Terms, definitions and abbreviations

For the purposes of this document, the terms, definitions and abbreviations given in EN 50131-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

basic detection target

heat source designed to verify the operation of a detector

3.1.2

coverage angle

width of field of view in degrees provided by the detector when measured in the horizontal plane

3.1.3

detection settings

adjustments which influence the performance of the detector

EXAMPLE: pulse count settings, gain settings