
Metallic materials — Torque- controlled fatigue testing

*Matériaux métalliques — Essais de fatigue par couple de torsion
commandé*



This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
5 Principle of test	4
6 Test plan	5
7 Shape and size of specimen	5
7.1 Form	5
7.2 Dimensions	7
7.2.1 Specimens of circular cross-section	7
7.2.2 Specimens with tubular cross-section	8
8 Preparation of specimens	8
8.1 General	8
8.2 Machining procedure	8
8.3 Sampling and marking	9
8.4 Surface conditions of specimen	9
8.5 Dimensional checks	10
8.6 Storage and handling	10
9 Apparatus	10
9.1 Testing machine	10
9.1.1 General	10
9.1.2 Torque cell	10
9.1.3 Gripping of specimen	11
9.1.4 Alignment check	11
9.1.5 Axial force	11
9.2 Heating system	12
9.3 Instrumentation for test monitoring	12
9.3.1 Recording system	12
9.3.2 Cycle counter	12
9.3.3 Checking and verification	13
10 Test procedure	13
10.1 Mounting of specimen	13
10.2 Frequency of testing	13
10.3 Heating for the isothermal elevated temperature test	13
10.4 Application of torque	13
10.5 Calculation of nominal torsional (shear) stress	13
10.6 Recording of temperature and humidity	14
10.7 Failure and termination criteria	14
10.7.1 Failure	14
10.7.2 Termination	14
11 Measurement uncertainty	14
12 Test report	15
Annex A (informative) Presentation of results	16
Annex B (informative) Verification of alignment of torsional fatigue testing machines	20
Annex C (informative) Measuring uniformity of torsional strain (stress) state	22
Annex D (informative) Estimation of measurement uncertainty	25

Bibliography	27
---------------------------	-----------

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 164, *Mechanical testing of metals*, Subcommittee SC 4, *Fatigue, fracture and toughness testing*.

This third edition cancels and replaces the second edition (ISO 1352:2011), which has been technically revised.

The main changes are as follows:

- addition of the test apparatus and procedure for the elevated temperature testing;
- addition of measurement uncertainty estimation.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Metallic materials — Torque-controlled fatigue testing

1 Scope

This document specifies the conditions for performing torsional, constant-amplitude, nominally elastic stress fatigue tests on metallic specimens without deliberately introducing stress concentrations. The tests are typically carried out at ambient temperature or an elevated temperature in air by applying a pure couple to the specimen about its longitudinal axis.

While the form, preparation and testing of specimens of circular cross-section and tubular cross-section are described in this document, component and other specialized types of testing are not included. Similarly, low-cycle torsional fatigue tests carried out under constant-amplitude angular displacement control, which lead to failure in a few thousand cycles, are also excluded.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 554:1976, *Standard atmospheres for conditioning and/or testing — Specifications*

ISO 23788, *Metallic materials — Verification of the alignment of fatigue testing machines*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

maximum stress

τ_{\max}

highest algebraic value of shear stress at the outer diameter in the stress cycle

Note 1 to entry: See [Figure 1](#).

3.2

minimum stress

τ_{\min}

lowest algebraic value of shear stress in the stress cycle

Note 1 to entry: See [Figure 1](#).

3.3

mean stress

τ_m

static component of the shear stress

Note 1 to entry: It is one half of the algebraic sum of the maximum shear stress and the minimum shear stress: