

INTERNATIONAL STANDARD



**Maritime navigation and radiocommunication equipment and systems –
Presentation of navigation-related information on shipborne navigational
displays – General requirements, methods of testing and required test results**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

INTERNATIONAL STANDARD



**Maritime navigation and radiocommunication equipment and systems –
Presentation of navigation-related information on shipborne navigational
displays – General requirements, methods of testing and required test results**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-1065-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	9
1 Scope	11
2 Normative references	11
3 Terms, definitions and abbreviated terms	12
3.1 Terms and definitions	12
3.2 Abbreviated terms	19
4 General requirements for all displays on the bridge of a ship	19
4.1 Relationship to IMO standards	19
4.2 Application of IEC 60945	21
4.2.1 Remark	21
4.2.2 General requirements	21
4.3 Arrangement of information	21
4.3.1 Consistency of layout and logical grouping	21
4.3.2 Consistent presentation of information	22
4.3.3 Separation of operational display area	22
4.4 Readability	22
4.4.1 Readability under all ambient light conditions	22
4.4.2 Legibility of alphanumeric data and text	25
4.4.3 Presentation of text and icons	25
4.4.4 Icons	
4.5 Colours and intensity	26
4.5.1 Discrimination of colours – Requirement	26
4.5.2 Methods of test and required results	27
4.6 Symbols	27
4.6.1 Operational information	27
4.6.2 Electronic chart information	28
4.7 Colour coding of information	29
4.7.1 Colour coding for discrimination	29
4.7.2 Colour coding of information	29
4.7.3 Colour coding in combination with other attributes	29
4.7.4 Flashing of information	30
4.8 Integrity marking	30
4.8.1 Indication of source, validity and integrity status	30
4.8.2 Colour coding of validity and integrity	30
4.8.3 Indication of presentation failure	31
4.9 Alerts and indications	31
4.9.1 Operational status	31
4.9.2 List of alerts	32
4.9.3 Alert related information from multiple sources	33
4.9.4 Speech output for alarms and warnings	33
4.10 Presentation mode	33
4.10.1 Requirement	34
4.10.2 Methods of test and required results	35
4.11 User manuals, instructions and reference guides	35
4.11.1 Requirement	35
4.11.2 Methods of test and required results	35

5	Presentation of operational information	35
5.1	Application	35
5.2	Presentation of own ship information	35
5.2.1	Graphical representation of own ship – Requirement	35
5.2.2	Methods of test and required results	36
5.3	Presentation of chart information	36
5.3.1	Alteration of chart information	36
5.3.2	Colours and symbols for charted information	36
5.4	Presentation of radar information	37
5.4.1	Radar video images	37
5.4.2	Target trails	38
5.5	Presentation of target information	38
5.5.1	Providing target information	38
5.5.2	Consistent user interface for target information	39
5.5.3	Indication of exceeding target capacity	39
5.5.4	Merging AIS targets from multiple source	39
5.5.4	Presentation of repeated AIS reports	41
5.5.5	Filtering sleeping AIS targets	41
5.5.6	Activation of AIS targets	43
5.5.7	Graphical presentation of targets	43
5.5.8	Target selection	44
5.5.9	Indication of target derivation	45
5.5.10	Presentation of tracked radar target information	45
5.5.11	Presentation of reported AIS target information	46
5.5.12	Continual update of target information	47
5.5.13	Own ship's AIS information	48
5.5.14	Obscuring the operational display area	48
5.6	Operational alerts	48
5.6.1	Alert status	48
5.6.2	CPA/TCPA alarms	49
5.6.3	Acquisition/activation zones warnings	49
5.6.4	Lost target warnings	50
5.7	AIS and radar target association	50
5.7.1	Target association	50
5.7.1	Requirement	50
5.7.2	Methods of test and required results	51
5.8	AIS presentation user selectors and their status indications	51
5.8.1	Requirement	51
5.8.2	Methods of test and required results	52
5.9	Trial manoeuvre	54
5.9.1	Requirement	54
5.9.2	Methods of test and required results	54
5.10	Measurement	54
5.10.1	Measurement from own ship	54
5.10.2	Bearing and range measurements	54
5.11	Navigation tools	55
5.11.1	General requirements	55
5.11.2	Range rings	55

5.11.3	Variable range marker (VRM)	56
5.11.4	Bearing scale.....	56
5.11.5	Electronic bearing line (EBL)	57
5.11.6	Parallel index lines (PI).....	58
5.11.7	Offset measurement of range and bearing	59
5.11.8	User cursor.....	60
5.12	AIS data link message processing capacity	61
5.12.1	General	61
5.12.2	Requirements	61
5.12.3	Methods of test and required results	61
5.13	AIS data report	61
5.13.1	General	61
5.13.2	AIS data report capacity	61
5.13.3	AIS data report display	62
5.13.4	Graphical presentation of AIS AtoN dimensions	65
5.14	AIS locating device	65
5.14.1	General	65
5.14.2	AIS locating device capacity	66
5.14.3	AIS locating device display	66
5.15	AIS ASM	68
5.15.1	General	68
5.15.2	Categories	69
5.15.3	AIS ASM capacity	71
5.15.4	AIS ASM display.....	73
5.16	Presentation of AIS synthetic target.....	75
5.16.1	Requirement.....	75
5.16.2	Methods of test and required results.....	76
5.17	Presentation of association of DSC received call with a displayed AIS object.....	77
5.17.1	Requirement.....	77
5.17.2	Methods of test and required results	77
5.18	AIS ASM information extending reported AIS target information	78
5.19	Received AIS safety related messages	79
5.19.1	Requirements	79
5.19.2	Methods of test and required results	80
5.20	Sent AIS safety related messages.....	81
5.20.1	Requirements	81
5.20.2	Methods of test and required results	81
6	INS, radar and chart displays	82
6.1	General.....	82
6.1.1	Application.....	82
6.1.2	Multifunction displays	82
6.1.3	Simultaneous display of radar and chart data	82
6.1.4	Range scales.....	83
6.1.5	Operational display area.....	83
6.1.6	Motion display modes	83
6.1.7	Orientation modes	84
6.1.8	Off-centring	84
6.1.9	Stabilisation modes	85

6.2	Radar displays	85
6.2.1	Application.....	85
6.2.2	Radar video image.....	86
6.2.3	Brightness of radar information	86
6.2.4	Display of chart information on radar	86
6.2.5	Priority of radar information	87
6.2.6	Display of map graphics	88
6.3	Chart displays.....	88
6.3.1	Application.....	88
6.3.2	Display of chart information	88
6.3.3	IMO ECDIS display categories.....	89
6.3.4	Adding or removing information from the display.....	90
6.3.5	Safety contour	90
6.3.6	Safety depth	90
6.3.7	Chart scale	90
6.3.8	Display of radar and target information	91
6.3.9	Display of additional information	91
6.4	Composite task-oriented presentations	92
6.4.1	User-configured presentations	92
6.4.2	Information associated with the task-at-hand	92
6.5	Single and simple operator actions	92
6.5.1	Applicability	92
6.5.2	Requirement.....	93
6.5.3	Methods of test and required results	93
6.6	User and default settings	93
6.6.1	General	93
6.6.2	User-settings	93
6.6.3	Default settings	94
7	Physical requirements	94
7.1	General.....	94
7.2	Display adjustment.....	94
7.2.1	Contrast and brightness.....	94
7.2.2	Magnetic interference	95
7.2.3	Temporal stability	95
7.2.4	Physical controls and status indicators	96
7.3	Screen size	97
7.3.1	Requirement.....	97
7.3.2	Method of test and required results.....	97
7.4	Multicoloured display equipment	97
7.4.1	Requirement.....	97
7.4.2	Method of test and required results.....	98
7.5	Screen resolution.....	98
7.5.1	Requirement.....	98
7.5.2	Method of test and required results.....	98
7.6	Screen viewing angle.....	99
7.6.1	Requirement.....	99
7.6.2	Methods of test and required results	99

Annex A (normative) Presentation colours and symbols	100
A.1 Overview	100
A.2 Purpose	100
A.3 Scope Use	100
A.4 Application	100
A.5 Navigation-related symbols	100
Annex B (normative) Guidelines for the presentation of navigation-related terminology and abbreviations	140
B.1 Overview	140
B.2 Purpose	140
B.3 Scope Use of these guidelines	140
B.4 Application	140
B.5 Navigation related terminology and abbreviations	140
Annex C (informative) Guidance on display and dialogue design in IMO MSC/Circ.982	147
C.1 Overview	147
C.2 General	147
C.3 Requirements in IMO MSC/Circ.982 related to the display design	147
Annex D (informative) Guidance on testing	149
D.1 Methods of test derived from ISO 9241-12	149
D.1.1 General	149
D.1.2 Observation	149
D.1.3 Inspection of documented evidence	149
D.1.4 Measurement	150
D.1.5 Analytical evaluation	150
D.2 Application of IEC 60945	150
D.2.1 Display equipment category	150
D.2.2 Technical performance	150
D.2.3 Pre-conditioning for environmental tests	151
D.2.4 Methods of test derived from ISO 9241-12 applied for IEC 60945	151
D.3 Compliance with requirements	152
D.4 Simulation	153
D.5 Electronic chart data	153
Annex E (normative) Operational controls and logical groupin	154
E.1 Overview	154
E.2 Logical grouping of data and control functions	154
E.3 Navigation related terminology and icons for common function controls (hot keys and shortcuts)	155
Annex F (normative) Icons for presentation of the state of an alert	173
Annex G (normative) Testing for colours, intensity and flicker	175
G.1 Testing for colours and intensity	175
G.1.1 General	175
G.1.2 Test personnel	176
G.1.3 Method of test	176
G.2 Testing for flicker	177
G.2.1 Overview	177
G.2.2 Analytic model	177
G.2.3 Decision criteria	179

Annex H (normative) Single and simple operator actions	181
H.1 General.....	181
H.2 Tables for single and simple operator actions	181
Annex I (normative) Default settings	183
I.1 General.....	183
I.2 ECDIS default settings.....	183
I.3 Radar default settings	185
Annex J (normative) Implementation details of AIS ASM.....	186
J.1 General.....	186
J.2 AIS ASM.....	186
Annex K (informative) Overview of AIS Messages.....	195
K.1 General.....	195
K.2 Use case guidance on AIS ASM.....	197
Annex L (informative) Overview of the use AIS AtoN status field bits	198
Bibliography.....	199
List of comments.....	201
Table 1 – Ambient light conditions	23
Table 2 – Operational status of indications	32
Table 3 – User selectors for AIS presentation	51
Table 4 – AIS status indications	53
Table 5 – AIS data report capacity	62
Table 6 – AIS locating devices capacity	66
Table 7 – AIS ASM object capacity	71
Table 8 – Extended reported AIS target information from AIS ASM	79
Table A.1 – Own ship symbols	101
Table A.2 – Radar and AIS symbols.....	105
Table A.3 – Navigation symbols	125
Table A.4 – Navigation tools	130
Table A.5 – Other symbols.....	131
Table A.6 – Example of possible colour scheme	139
Table B.1 – List of standard terms and abbreviations.....	141
Table B.2 – List of standard units of measurement and abbreviations	146
Table C.1 – Paragraphs in MSC/Circ.982 associated with IEC 60945 requirements	147
Table C.2 – Other paragraphs in MSC/Circ.982 related to display design.....	148
Table C.3 – Other paragraphs in MSC/Circ.982 partially related to display design	148
Table D.1 – Methods of test applied for IEC 60945	151
Table E.1 – Top level grouping of data and control functions for radar applications	151
Table E.2 – Top level grouping of data and control functions for charting.....	151
Table E.3 – General control icons	151
Table E.4 – Task-oriented measurement control icons	151
Table E.5 – Radar specific control icons	151

Table E.1 – Logical grouping for radar, ECDIS and INS applications (based on MSC.1/Circ.1609)	156
Table E.2 – Examples of logical grouping for voluntary implementation.....	157
Table E.3 – General controls	160
Table E.4 – General navigation functions (based on MSC.1/Circ.1609).....	161
Table E.5 – Radar specific controls.....	164
Table E.6 – Control of chart display functions (based on MSC.1/Circ.1609)	165
Table E.7 – Control of chart functionality (based on MSC.1/Circ.1609)	170
Table E.8 – Database functions (based on MSC.1/Circ.1609)	170
Table E.9 – Route plan and monitoring functions (based on MSC.1/Circ.1609)	171
Table E.10 – Groups of functions (based on MSC.1/Circ.1609)	171
Table F.1 – Alert management icons – basic.....	171
Table F.2 – Alert management icons – additional qualifiers.....	171
Table G.1 – Values of predicted energy and special coefficients	180
Table H.1 – Access to functions, as defined before June 2019 (based on MSC.1/Circ.1609)	181
Table H.2 – Access to functions (based on MSC.1/Circ.1609).....	182
Table H.3 – Access to group of functions (based on MSC.1/Circ.1609)	182
Table I.1 – ECDIS settings configured in response to "Default" selection (based on MSC.1/Circ.1609)	183
Table I.2 – Radar control settings configured in response to "Default" selection (based on MSC.1/Circ.1609)	185
Table J.1 – Details of AIS ASM	186
Table K.1 – AIS Messages.....	195
Table K.2 – AIS ASM Messages	196
Table L.1 – AIS AtoN status field	198

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – PRESENTATION OF NAVIGATION-RELATED INFORMATION ON SHIPBORNE NAVIGATIONAL DISPLAYS – GENERAL REQUIREMENTS, METHODS OF TESTING AND REQUIRED TEST RESULTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 62288:2021 edition 3.0 allows the user to identify the changes made to the previous IEC 62288:2014 edition 2.0. Furthermore, comments from IEC TC 80 experts are provided to explain the reasons of the most relevant changes.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 62288 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 4 has been revised to remove requirements for indications of alerts which are now given in IEC 62923-1;
- b) Clause 5 has been extensively revised to add new requirements for AIS, ASM and DSC presentation together with three new supporting annexes, Annex J, Annex K, Annex L;
- c) Annex A and Annex B have been revised to incorporate changes to IMO circular SN.1/Circ.243;
- d) Annex E has been revised to incorporate changes to IMO resolution MSC.191(79) and renamed as "Operational controls and logical grouping".
- e) two new annexes have been added, Annex H on operator actions and Annex I on default settings in support of IMO circular MSC.1/Circ.1609.

The text of this International Standard is based on the following documents:

Draft	Report on voting
80/1013/FDIS	80/1017/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – PRESENTATION OF NAVIGATION-RELATED INFORMATION ON SHIPBORNE NAVIGATIONAL DISPLAYS – GENERAL REQUIREMENTS, METHODS OF TESTING AND REQUIRED TEST RESULTS

1 Scope

This document specifies the general requirements, methods of testing, and required test results, for the presentation of navigation-related information on shipborne navigational displays in support of IMO resolutions MSC.191(79) as amended by MSC.466(101) in June 2019, and where applicable MSC.302(87). **1**

This document also supports the guidelines included in the related IMO Circulars MSC.1/Circ.1609 on the standardization of user interface design for navigation equipment and SN.1/Circ.243 as revised in June 2019 on the presentation of navigation related symbols, terms and abbreviations. **1**

This document also specifies the presentation of AIS data reports and the AIS Application Specific Messages defined for international use in IMO SN.1/Circ.289 and intended to be received by a ship for display onboard. **2**

NOTE All text in this document whose wording is identical to text contained in an IMO document is printed in *italics*. Reference to the document is noted at the beginning of the paragraph. The notation contains a prefix referring to the document and a suffix with the paragraph number from the document (for example, (MSC191/1); (SN243/1), etc.).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61174, *Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results*

IEC 61966-4, *Multimedia systems and equipment – Colour measurement and management – Part 4: Equipment using liquid crystal display panels*

~~IEC 62065, *Maritime navigation and radiocommunication equipment and systems – Track control systems – Operational and performance requirements, methods of testing and required test results*~~

IEC 62388, *Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results*

IEC 62923-1, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 1: Operational and performance requirements, methods of testing and required test results*

IHO S-52, *Specifications for chart content and display aspects of ECDIS*

~~IHO S-52 Annex A, IHO ECDIS presentation library~~ **3**

IMO, Seafarers' Training, Certification and Watchkeeping Code (STCW Code)

IMO A.694(17):1991, *General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids*

IMO MSC.191(79):2004, *Performance standards for the presentation of navigation related information on shipborne navigational displays*

IMO MSC.192(79):2004, *Performance standards for radar equipment*

IMO MSC.232(82):2006, *Revised performance standards for electronic chart display and information systems (ECDIS)*

IMO SN.1/Circ.243/~~Rev.1:2014~~Rev.2:2019+Corr.1, *Guidelines for the presentation of navigation related symbols, terms and abbreviations*

~~IMO MSC.252(83):2007, Performance standards for integrated navigation systems (INS)~~

IMO SN.1/Circ.289:2010, *Guidance on the use of AIS application-specific messages*

IMO MSC.302(87):2010, *Performance standards for bridge alert management (BAM)*

IMO MSC.1/Circ.1609:2019, *Guidelines for the standardization of user interface design for navigation equipment*

IMO A.1021(26):2009, *Code on Alerts and Indications*

VESA-2001-6, *Flat Panel Display Measurements (FPDM)*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms, definitions and abbreviated terms apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

activated AIS target

(MSC191/A) target ~~activated~~ representing the automatic or manual activation of a sleeping target **4** for the display of additional graphically presented information

~~EXAMPLE—Heading line, velocity vector, etc.~~

3.1.2

automatic identification system

AIS

system which complies with the requirements set forth in Annex 3 of IMO Resolution MSC.74(69)