

Nanotechnologies - Measurements of particle size and shape distributions by transmission electron microscopy (ISO 21363:2020)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 21363:2022 sisaldab Euroopa standardi EN ISO 21363:2022 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 21363:2022 consists of the English text of the European standard EN ISO 21363:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 12.01.2022.	Date of Availability of the European standard is 12.01.2022.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 07.120

**Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

**The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation**

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

Nanotechnologies - Measurements of particle size and  
shape distributions by transmission electron microscopy  
(ISO 21363:2020)

Nanotechnologies - Détermination de la distribution de  
taille et de forme des particules par microscopie  
électronique à transmission (ISO 21363:2020)

Nanotechnologien - Messungen von Partikelgrößen-  
und Partikelformverteilungen mittels  
Transmissionselektronenmikroskopie (ISO  
21363:2020)

This European Standard was approved by CEN on 26 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

The text of ISO 21363:2020 has been prepared by Technical Committee ISO/TC 229 "Nanotechnologies" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 21363:2022 by Technical Committee CEN/TC 352 "Nanotechnologies" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2022, and conflicting national standards shall be withdrawn at the latest by July 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 21363:2020 has been approved by CEN as EN ISO 21363:2022 without any modification.

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms, definitions and symbols</b>	<b>1</b>
3.1 Core terms — Particles	1
3.2 Core terms — Image capture and analysis	4
3.3 Core terms — Statistical symbols and definitions	5
3.4 Core terms — Measurands	7
3.5 Core terms — Metrology	10
3.6 Core terms — Transmission electron microscopy	13
3.7 Statistical symbols, measurands and descriptors	14
3.7.1 Statistical symbols	14
3.7.2 Measurands and descriptors	14
<b>4 Stakeholder needs for TEM measurement procedures</b>	<b>15</b>
<b>5 Sample preparation</b>	<b>16</b>
5.1 General	16
5.2 Sample sources	17
5.3 Use a representative sample	17
5.3.1 General	17
5.3.2 Powder samples	17
5.3.3 Nanoparticle dispersions in liquids	17
5.4 Minimize particle agglomeration in the sample dispersion	18
5.5 Selection of the mounting support	18
<b>6 Instrument factors</b>	<b>18</b>
6.1 Instrument set-up	18
6.2 Calibration	19
6.2.1 General	19
6.2.2 Calibration standards	19
6.2.3 General calibration procedure	19
6.3 Setting TEM operating conditions for calibration	21
<b>7 Image capture</b>	<b>22</b>
7.1 General	22
7.2 Setting a suitable operating magnification	22
7.3 Minimum particle area	23
7.4 Number of particles to count for particle size and shape distributions	23
7.5 Uniform background	24
7.6 Measurement procedure	24
7.6.1 General	24
7.6.2 Developing a test sample	25
7.6.3 Effects of magnification	25
7.6.4 Frames (micrographs)	25
7.7 Revision of image capture protocols	25
<b>8 Particle analysis</b>	<b>25</b>
8.1 General	25
8.2 Individual particle analysis	25
8.3 Automated particle analysis	26
8.4 Example — Automated particle analysis procedure	26
<b>9 Data analysis</b>	<b>27</b>
9.1 General	27

9.2	Raw data triage — Detecting touching particles, unselected particles, artefacts and contaminants.....	27
9.3	Data quality assessment — Repeatability, intermediate precision and reproducibility.....	28
9.4	Fitting distributions to data.....	30
9.5	Assessing measurement uncertainty for samples under repeatability, intermediate precision or reproducibility conditions.....	31
9.5.1	Grand statistics for fitted parameters — Three or more datasets.....	31
9.5.2	Measurement uncertainty of fitted parameters.....	31
9.5.3	Example — Measurement uncertainty for a size descriptor.....	32
9.6	Bivariate analysis.....	32
<b>10</b>	<b>Reporting.....</b>	<b>33</b>
<b>Annex A</b> (informative)	<b>Case studies overview.....</b>	<b>36</b>
<b>Annex B</b> (informative)	<b>Discrete spheroidal nanoparticles.....</b>	<b>38</b>
<b>Annex C</b> (informative)	<b>Size mixture.....</b>	<b>41</b>
<b>Annex D</b> (informative)	<b>Shape mixture.....</b>	<b>53</b>
<b>Annex E</b> (informative)	<b>Amorphous aggregates.....</b>	<b>58</b>
<b>Annex F</b> (informative)	<b>Nanocrystalline aggregates.....</b>	<b>62</b>
<b>Annex G</b> (informative)	<b>Nanofibres with irregular cross-sections.....</b>	<b>66</b>
<b>Annex H</b> (informative)	<b>Nanoparticles with specific crystal habits.....</b>	<b>73</b>
<b>Bibliography</b> .....		<b>80</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 229, *Nanotechnologies*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Characterization procedures for nanoparticles often include, but are not limited to, size, shape, surface structure (or texture), and surface chemistry. These measurements, combined with phase information, such as crystalline phase, constitute the morphology of the material. This document focuses on two attributes of morphology, size and shape distributions, for discrete, agglomerated and aggregated nano-objects (materials with at least one dimension in the nanoscale,  $1\text{ nm} < \text{a length dimension} < 100\text{ nm}$ ). Transmission electron microscopy, a standard tool for measurements on the nanoscale, provides two-dimensional images of particle projections. This generic workflow for measuring and evaluating particle size and shape distributions on the nanoscale includes sample preparation, instrument factors, image capture, particle analysis, data analysis, and reporting. Seven case studies have been included to illustrate how the generic protocol can be applied to different particle morphologies and sample types. Three discrete particle test samples are reported: spheroidal (gold nanospheres), a bimodal mixture of particle sizes (colloidal silicas), and a mixture of particle shapes (gold nanorods and gold nanocubes). Two aggregate test samples are reported: amorphous aciniform aggregates (carbon black) and aggregates of primary crystallites (titania). Measurements methods are also presented for low aspect ratio samples and nanoparticles with specific crystal habits. Several of the case studies are supported by interlaboratory collaborations conducted under the guidelines of the Versailles Project on Advanced Materials and Standards (VAMAS) for interlaboratory comparisons (ILCs)<sup>[42]</sup>.

Three types of size and shape descriptors are considered. Size descriptors include those determined by linear or areal measurements. Shape descriptors include elongational descriptors, such as ratios of two length descriptors, and ruggedness descriptors, which represent surface irregularities.

The protocol emphasizes qualitative and quantitative analysis of data quality by the user. Qualitative comparisons of datasets include determining the similarity or differences between single descriptor means or multivariate means. Quantitative comparisons of datasets are based on difference or similarities between the parameters of reference models fitted to descriptor distributions. At least two parameters (mean and spread) and their uncertainties are needed to define a descriptor distribution. In some cases, these two quantitative parameters and their uncertainties may not be sufficient for characterization of particle size and shape distributions. Data visualization techniques, such as residual deviation and quantile plots, and data correlations, such as pairs of size and shape descriptors or fractal analysis, can provide additional ways to evaluate and differentiate test samples. Taken together, qualitative and quantitative quality metrics plus visualization and correlation tools permit users to tailor the protocol to their qualitative and quantitative quality targets.



# Nanotechnologies — Measurements of particle size and shape distributions by transmission electron microscopy

## 1 Scope

This document specifies how to capture, measure and analyse transmission electron microscopy images to obtain particle size and shape distributions in the nanoscale.

This document broadly is applicable to nano-objects as well as to particles with sizes larger than 100 nm. The exact working range of the method depends on the required uncertainty and on the performance of the transmission electron microscope. These elements can be evaluated according to the requirements described in this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9276-3, *Representation of results of particle size analysis — Part 3: Adjustment of an experimental curve to a reference model*

ISO 9276-6:2008, *Representation of results of particle size analysis — Part 6: Descriptive and quantitative representation of particle shape and morphology*

ISO 29301, *Microbeam analysis — Analytical electron microscopy — Methods for calibrating image magnification by using reference materials with periodic structures*

## 3 Terms, definitions and symbols

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1 Core terms — Particles

#### 3.1.1

##### **nano-object**

discrete piece of material with one, two or three external dimensions in the *nanoscale* (3.1.2)

[SOURCE: ISO/TS 80004-2:2015, 2.2]

#### 3.1.2

##### **nanoscale**

length range approximately from 1 nm to 100 nm

[SOURCE: ISO/TS 80004-1:2015, 2.1, modified — Note 1 to entry has been deleted.]