
**Building and civil engineering
sealants — Determination of changes
in cohesion and appearance of
elastic weatherproofing sealants
after exposure of statically cured
specimens to artificial weathering and
mechanical cycling**



This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	2
5.1 Support	2
5.2 Spacers	2
5.3 Backing material (bond breaker)	3
5.4 Separators	3
5.5 Container	4
5.6 Ventilated convection-type oven	4
5.7 Fully automated test chamber with an artificial light source	4
5.8 Artificial light source	4
5.8.1 General	4
5.8.2 Xenon-arc light source (default)	5
5.8.3 Fluorescent ultraviolet source (option)	5
5.8.4 Open-flame carbon arc source (option)	5
5.9 Black standard (insulated) and black panel (uninsulated) temperature sensors	5
5.10 Measuring tools	5
6 Preparation of test specimens	5
7 Conditioning	6
7.1 General	6
7.2 Method A (default)	6
7.3 Method B (option)	6
8 Test conditions	6
8.1 Test conditions of artificial weathering	6
8.1.1 Test conditions of xenon-arc lamps device	6
8.1.2 Test conditions of fluorescent UV lamps device	7
8.1.3 Test conditions of open-flame carbon arc lamps device	7
8.2 Mechanical cycling	8
8.3 Degradation cycles	8
9 Test procedure	8
10 Examination for defects	9
10.1 General	9
10.2 Sections through sealant test specimen	9
10.3 Rating for cohesive cracks in zone C	10
11 Photo documentation of test specimens	12
12 Test report	13
Annex A (informative) Engineering drawing of anodized aluminium support assembly	15
Annex B (informative) The reference size of the separator	16
Bibliography	18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 59, *Buildings and civil engineering works*, Subcommittee SC 8, *sealants*.

This second edition cancels and replaces the first edition (ISO 11617:2014), which has been technically revised.

The main changes are as follows:

- this document has been updated and restructured for easier access to the relevant information.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Building and civil engineering sealants — Determination of changes in cohesion and appearance of elastic weatherproofing sealants after exposure of statically cured specimens to artificial weathering and mechanical cycling

1 Scope

This document specifies laboratory exposure procedures for determining the effects of cyclic movement and artificial weathering on cured, elastic weatherproofing joint sealants (one- or multi-component).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4892-1:2016, *Plastics — Methods of exposure to laboratory light sources — Part 1: General guidance*

ISO 4892-2:2013, *Plastics — Methods of exposure to laboratory light sources — Part 2: Xenon-arc lamps*

ISO 4892-3:2016, *Plastics — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps*

ISO 4892-4:2013, *Plastics — Methods of exposure to laboratory light sources — Part 4: Open-flame carbon-arc lamps*

ISO 6927, *Building and civil engineering sealants — Vocabulary*

CIE 085-1989, *Solar spectral irradiance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6927 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Principle

Test specimens are prepared in which the sealant to be tested adheres to two parallel support surfaces (substrates). The specimens are conditioned statically (no movement) in a controlled climate. The conditioned specimens (in their extended/compressed state) are exposed to repetitive degradation cycles of artificial weathering (light, heat and moisture) and cyclic movement under controlled environmental conditions. Within each cycle, weathering is carried out for six weeks in an artificial weathering machine. After completion of each degradation cycle (each lasting six weeks), the specimens (in their extended/compressed state) are visually examined for changes in appearance, cohesion and adhesion of the sealant beads. The rating for quantity, width and depth of cohesive cracks for a specific extension/compression value achieved along the length of the specimen as well as the depth, length and range of any very significant loss of cohesion or adhesion (defined as > 3 mm crack depth) is determined; and the general condition of the sealant is reported. The weathering and mechanical cycling exposure